

# **BASIC FIRE SUPPRESSION SKILLS MANUAL**

**NFPA 1001, 2019 Edition**

**Effective January 1, 2021**



**Texas Commission on Fire Protection**  
P.O. Box 2286 Austin, Texas 78768-2286 (512) 936-3838

## INSTRUCTION SHEET STATE PERFORMANCE (TESTING) SKILLS

All the Basic Fire Suppression Performance Testing Skills are based on the NFPA 1001 *Standard for Fire Fighter Professional Qualifications*. Each TCFP Testing Skill references the corresponding Job Performance Requirement (JPR) number(s) from NFPA 1001 and includes the JPR(s) in entirety on the skill sheets. Each gradable step of the skill comes directly from the “Requisite Skills” statements in NFPA 1001, chapters 4 and 5. Many of the Testing Skills are scenario-based, requiring teamwork. This allows several JPRs to be performed under the umbrella of a single Testing Skill. Skills Examiners must grade each student individually even when a student is acting as a member of a working team. This will provide a realistic testing environment that requires examinees to demonstrate the knowledge, skills, and abilities of entry level fire fighters.

These Testing Skills are **not** designed to be used as teaching aids. The Testing Skills are broad in scope and do not adequately provide the specific details of how to perform each step of a given skill – they are designed only for testing. However, the Instructional Skills are designed for teaching purposes and may be used to prepare the trainees on the details of each step required for successfully passing the Testing Skills.

Some Testing Skills have multiple testing possibilities built into them (i.e., a “random selection” component). The commission will randomly select the option, if any of those types of skills are designated for testing. For example, in Skill #5 Live Fire – Interior Structure Fire, an academy would only be required to test one of three possible scenarios: (1) below grade level, (2) above grade level or (3) grade level fires. When the commission identifies which skills are required for the designated skills testing, the commission will also indicate the option that was randomly selected for any Testing Skills with multiple testing possibilities.

Field examiners have the responsibility of determining the success of student performance based on the skills as taught (TCFP instructional skills, AHJ policy, textbook skills) in the instructional process. All the grading criteria for the TCFP Testing Skills is satisfactory/unsatisfactory. If a trainee fails any one step, they fail the skill.

## INSTRUCTIONAL SKILLS

The Instructional Skills are available for academies to use to teach the skills that every fire fighter should know and be able to do. If the trainee has mastered these Instructional Skills, they should be confident in their ability to perform the TCFP Testing Skills without failure. The use of the TCFP Instructional Skills is optional. If an academy chooses not to use a TCFP Instructional Skill, the academy should then create its own skill sheet(s) for instructional purposes of that skill(s).

# **TESTING SKILLS MANUAL**

## **BASIC FIRE SUPPRESSION**

**NFPA 1001, 2019 Edition**

**Effective January 1, 2021**



**Texas Commission on Fire Protection**  
P.O. Box 2286 Austin, Texas 78768-2286 (512) 936-3838

BASIC FIRE SUPPRESSION  
PERFORMANCE SKILLSLIST

| Discipline           | NFPA Objective              | NFPA JPR                | Testing Skill Name  | Testing Skill Number     | Functional Name  | Instructional Skills                                    |
|----------------------|-----------------------------|-------------------------|---------------------|--------------------------|--|---|
| FF-I                 | Communications              | 4.2.1, 4.2.2, 4.2.3     | Communications      | 1 - radio                | Using Communication Equipment                          | Comm FFI-1, FFI-3                                       |
|                      |                             |                         |                     | 1 - phone                | Using Communication Equipment                          | Comm FFI-1, FFI-2                                       |
| FF-I                 | Fireground                  | 4.3.16                  | Extinguisher        | 2 - class A              | Selecting the Appropriate Fire Extinguisher            | Ext FFI-1   |
|                      |                             |                         |                     | 2 - class B              | Selecting the Appropriate Fire Extinguisher            | Ext FFI-2   |
|                      |                             |                         |                     | 2 - class C              | Selecting the Appropriate Fire Extinguisher            | Ext FFI-3   |
| FF-I                 | Fireground                  | 4.3.4                   | Forcible Entry      | 3 - window               | Force Entry into a Structure                           | F.E. FFI-2, FFI-4                                       |
|                      |                             |                         |                     | 3 - door                 | Force Entry into a Structure                           | F.E. FFI-1, FFI-4                                       |
|                      |                             |                         |                     | 3 - wall                 | Force Entry into a Structure                           | F.E. FFI-3, FFI-4                                       |
| FF-I                 | Fireground                  | 4.3.6                   | Ladders             | 4 - single               | Set Up Ground Ladders                                  | Ladders FFI-8, FFI-14, FFI-15                           |
|                      |                             |                         |                     | 4 - extension            | Set Up Ground Ladders                                  | Ladders FFI-9, FFI-10, FFI-11, FFI-13, FFI-15           |
| FF-I                 | Fireground                  | 4.3.10                  | Live Fire           | 5 - grade level          | Attack an Interior Structure Fire                      | Live Fire FFI-1; Hose FFI-1, FFI-2, FFI-4, FFI-6, FFI-7 |
|                      |                             |                         |                     | 5 - above grade          | Attack an Interior Structure Fire                      | Live Fire FFI-2; Hose, FFI-4, FFI-5, FFI-6, FFI-7       |
|                      |                             |                         |                     | 5 - below grade          | Attack an Interior Structure Fire                      | Live Fire FFI-3; Hose FFI-1, FFI-3, FFI-4, FFI-6, FFI-7 |
| FF-I                 | Fireground                  | 4.3.8                   | Live Fire           | 6                        | Storage Container Fires                                | Live Fire FFI-4; Hose FFI-6                             |
| FF-I                 | Fireground                  | 4.3.7                   | Live Fire           | 7                        | Vehicle Fires  | Live Fire FFI-5; Hose FFI-6                             |
| FF-I                 | Fireground                  | 4.3.19                  | Live Fire           | 8                        | Combat Ground Cover Fires                              | Live Fire FFI-6   |
| FF-I                 | Fireground                  | 4.3.13                  | Overhaul            | 9                        | Exposure of Hidden Fires                               | Overhaul FFI-1  |
| FF-I                 | Fireground                  | 4.2.4, 4.3.5            | Safety              | 10                       | Techniques for Actions When Trapped or Disoriented     | Safety FFI-1, FFI-2, FFI-3; SCBA FFI-6, FFI-10          |
| FF-I                 | Fireground                  | 4.3.18                  | Safety              | 11                       | Terminating Utility Service                            | Safety FFI-4  |
| FF-I                 | Fireground                  | 4.3.17                  | Safety              | 12                       | Set Up Emergency Lighting for Fire Ground Ops          | Safety FFI-5  |
| FF-I                 | Fireground                  | 4.3.2                   | Safety              | 13                       | Use of Safety Equipment While Riding On Fire Apparatus | Safety FFI-6  |
| FF-I                 | Fireground                  | 4.3.3                   | Safety              | 14                       | Safely Working In Protected Areas                      | Safety FFI-7  |
| FF-I                 | Fireground                  | 4.3.14                  | Salvage             | 15 - water chute         | Property Conservation                                  | Salvage FFI-2   |
|                      |                             |                         |                     | 15 - cluster & cover     | Property Conservation                                  | Salvage FFI-3, FFI-6, FFI-7                             |
|                      |                             |                         |                     | 15 - roll/fold covers    | Property Conservation                                  | Salvage FFI-4, FFI-5                                    |
|                      |                             |                         |                     | 15 - catch all           | Property Conservation                                  | Salvage FFI-10  |
|                      |                             |                         |                     | 15 - cover bldg opening  | Property Conservation                                  | Salvage FFI-9   |
|                      |                             |                         |                     | 15 - charred material    | Property Conservation                                  | Salvage FFI-8   |
|                      |                             |                         |                     | 15 - stop flow           | Property Conservation                                  | FPS FFI-2   |
| FF-I                 | Fireground                  | 4.3.1                   | SCBA                | 16 - donning             | Use of SCBA During Emergency Operations                | SCBA FFI-4, FFI-5, FFI-6, FFI-7, FFI-8, FFI-10          |
|                      |                             |                         |                     | 16 - replace cylinder    | Use of SCBA During Emergency Operations                | SCBA FFI-1  |
|                      |                             |                         |                     | 16 - restricted passages | Use of SCBA During Emergency Operations                | SCBA FFI-9  |
|                      |                             |                         |                     | 16 - SCBA failure        | Use of SCBA During Emergency Operations                | SCBA FFI-6, FFI-10                                      |
|                      |                             |                         |                     | FF-I                     | Fireground   | 4.3.9   |
| 17 - functioning     | Conduct a Search and Rescue | S&R FFI-1, FFI-3, FFI-4 |                     |                          |  |   |
| 17 - non-functioning | Conduct a Search and Rescue | S&R FFI-2, FFI3, FFI-4  |                     |                          |  |   |
| FF-I                 | Fireground                  | 4.3.11, 4.3.12          | Ventilation         | 18 - horizontal          | Horizontal and Vertical Ventilation                    | Ladders FFI-7; Vent FFI-2                               |
|                      |                             |                         |                     | 18 - vertical            | Horizontal and Vertical Ventilation                    | Ladders FFI-7, FFI-12; Vent FFI-1                       |
| FF-I                 | Fireground                  | 4.3.15                  | Water Source        | 19 - hand lay            | Developing a Water Supply                              | Water Source FFI-2                                      |
|                      |                             |                         |                     | 19 - portable tanks      | Developing a Water Supply                              | Water Source FFI-3                                      |
|                      |                             |                         |                     | 19 - hydrant to pumper   | Developing a Water Supply                              | Water Source FFI-1                                      |
| FF-I                 | Fireground                  | 4.3.21                  | Air Monitoring      | 20                       | Air Monitoring   | Safety FFI-8  |
| FF-I                 | General                     | 4.1.2                   | FD Org. & Standards | 21                       | Documentation, Standards and Codes                     | FDOrg&Std FFI-1   |
| FF-I                 | General                     | 4.1.2                   | PPE                 | 22                       | Inspection of PPE                                      | PPE FFI-1   |
| FF-I                 | General                     | 4.1.2                   | PPE                 | 23                       | Donning and Doffing of PPE                             | PPE FFI-2   |
| FF-I                 | General                     | 4.1.2, 4.3.20           | Ropes               | 24 - axe                 | Hoisting Tools and Equipment Using Rope                | Ropes FFI-5   |
|                      |                             |                         |                     | 24 - pike pole           | Hoisting Tools and Equipment Using Rope                | Ropes FFI-5   |
|                      |                             |                         |                     | 24 - ladders             | Hoisting Tools and Equipment Using Rope                | Ropes FFI-3   |

BASIC FIRE SUPPRESSION  
PERFORMANCE SKILLSLIST

| Discipline | NFPA Objective | NFPA JPR     | Testing Skill Name   | Testing Skill Number    | Functional Name                                    | Instructional Skills                         |
|------------|----------------|--------------|----------------------|-------------------------|--|--|
|            |                |              |                      | 24 - charged            | Hoisting Tools and Equipment Using Rope            | Ropes FFI-4                                  |
|            |                |              |                      | 24 - uncharged          | Hoisting Tools and Equipment Using Rope            | Ropes FFI-4                                  |
|            |                |              |                      | 24 - exhaust fan        | Hoisting Tools and Equipment Using Rope            | Ropes FFI-2                                  |
|            |                |              |                      | 24 - chain saw          | Hoisting Tools and Equipment Using Rope            | Ropes FFI-2                                  |
| FF-I       | Preparedness   | 4.5.2        | Hose                 | 25 - roll/reload        | Clean, Inspect and Return Hose to Service          | Hose FFI-9, FFI-10                           |
|            |                |              |                      | 25- inspect/clean       | Clean, Inspect and Return Hose to Service          | Hose FFI-8                                   |
| FF-I       | Preparedness   | 4.5.1        | Maintenance          | 26 - ladders            | Cleaning, Maintening, and Placing in a Ready State | Ladders FFI-1, FFI-2                         |
|            |                |              |                      | 26 - ventilation equip  | Cleaning, Maintening, and Placing in a Ready State | Vent FFI-3                                   |
|            |                |              |                      | 26 - SCBA               | Cleaning, Maintening, and Placing in a Ready State | SCBA FFI-2, FFI-3                            |
|            |                |              |                      | 26 - ropes              | Cleaning, Maintening, and Placing in a Ready State | Ropes FFI-1                                  |
|            |                |              |                      | 26 - salvage equip      | Cleaning, Maintening, and Placing in a Ready State | Salvage FFI-1                                |
|            |                |              |                      | 26 - hand tools         | Cleaning, Maintening, and Placing in a Ready State | Hand Tools FFI-1                             |
| FF-II      | Communications | 5.2.1        | Incident Report Form | 1                       | Complete an Incident Report Form                   | Reports FFII-1                               |
| FF-II      | Fireground     | 5.3.1        | Live Fire            | 2                       | Ignitable Liquid Fire                              | Live Fire FFII-1; Fire Streams FFII-1, FFI-2 |
| FF-II      | Fireground     | 5.3.3        | Live Fire            | 3                       | Flammable Gas Cylinder Fire                        | Live Fire FFII-2                             |
| FF-II      | Fireground     | 5.3.2        | Live Fire            | 4                       | Coordinated an Interior Attack                     | Live Fire FFII-3                             |
| FF-II      | Fireground     | 5.3.4        | Overhaul             | 5                       | Protecting Evidence                                | Overhaul FFII-1                              |
| FF-II      | General        | 5.1.2, 5.2.2 | Incident Mgt. System | 6                       | Implementing IMS                                   | IMS FFII-1                                   |
| FF-II      | Preparedness   | 5.5.2        | Education            | 7                       | Present Fire Safety Information                    | Edu FFII-1                                   |
| FF-II      | Preparedness   | 5.5.5        | Hose                 | 8                       | Perform an Annual Fire Hose Test                   | Hose FFII-1                                  |
| FF-II      | Preparedness   | 5.5.1        | Fire Safety Survey   | 9                       | Fire Safety Survey in an Occupied Structure        | FSS FFII-1                                   |
| FF-II      | Preparedness   | 5.5.4        | Maintenance          | 10                      | Power Equipment Maintenance                        | Maint FFII-1                                 |
| FF-II      | Preparedness   | 5.5.3        | Prefire Plan         | 11                      | Prepare a Preincident Survey                       | Preplan FFII-1                               |
| FF-II      | Rescue         | 5.4.1        | Rescue               | 12 - manage hazards     | Vehicle Extrication                                | Rescue FFII-1                                |
|            |                |              |                      | 12 - stabilize vehicle  | Vehicle Extrication                                | Rescue FFII-2                                |
|            |                |              |                      | 12 - disentangle victim | Vehicle Extrication                                | Rescue FFII-3                                |
| FF-II      | Rescue         | 5.4.2        | Rescue               | 13                      | Assist Rescue Operation Teams                      | Rescue FFII-4                                |

## Equipment List for the Basic Fire Suppression Curriculum

### Appliances and Tools

- 1½" fog nozzle
- 2½" - 1⅛" straight tip nozzle
- Other nozzle selection as determined by AHJ
- Cap
- Double female fittings 1½"
- Double female fittings 2½"
- Double male fittings 1½"
- Double male fittings 2½"
- Hose clamps
- Hose jacket
- Hose roller
- Hose strap, rope, or chain
- Hose test gate valve (¼" hole drilled in the gate)
- Plug
- Reducers 2½" to 1½"
- Siamese
- Spanner wrenches (4)
- Wye
- Gated Wye (2½" to 1½")
- Hydrant Wrench (2)
- Rubber Mallet

### Extinguishers and Supplies

- Dry chemical extinguisher (ordinary base or multi-purpose)
- CO<sub>2</sub> extinguisher
- Water extinguisher
- Class "A" fuel for live burns, such as hay
- Class "B" fuel for live burns, such as diesel fuel or propane
- Metal pan – minimum 9 square feet

### Extrication/Rescue Equipment/Materials

- Blanket
- Cribbing blocks
- Electrical connectors
- Electrical (extension) cords
- Electrical power supply (portable or mounted)
- Gas and water service cut-off (water meter, gas meter, breaker box with meter head)
- Long spine board
- Vehicle
- Stokes basket

### **Hose – NFPA 1961 Compliant**

- 1½" or 1¾" fire hose (400' minimum)
- 2½" or 3" fire hose (500' minimum)
- Large diameter hose (LDH) (300' minimum)
- Hard suction (intake) hose (20' minimum) and strainer
- Hose and nozzles capable of flowing a minimum of 95 GPM
- Soft suction hose (15' minimum)

### **Hand Tools**

- Axe – Flat head
- Axe – Pick head
- Bolt cutters
- Crowbar/pry bar
- Flat head axe
- Halligan tool
- Hand saw
- Hydrant wrench
- K-tool
- Pick-head axe
- Pike pole (8')
- Sledgehammer

### **Ladders – NFPA 1931 Compliant**

- 10' folding ladder
- 14' combination ladder
- 14' ladder with folding hooks
- 24' extension ladder
- 35' extension ladder
- Two straight ladders

### **Power Tools**

- Chain saw
- Gasoline powered circular saw (K12)
- Electric fan
- Gasoline powered fan (PPV)
- Other gasoline or electric power tools per AHJ
- Hydraulic extrication ram
- Hydraulic extrication shears
- Hydraulic extrication spreaders

### **Protective Equipment/Clothing**

- Full set of Protective Clothing for Structural Fire Fighting for each trainee, including:
  - Bunker pants, bunker coat, bunker boots, gloves, helmet, hood, and face piece
  - Self-Contained Breathing Apparatus with charged air cylinder
  - One extra fully charged air cylinder
  - Personal alert safety system (PASS)
- Manufacturer approved cleaning agent (for SCBA)
- Manufacturer approved cleaning equipment (for SCBA)
- Manufacturer approved sanitizing agent (for SCBA)

### **Rope**

- ½" rope
- Safety line (NFPA 1983 compliant)
- Various lengths and diameters of natural fiber rope
- Various lengths and diameters of synthetic rope
- Various lengths of 1-person or 2-person life safety rope (NFPA 1983 compliant)

### **Salvage Equipment/Materials**

- Brooms
- Buckets
- Tubs
- Mops
- Objects to cover, such as straight back chairs
- Salvage covers (2 – 12'x14' minimum)
- Squeegees
- Water vacuums

### **Simulation Equipment/Materials**

- Burn building as recommended in NFPA 1403: Standard on Live Fire Training Evolutions
- Car fire prop
- Simulated wood roof with replaceable 4' x 8' wood panels over 2' x 8" roof joists on 24" centers
- Training tower, minimum of 2 stories in height
- Approved portable fire extinguisher training devices may include but are not limited to the following:
  - Kidde P-100 Portable Fire Extinguisher Trainer
  - Lion/Bullex ITS
  - Pyrosoft fire simulator
  - Dräger Fire Extinguisher Trainer

### **Other Supplies/Equipment Needed**

- First Aid supplies/kit
- Air monitoring instruments/equipment
- Apparatus or hose testing device
- Equipment necessary for developing a foam stream – Foam eductors, foam nozzles or fog nozzles, and training foam
- Fire hydrant
- Pitot tube and gauge
- Portable radios
- Pumper - NFPA 1901 compliant
- Safety can with proper fuel mixture and funnel
- Scene tape
- Fire apparatus equipped with pump (NFPA 1901 compliant) or pumping system
- Two portable tanks with water transfer equipment and appliances
- Water sources (NFPA 1403 compliant)

Note: If the program is teaching Hazardous Materials Awareness and Operations as part of their course they must refer to the Hazard Materials Equipment List located in Chapter 6 of the TCFP Curriculum Manual.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #1 COMMUNICATIONS**  
Operating Communication Equipment

**Subject: Fire Department Communications**

**Section 101**

**NFPA 1001, 2019 edition, 4.2.1, 4.2.2, 4.2.3**

**Firefighter I**

**OBJECTIVE**

Initiate the response to a reported emergency, given the report of an emergency, fire department SOPs, and communications equipment, so that all necessary information is obtained, communications equipment is operated correctly, and the information is relayed promptly and accurately to the dispatch center. (4.2.1)

Receive a telephone call, given a fire department phone, so that procedures for answering the phone are used and the caller's information is relayed. (4.2.2)

Transmit and receive messages via the fire department radio, given a fire department radio and operating procedures, so that the information is accurate, complete, clear, and relayed within the time established by the AHJ. (4.2.3)

**INSTRUCTIONS - procedures for achieving the objective**

Given a radio or telephone communication, you shall operate the necessary fire department communications equipment, record information, relay information, and discriminate between routine and emergency traffic.

You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

If this skill is selected as a designated testing skill by TCFP, one of the below options will be assigned:

- Radio communication
- Telephone communication

Only the portions of the steps appropriate for the designated communication skill will be evaluated.

**PREPARATION & EQUIPMENT**

Communication equipment appropriate to the scenario  
PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #1 COMMUNICATIONS**

Operating Communication Equipment

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| <b>Firefighter I</b>   | <u><b>TEST</b></u> |          | <u><b>RETEST</b></u> |          |
|--|--------------------|----------|----------------------|----------|
| <b>SKILL #1 COMMUNICATIONS</b>   | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| Initiate the response to a reported emergency, given the report of an emergency, fire department SOPs, and communications equipment, so that all necessary information is obtained, communications equipment is operated correctly, and the information is relayed promptly and accurately to the dispatch center. (4.2.1) |                    |          |                      |          |
| Receive a telephone call, given a fire department phone, so that procedures for answering the phone are used and the caller's information is relayed. (4.2.2)  |                    |          |                      |          |
| Transmit and receive messages via the fire department radio, given a fire department radio and operating procedures, so that the information is accurate, complete, clear, and relayed within the time established by the AHJ. (4.2.3)   |                    |          |                      |          |
| <b>Radio communication</b>   | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| a. Operates fire department radio equipment appropriately  |                    |          |                      |          |
| b. Receives information  |                    |          |                      |          |
| c. Relays information accurately   |                    |          |                      |          |
| d. Discriminates between routine and emergency traffic   |                    |          |                      |          |
| <b>Telephone communication</b>   | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| a. Operates fire station telephone and/or intercom equipment appropriately   |                    |          |                      |          |
| b. Receives and records information  |                    |          |                      |          |
| c. Relays information accurately   |                    |          |                      |          |
| d. Discriminates between routine and emergency traffic   |                    |          |                      |          |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**  
**BASIC STRUCTURE FIRE SUPPRESSION**  
Performance Standards Evaluation

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Evaluator/Candidate Comments:**

---

---

---

---

---

---

---

**All steps of the skill objective are mandatory and must be scored as “Satisfactory” to pass the skill.**

\_\_\_\_\_  
Certifying Examiner

\_\_\_\_\_  
Date

|   |
|---|
| Overall Skill Sheet Score                                   |
| Pass <input type="checkbox"/> Fail <input type="checkbox"/> |
| Overall Skill Sheet Re-Test Score                           |
| Pass <input type="checkbox"/> Fail <input type="checkbox"/> |

\_\_\_\_\_  
Re-Test Certifying Examiner

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #2 PORTABLE FIRE EXTINGUISHERS**

Selecting the Appropriate Fire Extinguisher

**Subject: Fireground Operations**

**Section 101**

**NFPA 1001, 2019 edition, 4.3.16**

**Firefighter I**

**OBJECTIVE**

Extinguish incipient Class A, Class B, and Class C fires, given a selection of portable fire extinguishers, so that the correct extinguisher is chosen, the fire is completely extinguished, and correct extinguisher-handling techniques are followed. (4.3.16)

**INSTRUCTIONS - procedures for achieving the objective**

You shall demonstrate the operation of fire extinguishers on a Class A, B or C fire. You are required to properly select an appropriate extinguisher, properly approach, extinguish, and withdraw after the fire is completely extinguished. Only one extinguisher may be used on each class of fire. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

If this skill is selected as a designated testing skill by TCFP, one of the below options will be assigned:

- Class A fire
- Class B fire
- Class C fire

The firefighter trainee will not be allowed to review the performance steps at the time of testing.

NFPA 1001, A.4.3.16 - The Fire Fighter I should be able to extinguish incipient Class A fires such as wastebaskets, small piles of pallets, wood, or hay; Class B fires of approximately 9 ft<sup>2</sup> (0.84 m<sup>2</sup>); and Class C fires where the electrical equipment is energized (simulated). If the Fire Department has Class D or K type extinguishers, the fire fighter should be knowledgeable on the devices and their use.

**PREPARATION & EQUIPMENT**

Stored-pressure water extinguisher - 2½ gallons

Dry chemical extinguisher

9 square foot metal pan (minimum size)

Class A fuel

Class B fuel

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

Class C fire (simulated)

Electronic fire extinguisher simulation systems are acceptable for use

The firefighter trainee shall accomplish the skill wearing "**FULL PROTECTIVE CLOTHING FOR STRUCTURAL FIREFIGHTERS**" as required by the Texas Commission on Fire Protection to include helmet, gloves, coat, trousers, boots, and SCBA.

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #2 PORTABLE FIRE EXTINGUISHERS**

Selecting the Appropriate Fire Extinguisher

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| <b>Firefighter I</b>   | <b><u>TEST</u></b> |          | <b><u>RETEST</u></b> |          |
|--|--------------------|----------|----------------------|----------|
| <b>SKILL #2 PORTABLE FIRE EXTINGUISHERS</b>  | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| Extinguish incipient Class A, Class B, and Class C fires, given a selection of portable fire extinguishers, so that the correct extinguisher is chosen, the fire is completely extinguished, and correct extinguisher-handling techniques are followed. (4.3.16) |                    |          |                      |          |
| a. Selects an appropriate extinguisher based on the size and type of fire  |                    |          |                      |          |
| b. Safely carries portable fire extinguisher   |                    |          |                      |          |
| c. Approaches fire with portable fire extinguisher   |                    |          |                      |          |
| d. Operates portable fire extinguisher correctly   |                    |          |                      |          |
| e. Ensures extinguishment of fire  |                    |          |                      |          |
| f. Performs skill in a safe and proficient manner, per AHJ   |                    |          |                      |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Evaluator/Candidate Comments:**

---



---



---



---



---



---



---

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**All steps of the skill objective are mandatory and must be scored as “Satisfactory” to pass the skill.**

|                             |       |   |
|-----------------------------|-------|---|
| _____                       | _____ | Overall Skill Sheet Score                                   |
| Certifying Examiner         | Date  | Pass <input type="checkbox"/> Fail <input type="checkbox"/> |
| _____                       | _____ | Overall Skill Sheet Re-Test Score                           |
| Re-Test Certifying Examiner | Date  | Pass <input type="checkbox"/> Fail <input type="checkbox"/> |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**  
**BASIC FIRE SUPPRESSION**  
Performance Standards

**SKILL #3 FORCIBLE ENTRY**  
Force Entry into a Structure

**Subject: Fireground Operations**

**Section 101**

**NFPA 1001, 2019 edition, 4.3.4**

**Firefighter I**

**OBJECTIVE**

Force entry into a structure, given personal protective equipment, tools, and an assignment, so that the tools are used as designed, the barrier is removed, and the opening is in a safe condition and ready for entry. (4.3.4)

**INSTRUCTIONS - procedures for achieving the objective**

Given a scenario to force entry into a structure, you shall demonstrate removing barriers and making the opening safe and ready for entry. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

If this skill is selected as a designated testing skill by TCFP, one of the below options will be assigned:

- windows
- doors
- walls

The firefighter trainee will not be allowed to review the performance steps at the time of testing.

**PREPARATION & EQUIPMENT**

Scenarios

SOPs

Protective equipment

Hand and power tools

The firefighter trainee shall accomplish the skills wearing "**FULL PROTECTIVE CLOTHING FOR STRUCTURAL FIREFIGHTERS**" as required by the Texas Commission on Fire Protection to include helmet, gloves, coat, trousers, boots, and SCBA.

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**  
**BASIC FIRE SUPPRESSION**  
 Performance Standards

**SKILL #3 FORCIBLE ENTRY**  
 Force Entry into a Structure

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| Firefighter I  | <u>TEST</u> |   | <u>RETEST</u> |   |
|--|-------------|---|---------------|---|
| SKILL #3 FORCIBLE ENTRY  | S           | U | S             | U |
| Force entry into a structure, given personal protective equipment, tools, and an assignment, so that the tools are used as designed, the barrier is removed, and the opening is in a safe condition and ready for entry. (4.3.4) |             |   |               |   |
| a. Transports and operates hand and/or power tools safely  |             |   |               |   |
| b. Forces entry through doors, windows, or walls   |             |   |               |   |
| c. Uses appropriate tools  |             |   |               |   |
| d. Uses appropriate entry methods  |             |   |               |   |
| e. Performs skill in a safe and proficient manner, per AHJ   |             |   |               |   |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Evaluator/Candidate Comments:**

\_\_\_\_\_

\_\_\_\_\_

**All steps of the skill objective are mandatory and must be scored as "Satisfactory" to pass the skill.**

|                                      |               |  |
|--------------------------------------|---------------|--|
| _____<br>Certifying Examiner         | _____<br>Date | Overall Skill Sheet Score<br>Pass <input type="checkbox"/> Fail <input type="checkbox"/>         |
| _____<br>Re-Test Certifying Examiner | _____<br>Date | Overall Skill Sheet Re-Test Score<br>Pass <input type="checkbox"/> Fail <input type="checkbox"/> |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #4 LADDERS**

Set up Ground Ladders

**Subject: Fireground Operations**

**Section 101**

**NFPA 1001, 2019 edition, 4.3.6**

**Firefighter I**

**OBJECTIVE**

Set up ground ladders, given single and extension ladders, an assignment, and team members if needed, so that hazards are assessed, the ladder is stable, the angle is correct for climbing, extension ladders are extended to the necessary height with the fly locked, the top is placed against a reliable structural component, and the assignment is accomplished. (4.3.6)

**INSTRUCTIONS - procedures for achieving the objective**

You will be given an assignment to set up ground ladders, given single and extension ladders, and team members if needed. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

If this skill is selected as a designated testing skill by TCFP, one of the below options will be assigned:

- Single ladder carry and raise
- Extension ladder carry and raise

Only the portions of the steps appropriate for the designated ladder skill will be evaluated.

**PREPARATION & EQUIPMENT**

Appropriate protective equipment

Single and extension ladders

Training tower

The firefighter trainee shall accomplish the skill wearing appropriate PPE.

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #4 LADDERS**

Set up Ground Ladders

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| <b>Firefighter I</b>  | <b><u>TEST</u></b> |          | <b><u>RETEST</u></b> |          |
|---|--------------------|----------|----------------------|----------|
| <b>SKILL #4 LADDERS</b>   | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| Set up ground ladders, given single and extension ladders, an assignment, and team members if needed, so that hazards are assessed, the ladder is stable, the angle is correct for climbing, extension ladders are extended to the necessary height with the fly locked, the top is placed against a reliable structural component, and the assignment is accomplished. (4.3.6) |                    |          |                      |          |
| <b>Single ladder carry and raise</b>  | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| a. Assesses for <i>and verbalizes hazards</i> prior to raises   |                    |          |                      |          |
| b. Carries and raises ground ladder properly  |                    |          |                      |          |
| c. Places the top of the ladder against a reliable structural component (wall, roof, etc.)  |                    |          |                      |          |
| d. Places the ladder to avoid obvious hazards   |                    |          |                      |          |
| e. Performs skill in a safe and proficient manner, per AHJ  |                    |          |                      |          |
| <b>Extension ladder carry and raise</b>   | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| a. Selects appropriate ladder   |                    |          |                      |          |
| b. Assesses for <i>and verbalizes hazards</i> prior to raises   |                    |          |                      |          |
| c. Carries and raises ground ladder properly  |                    |          |                      |          |
| d. Judges extension of the ladder height correctly  |                    |          |                      |          |
| e. Extension ladders are extended to the necessary height (extension ladders with the fly locked and halyard secured)   |                    |          |                      |          |
| f. Places the top of the ladder against a reliable structural component (wall, roof, etc.)  |                    |          |                      |          |
| g. Places the ladder to avoid obvious hazards   |                    |          |                      |          |
| h. Performs skill in a safe and proficient manner, per AHJ  |                    |          |                      |          |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Evaluator/Candidate Comments:**

---

---

---

---

---

---

---

---

---

---

**All steps of the skill objective are mandatory and must be scored as “Satisfactory” to pass the skill.**

|                                      |               |  |
|--------------------------------------|---------------|--|
| _____<br>Certifying Examiner         | _____<br>Date | Overall Skill Sheet Score<br>Pass <input type="checkbox"/> Fail <input type="checkbox"/>         |
| _____<br>Re-Test Certifying Examiner | _____<br>Date | Overall Skill Sheet Re-Test Score<br>Pass <input type="checkbox"/> Fail <input type="checkbox"/> |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #5 LIVE FIRE TRAINING**

Attack an Interior Structure Fire

**Subject: Fireground Operations**

**Section 101**

**NFPA 1001, 2019 edition, 4.3.10**

**Firefighter I**

**OBJECTIVE**

Attack an interior structure fire operating as a member of a team, given an attack line, ladders when needed, personal protective equipment, tools, and an assignment, so that team integrity is maintained, the attack line is deployed for advancement, ladders are correctly placed when used, access is gained into the fire area, effective water application practices are used, the fire is approached correctly, attack techniques facilitate suppression given the level of the fire, hidden fires are located and controlled, the correct body posture is maintained, hazards are recognized and managed, and the fire is brought under control. (4.3.10)

**INSTRUCTIONS - procedures for achieving the objective**

Operating as a member of a team, you will attack an interior structure fire at grade level, above grade level or below grade level and demonstrate the proper technique for extinguishing the fire. You will use a 1½" or larger charged attack hose line for this skill. I will indicate if a hose needs to be replaced or extended. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

If this skill is selected as a designated testing skill by TCFP, one of the below options will be assigned:

- Grade level fire (must replace a burst hose line)
- Above grade level fire (must advance a hose line up a ladder)
- Below grade level fire (must extend a hose line and advance down interior stairwell)

This skill must be conducted with live fire and cannot be simulated. Only the portions of the steps appropriate to the designated type of fire will be evaluated.

101-A.4.3.10 The Fire Fighter I should be proficient in the various attack approaches for room and contents fires at three different levels (at grade, above grade, and below grade). Maintenance of body posture in the standard refers to staying low during initial attack, protecting oneself from falling objects, and otherwise using common sense given the state of the fire's growth or suppression. Live fire evolutions should be conducted in accordance with the requirements of NFPA 1403, *Standard on Live Fire Training*

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

# TEXAS COMMISSION ON FIRE PROTECTION BASIC STRUCTURE FIRE SUPPRESSION

## Performance Standards Evaluation

*Evolutions.* It is further recommended that prior to involvement in live fire evolutions, the fire fighter demonstrates the use of SCBA in smoke and elevated temperature conditions. In areas where environmental or other concerns restrict the use of Class A fuels for training evolutions, properly installed and monitored gas-fueled fire simulators might be substituted.

The firefighter trainee will not be allowed to review the performance steps at the time of testing.

### **PREPARATION & EQUIPMENT**

Enough 1½" or larger charged attack lines for the scenario

Material for burning (must comply with NFPA 1403)

Multilevel burn facility

All needed support equipment and personnel for the scenario

The firefighter trainee shall accomplish the skill wearing "**FULL PROTECTIVE CLOTHING FOR STRUCTURAL FIREFIGHTERS**" as required by the Texas Commission on Fire Protection to include helmet, gloves, coat, trousers, boots, and SCBA.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #5 LIVE FIRE TRAINING**

Attack an Interior Structure Fire

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| <b>Firefighter I</b>  | <b><u>TEST</u></b> |          | <b><u>RETEST</u></b> |          |
|---|--------------------|----------|----------------------|----------|
| <b>SKILL #5 LIVE FIRE TRAINING</b>  | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| Attack an interior structure fire operating as a member of a team, given an attack line, ladders when needed, personal protective equipment, tools, and an assignment, so that team integrity is maintained, the attack line is deployed for advancement, ladders are correctly placed when used, access is gained into the fire area, effective water application practices are used, the fire is approached correctly, attack techniques facilitate suppression given the level of the fire, hidden fires are located and controlled, the correct body posture is maintained, hazards are recognized and managed, and the fire is brought under control. (4.3.10) |                    |          |                      |          |
| a. Opens, closes, and adjusts nozzle flow and patterns  |                    |          |                      |          |
| b. Applies water using appropriate direct, indirect, and/or combination attacks   |                    |          |                      |          |
| c. Prevents water hammers when shutting down nozzles  |                    |          |                      |          |
| d. Advances charged and uncharged 38 mm (1½" or larger) diameter or larger hose lines up ladders and up and down interior and exterior stairways as necessary   |                    |          |                      |          |
| e. Extends hose lines and/or replaces burst hose sections as necessary  |                    |          |                      |          |
| f. Operates charged hose lines of 38 mm (1½" or larger) diameter or larger while secured to a ground ladder as necessary  |                    |          |                      |          |
| g. Couples and uncouples various handline connections and carries hose as necessary   |                    |          |                      |          |
| h. Attacks fires at grade level, above grade, and/or below grade levels   |                    |          |                      |          |
| i. Locates and suppresses interior wall and/or subfloor fires   |                    |          |                      |          |
| j. Performs skill in a safe and proficient manner   |                    |          |                      |          |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Evaluator/Candidate Comments:**

---

---

---

---

---

---

---

---

---

---

**All steps of the skill objective are mandatory and must be scored as “Satisfactory” to pass the skill.**

\_\_\_\_\_  
Certifying Examiner

\_\_\_\_\_  
Date

|                                   |                               |
|-----------------------------------|-------------------------------|
| Overall Skill Sheet Score         |                               |
| Pass <input type="checkbox"/>     | Fail <input type="checkbox"/> |
| Overall Skill Sheet Re-Test Score |                               |
| Pass <input type="checkbox"/>     | Fail <input type="checkbox"/> |

\_\_\_\_\_  
Re-Test Certifying Examiner

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #6 LIVE FIRE TRAINING**

Storage Container Fires

**Subject: Fireground Operations**

**Section 101**

**NFPA 1001, 2019 edition, 4.3.8**

**Firefighter I**

**OBJECTIVE**

Extinguish fires in exterior Class A materials, given fires in stacked or piled and small unattached structures or storage containers that can be fought from the exterior, attack lines, hand tools and master stream devices, and an assignment, so that exposures are protected, the spread of fire is stopped, collapse hazards are avoided, water application is effective, the fire is extinguished, and signs of the origin area(s) and arson are preserved. (4.3.8)

**INSTRUCTIONS - procedures for achieving the objective**

Given the appropriate equipment and assistance, you shall demonstrate the proper technique for extinguishing a fire in a storage container. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

This skill must be conducted with live fire and cannot be simulated.

101-A.4.3.8 The Fire Fighter I should be able to extinguish fires in stacked or piled materials such as hay bales, pallets, lumber, piles of mulch, sawdust, other bulk Class A materials, or small unattached structures that are attacked from the exterior. The tactics for extinguishing each of these types of fires are similar enough to be included in one JPR. Live fire evolutions should be conducted in accordance with the requirements of NFPA 1403, Standard on Live Fire Training Evolutions. It is further recommended that prior to involvement in live fire evolutions, the fire fighter demonstrate the use of SCBA in smoke and elevated temperature conditions. In areas where environmental or other concerns restrict the use of Class A fuels for training evolutions, properly installed and monitored gas-fueled fire simulators might be substituted.

The firefighter trainee will not be allowed to review the performance steps at the time of testing.

**PREPARATION & EQUIPMENT**

Pumper apparatus

Attack hoses and nozzles

Storage container (exterior dumpster or trash bin)

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

Material for burning (must comply with NFPA 1403)

The firefighter trainee shall accomplish the skill wearing "**FULL PROTECTIVE CLOTHING FOR STRUCTURAL FIREFIGHTERS**" as required by the Texas Commission on Fire Protection to include helmet, gloves, coat, trousers, boots, and SCBA.

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #6 LIVE FIRE TRAINING**

Storage Container Fires

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| <b>Firefighter I</b>   | <b><u>TEST</u></b> |          | <b><u>RETEST</u></b> |          |
|--|--------------------|----------|----------------------|----------|
| <b>SKILL #6 LIVE FIRE TRAINING</b>   | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| Extinguish fires in exterior Class A materials, given fires in stacked or piled and small unattached structures or storage containers that can be fought from the exterior, attack lines, hand tools and master stream devices, and an assignment, so that exposures are protected, the spread of fire is stopped, collapse hazards are avoided, water application is effective, the fire is extinguished, and signs of the origin area(s) and arson are preserved.<br>(4.3.8) |                    |          |                      |          |
| a. Recognizes inherent hazards related to the material's configuration   |                    |          |                      |          |
| b. Operates handlines or master streams  |                    |          |                      |          |
| c. Breaks up material using hand tools and water streams   |                    |          |                      |          |
| d. Evaluates for complete extinguishment   |                    |          |                      |          |
| e. Operates hose lines and other water application devices   |                    |          |                      |          |
| f. Evaluates and modifies water application for maximum penetration  |                    |          |                      |          |
| g. Searches for and exposes hidden fires   |                    |          |                      |          |
| h. Assesses patterns for origin determination  |                    |          |                      |          |
| i. Evaluates for complete extinguishment   |                    |          |                      |          |
| j. Performs skill in a safe and proficient manner, per AHJ   |                    |          |                      |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**  
**BASIC STRUCTURE FIRE SUPPRESSION**  
Performance Standards Evaluation

**Evaluator/Candidate Comments:**

---

---

---

---

---

---

---

---

---

**All steps of the skill objective are mandatory and must be scored as “Satisfactory” to pass the skill.**

\_\_\_\_\_  
Certifying Examiner

\_\_\_\_\_  
Date

|   |
|---|
| Overall Skill Sheet Score                                   |
| Pass <input type="checkbox"/> Fail <input type="checkbox"/> |
| Overall Skill Sheet Re-Test Score                           |
| Pass <input type="checkbox"/> Fail <input type="checkbox"/> |

\_\_\_\_\_  
Re-Test Certifying Examiner

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #7 LIVE FIRE TRAINING**

Vehicle Fires

**Subject: Fireground Operations**

**Section 101**

**NFPA 1001, 2019 edition, 4.3.7**

**Firefighter I**

**OBJECTIVE**

Attack a passenger vehicle fire operating as a member of a team, given personal protective equipment, attack line, and hand tools, so that hazards are avoided, leaking flammable liquids are identified and controlled, protection from flash fires is maintained, all vehicle compartments are overhauled, and the fire is extinguished. (4.3.7)

**INSTRUCTIONS - procedures for achieving the objective**

Given the appropriate equipment and assistance, you shall demonstrate the proper technique for extinguishing a vehicle fire. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

This skill may be conducted with or without live fire.

The firefighter trainee will not be allowed to review the performance steps at the time of testing.

**PREPARATION & EQUIPMENT**

Pumper apparatus

Attack hoses and nozzles

Vehicle for fire (must comply with NFPA 1403)

The firefighter trainee shall accomplish the skill wearing "**FULL PROTECTIVE CLOTHING FOR STRUCTURAL FIREFIGHTERS**" as required by the Texas Commission on Fire Protection to include helmet, gloves, coat, trousers, boots, and SCBA.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #7 LIVE FIRE TRAINING**

Vehicle Fires

Candidate: \_\_\_\_\_

Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

\_\_\_\_\_

School: \_\_\_\_\_

\_\_\_\_\_

Test Site: \_\_\_\_\_

\_\_\_\_\_

| <b>Firefighter I</b>   | <b><u>TEST</u></b> |          | <b><u>RETEST</u></b> |          |
|--|--------------------|----------|----------------------|----------|
| <b>SKILL #7 LIVE FIRE TRAINING</b>   | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| Attack a passenger vehicle fire operating as a member of a team, given personal protective equipment, attack line, and hand tools, so that hazards are avoided, leaking flammable liquids are identified and controlled, protection from flash fires is maintained, all vehicle compartments are overhauled, and the fire is extinguished. (4.3.7) |                    |          |                      |          |
| a. Verbally identifies possible fuel types   |                    |          |                      |          |
| b. Assesses and controls fuel leaks as required  |                    |          |                      |          |
| c. Opens, closes, and adjusts the flow and pattern on nozzles  |                    |          |                      |          |
| d. Applies water for maximum effectiveness while maintaining flash fire protection   |                    |          |                      |          |
| e. Advances 38mm (1 ½ in.) or larger diameter attack lines   |                    |          |                      |          |
| f. Exposes hidden fires by opening all automobile compartments   |                    |          |                      |          |
| g. Performs the skill in a safe and proficient manner, per AHJ   |                    |          |                      |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**  
**BASIC STRUCTURE FIRE SUPPRESSION**  
Performance Standards Evaluation

**Evaluator/Candidate Comments:**

---

---

---

---

---

---

---

---

---

---

**All steps of the skill objective are mandatory and must be scored as “Satisfactory” to pass the skill.**

\_\_\_\_\_  
Certifying Examiner

\_\_\_\_\_  
Date

|   |
|---|
| Overall Skill Sheet Score                                   |
| Pass <input type="checkbox"/> Fail <input type="checkbox"/> |
| Overall Skill Sheet Re-Test Score                           |
| Pass <input type="checkbox"/> Fail <input type="checkbox"/> |

\_\_\_\_\_  
Re-Test Certifying Examiner

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #8 LIVE FIRE TRAINING**

Combat Ground Cover Fires

**Subject: Fireground Operations**

**Section 101**

**NFPA 1001, 2019 edition, 4.3.19**

**Firefighter I**

**OBJECTIVE**

Combat a ground cover fire operating as a member of a team, given protective clothing, SCBA if needed, hose lines, extinguishers or hand tools, and an assignment, so that threats to property are reported, threats to personal safety are recognized, retreat is quickly accomplished when warranted, and the assignment is completed. (4.3.19)

**INSTRUCTIONS - procedures for achieving the objective**

Operating as a member of a team, you shall demonstrate and describe the proper techniques for combating a ground cover fire so that threats to property are reported, threats to personal safety are recognized, retreat is quickly accomplished when warranted, and the assignment is completed. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

This is a simulation. The examinee is to demonstrate and describe proper *techniques*. It is NOT necessary to actually construct the fire line and it is NOT necessary to attack an actual fire.

The firefighter trainee will not be allowed to review the performance steps at the time of testing.

**PREPARATION & EQUIPMENT**

Task appropriate protective clothing (according to the SOP of the authority having jurisdiction)

Hose lines

Extinguishers and/or hand tools

Assignments for combating a ground fire

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #8 LIVE FIRE TRAINING**

Combat Ground Cover Fires

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| <b>Firefighter I</b>   | <b><u>TEST</u></b> |          | <b><u>RETEST</u></b> |          |
|--|--------------------|----------|----------------------|----------|
| <b>SKILL #8 LIVE FIRE TRAINING</b>   | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| Combat a ground cover fire operating as a member of a team, given protective clothing, SCBA if needed, hose lines, extinguishers or hand tools, and an assignment, so that threats to property are reported, threats to personal safety are recognized, retreat is quickly accomplished when warranted, and the assignment is completed.<br>(4.3.19) |                    |          |                      |          |
| a. Determines exposure threats based on fire spread potential  |                    |          |                      |          |
| b. Protects exposures  |                    |          |                      |          |
| c. Constructs a fire line or extinguish with hand tools  |                    |          |                      |          |
| d. Maintains integrity of established fire lines (if required)   |                    |          |                      |          |
| e. Suppresses ground cover fires using water   |                    |          |                      |          |
| f. Performs skill in a safe and proficient manner, per AHJ   |                    |          |                      |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Evaluator/Candidate Comments:**

---



---



---



---

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**  
**BASIC STRUCTURE FIRE SUPPRESSION**  
Performance Standards Evaluation

---

**All steps of the skill objective are mandatory and must be scored as “Satisfactory” to pass the skill.**

|                             |       |   |
|-----------------------------|-------|---|
| _____                       | _____ | Overall Skill Sheet Score                                   |
| Certifying Examiner         | Date  | Pass <input type="checkbox"/> Fail <input type="checkbox"/> |
| _____                       | _____ | Overall Skill Sheet Re-Test Score                           |
| Re-Test Certifying Examiner | Date  | Pass <input type="checkbox"/> Fail <input type="checkbox"/> |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #9 OVERHAUL**

Exposure of Hidden Fires

**Subject: Fireground Operations**

**Section 101**

**NFPA 1001, 2019 edition, 4.3.13**

**Firefighter I**

**OBJECTIVE**

Overhaul a fire scene, given personal protective equipment, attack line, hand tools, a flashlight, and an assignment, so that structural integrity is not compromised, all hidden fires are discovered, fire cause evidence is preserved, and the fire is extinguished. (4.3.13)

**INSTRUCTIONS - procedures for achieving the objective**

You will overhaul a fire scene, given personal protective equipment, attack line, hand tools, a flashlight, and an assignment, so that structural integrity is not compromised, all hidden fires are discovered, fire cause evidence is preserved, and the fire is extinguished. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

The firefighter trainee will not be allowed to review the performance steps at the time of testing.

**PREPARATION & EQUIPMENT**

Personal protective equipment

Attack line

Hand tools

A flashlight

The firefighter trainee shall accomplish the skill wearing appropriate protective equipment for the scenario.

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #9 OVERHAUL**

Exposure of Hidden Fires

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| <b>Firefighter I</b>   | <u>TEST</u> |          | <u>RETEST</u> |          |
|--|-------------|----------|---------------|----------|
|  | <b>S</b>    | <b>U</b> | <b>S</b>      | <b>U</b> |
| <b>SKILL #9 OVERHAUL</b>   |             |          |               |          |
| Overhaul a fire scene, given personal protective equipment, attack line, hand tools, a flashlight, and an assignment, so that structural integrity is not compromised, all hidden fires are discovered, fire cause evidence is preserved, and the fire is extinguished. (4.3.13) |             |          |               |          |
| a. Deploys and operates an attack line that is most effective for overhaul   |             |          |               |          |
| b. Applies water for maximum effectiveness and limits water damage as much as possible   |             |          |               |          |
| c. Removes flooring, ceiling, and wall components to expose void spaces without compromising structural integrity  |             |          |               |          |
| d. Exposes and extinguishes hidden fires in walls, ceilings, and subfloor spaces   |             |          |               |          |
| e. Recognizes and preserves fire cause evidence  |             |          |               |          |
| f. Evaluates for complete extinguishment   |             |          |               |          |
| g. Performs the skill in a safe and proficient manner, per AHJ   |             |          |               |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Evaluator/Candidate Comments:**

---



---



---

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.



**TEXAS COMMISSION ON FIRE PROTECTION**  
**BASIC STRUCTURE FIRE SUPPRESSION**  
Performance Standards Evaluation

**SKILL #10 SAFETY**

Techniques for Actions When Trapped or Disoriented

**Subject: Fireground Operations**

**Section 101**

**NFPA 1001, 2019 edition, 4.3.5, 4.2.4**

**Firefighter I**

**OBJECTIVE**

Exit a hazardous area as a team, given vision-obscured conditions, so that a safe haven is found before exhausting the air supply, others are not endangered, and the team integrity is maintained. (4.3.5)

Activate an emergency call for assistance, given vision-obscured conditions, PPE, and department SOPs, so that the fire fighter can be located and rescued. (4.2.4)

**INSTRUCTIONS - procedures for achieving the objective**

While wearing full protective clothing, the Self-Contained Breathing Apparatus mask will be vision-obscured, or a simulated smoke-charged atmosphere will be used. You will demonstrate techniques for the actions required when trapped or disoriented in a fire situation or hostile environment and identify a safe haven in your scenario. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

If the charged hose line is chosen, you will place a charged hose line inside the structure with twists, turns, and loops or use multiple sections of hose. Place the trainee in the center of structure and attempt to disorient him/her. The firefighter trainee will not be allowed to review the performance steps at the time of testing.

**PREPARATION & EQUIPMENT**

Appropriate length and size of hose with nozzle or guideline  
Appropriate communication equipment

The firefighter trainee shall accomplish the skill wearing "**FULL PROTECTIVE CLOTHING FOR STRUCTURAL FIREFIGHTERS**" as required by the Texas Commission on Fire Protection to include helmet, gloves, coat, trousers, boots, SCBA, and PASS device.

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #10 SAFETY**

Techniques for Actions When Trapped or Disoriented

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| <b>Firefighter I</b>  | <b><u>TEST</u></b> |          | <b><u>RETEST</u></b> |          |
|---|--------------------|----------|----------------------|----------|
| <b>SKILL #10 SAFETY</b>   | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| Exit a hazardous area as a team, given vision-obscured conditions, so that a safe haven is found before exhausting the air supply, others are not endangered, and the team integrity is maintained. (4.3.5) |                    |          |                      |          |
| Activate an emergency call for assistance, given vision-obscured conditions, PPE, and department SOPs, so that the fire fighter can be located and rescued. (4.2.4)   |                    |          |                      |          |
| a. Operates as a team member in vision-obscured conditions  |                    |          |                      |          |
| b. Locates and follows a guideline  |                    |          |                      |          |
| c. Identifies a safe haven  |                    |          |                      |          |
| d. Initiates an emergency call according to AHJ procedures (Mayday)   |                    |          |                      |          |
| e. Uses another method for an emergency call for assistance (PASS alarm, tool banging, etc.)  |                    |          |                      |          |
| f. Evaluates area for hazards   |                    |          |                      |          |
| g. Conserves air supply   |                    |          |                      |          |
| h. Performs the skill in a safe and proficient manner, per AHJ  |                    |          |                      |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Evaluator/Candidate Comments:**

---



---

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**  
**BASIC STRUCTURE FIRE SUPPRESSION**  
Performance Standards Evaluation

---

---

---

**All steps of the skill objective are mandatory and must be scored as “Satisfactory” to pass the skill.**

|                             |       |   |
|-----------------------------|-------|---|
| _____                       | _____ | Overall Skill Sheet Score                                   |
| Certifying Examiner         | Date  | Pass <input type="checkbox"/> Fail <input type="checkbox"/> |
| _____                       | _____ | Overall Skill Sheet Re-Test Score                           |
| Re-Test Certifying Examiner | Date  | Pass <input type="checkbox"/> Fail <input type="checkbox"/> |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #11 SAFETY**  
Terminating Utility Service

**Subject: Fireground Operations**

**Section 101**

**NFPA 1001, 2019 edition, 4.3.18**

**Firefighter I**

**OBJECTIVE**

Turn off building utilities, given tools and an assignment, so that the assignment is safely completed. (4.3.18)

**INSTRUCTIONS - procedures for achieving the objective**

You will be given a choice of required tools. Utilizing these tools you will demonstrate locating the proper shutoff locations and then shut off the valves or control devices for gas, water, and electric service to a building. You will wear full protective clothing for this skill. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

The firefighter trainee will not be allowed to review the performance steps at the time of testing.

**PREPARATION & EQUIPMENT**

Building utility props  
Water meter key  
Gas meter key  
Spanner wrench  
Adjustable wrench

The firefighter trainee shall accomplish the skill wearing "**FULL PROTECTIVE CLOTHING FOR STRUCTURAL FIREFIGHTERS**" as required by the Texas Commission on Fire Protection to include helmet, gloves, coat, trousers, boots, and SCBA.

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #11 SAFETY**  
Terminating Utility Service

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_  
 Examiner: \_\_\_\_\_  
 School: \_\_\_\_\_  
 Test Site: \_\_\_\_\_

| Firefighter I  | <u>TEST</u> |   | <u>RETEST</u> |   |
|--|-------------|---|---------------|---|
|  | S           | U | S             | U |
| <b>SKILL #11 SAFETY</b>  |             |   |               |   |
| Turn off building utilities, given tools and an assignment, so that the assignment is safely completed. (4.3.18) |             |   |               |   |
| a. Identifies utility control devices  |             |   |               |   |
| b. Operates control valves or switches   |             |   |               |   |
| c. Assesses for related hazards  |             |   |               |   |
| d. Performs skill in a safe and proficient manner, per AHJ   |             |   |               |   |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Evaluator/Candidate Comments:**

---



---



---



---

**All steps of the skill objective are mandatory and must be scored as "Satisfactory" to pass the skill.**

---



---

Overall Skill Sheet Score

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**  
**BASIC STRUCTURE FIRE SUPPRESSION**  
Performance Standards Evaluation

Certifying Examiner

Date

Pass  Fail

\_\_\_\_\_  
Re-Test Certifying Examiner

\_\_\_\_\_  
Date

Overall Skill Sheet Re-Test Score

Pass  Fail

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**  
**BASIC STRUCTURE FIRE SUPPRESSION**  
Performance Standards Evaluation

**SKILL #12 SAFETY**  
Set Up Emergency Lighting for Fire Ground Operation

**Subject: Fireground Operations**

**Section 101**

**NFPA 1001, 2019 edition, 4.3.17**

**Firefighter I**

**OBJECTIVE**

Operate emergency scene lighting, given fire service electrical equipment, power supply and an assignment, so that emergency scene lighting equipment is operated within the manufacturer's listed safety precautions. (4.3.17)

**INSTRUCTIONS - procedures for achieving the objective**

Given a portable power or mounted power plant with lights, cords, and connectors, you shall set up and operate lighting equipment to illuminate a simulated fireground. You will identify and verbally describe the safety procedures to be observed when using fire service lighting equipment. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

The firefighter trainee will not be allowed to review the performance steps at the time of testing.

**PREPARATION & EQUIPMENT**

Portable or mounted power supply  
Lights  
Electrical cords  
Connectors  
Ground-fault interrupter (GFI)

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #12 SAFETY**

Set Up Emergency Lighting for Fire Ground Operation

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| Firefighter I   | <u>TEST</u> |   | <u>RETEST</u> |   |
|---|-------------|---|---------------|---|
| SKILL #12 SAFETY  | S           | U | S             | U |
| Operate emergency scene lighting, given fire service electrical equipment, power supply and an assignment, so that emergency scene lighting equipment is operated within the manufacturer's listed safety precautions. (4.3.17) |             |   |               |   |
| a. Demonstrates the ability to operate department power supply and lighting equipment   |             |   |               |   |
| b. Deploys cords and connectors   |             |   |               |   |
| c. Resets ground-fault interrupter devices  |             |   |               |   |
| d. Locates lights for best effect   |             |   |               |   |
| e. Performs skill in a safe and proficient manner, per AHJ  |             |   |               |   |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Evaluator/Candidate Comments:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
Certifying Examiner

\_\_\_\_\_  
Date

Overall Skill Sheet Score

Pass  Fail

Overall Skill Sheet Re-Test Score

Pass  Fail

\_\_\_\_\_  
Re-Test Certifying Examiner

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #13 SAFETY**

Use of Safety Equipment While Riding on Fire Apparatus

**Subject: Fireground Operations**

**Section 101**

**NFPA 1001, 2019 edition, 4.3.2**

**Firefighter I**

**OBJECTIVE**

Respond on apparatus to an emergency scene, given personal protective clothing and other necessary personal protective equipment and other necessary PPE, so that the apparatus is correctly mounted and dismounted, seat belts are used while the vehicle is in motion, and other personal protective equipment is correctly used. (4.3.2)

**INSTRUCTIONS - procedures for achieving the objective**

You shall don personal protective clothing, mount the apparatus, and don safety devices. You shall perform this objective in a riding location while observing all safety procedures or rules according to AHJ. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

The firefighter trainee will not be allowed to review the performance steps at the time of testing.

**PREPARATION & EQUIPMENT**

Firefighter protective clothing  
Fire apparatus  
Hearing protection  
Seat mounted SCBA (if applicable, according to AHJ)

The firefighter trainee shall accomplish the skill wearing coat, trousers, and boots.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #13 SAFETY**

Use of Safety Equipment While Riding on Fire Apparatus

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| Firefighter I   | <u>TEST</u> |   | <u>RETEST</u> |   |
|---|-------------|---|---------------|---|
| SKILL #13 SAFETY  | S           | U | S             | U |
| Respond on apparatus to an emergency scene, given personal protective clothing and other necessary PPE, so that the apparatus is correctly mounted and dismounted, seat belts are used while the vehicle is in motion, and other personal protective equipment is correctly used. (4.3.2) |             |   |               |   |
| a. Uses each piece of provided safety equipment   |             |   |               |   |
| b. Performs the skill in a safe and proficient manner, per AHJ  |             |   |               |   |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Evaluator/Candidate Comments:**

\_\_\_\_\_

\_\_\_\_\_

**All steps of the skill objective are mandatory and must be scored as "Satisfactory" to pass the skill.**

\_\_\_\_\_  
Certifying Examiner

\_\_\_\_\_  
Date

Overall Skill Sheet Score

Pass  Fail

\_\_\_\_\_  
Re-Test Certifying Examiner

\_\_\_\_\_  
Date

Overall Skill Sheet Re-Test Score

Pass  Fail

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #14 SAFETY**

Safely Working in Protected Work Areas

**Subject: Fireground Operations**

**Section 101**

**NFPA 1001, 2019 edition, 4.3.3**

**Firefighter I**

**OBJECTIVE**

Establish and operate in work areas at emergency scenes, given protective equipment, traffic and scene control devices, structure fire and roadway emergency scenes, traffic hazards and downed electrical wires, photovoltaic power systems, battery storage systems, assignment, and SOPs, so that procedures are followed, protective equipment is worn, protected work areas are established as directed using traffic and scene control devices, and the fire fighter performs assigned tasks only in established, protected work areas. (4.3.3)

**INSTRUCTIONS - procedures for achieving the objective**

Given a fire apparatus, you will dismount and remove equipment from the compartments of the apparatus at a simulated emergency scene. You will establish a protected work area per AHJ. You will verbally describe and follow all safety procedures. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

The firefighter trainee will not be allowed to review the performance steps at the time of testing.

**PREPARATION & EQUIPMENT**

Fire apparatus  
Appropriate protective clothing  
Traffic and scene control devices  
Miscellaneous tools and equipment

The firefighter trainee shall accomplish the skill wearing appropriate PPE per AHJ.

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #14 SAFETY**

Safely Working in Protected Work Areas

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| <b>Firefighter I</b>  | <u>TEST</u> |          | <u>RETEST</u> |          |
|---|-------------|----------|---------------|----------|
|   | <b>S</b>    | <b>U</b> | <b>S</b>      | <b>U</b> |
| <b>SKILL #14 SAFETY</b>   |             |          |               |          |
| Establish and operate in work areas at emergency scenes, given protective equipment, traffic and scene control devices, structure fire and roadway emergency scenes, traffic hazards and downed electrical wires, photovoltaic power systems, battery storage systems, assignment, and SOPs, so that procedures are followed, protective equipment is worn, protected work areas are established as directed using traffic and scene control devices, and the fire fighter performs assigned tasks only in established, protected work areas. (4.3.3) |             |          |               |          |
| a. Uses personal protective clothing  |             |          |               |          |
| b. Dismounts apparatus  |             |          |               |          |
| c. Deploys traffic and scene control devices per AHJ  |             |          |               |          |
| d. Operates in the protected work areas per AHJ   |             |          |               |          |
| e. Performs the skill in a safe and proficient manner, per AHJ  |             |          |               |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Evaluator/Candidate Comments:**

---



---



---



---

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**  
**BASIC STRUCTURE FIRE SUPPRESSION**  
Performance Standards Evaluation

---

**All steps of the skill objective are mandatory and must be scored as “Satisfactory” to pass the skill.**

|  |   |   |
|--|---|---|
| <hr style="border: none; border-top: 1px solid black; margin-bottom: 5px;"/> <div style="border-bottom: 1px solid black; padding-bottom: 5px;">Certifying Examiner</div>         | <hr style="border: none; border-top: 1px solid black; margin-bottom: 5px;"/> <div style="border-bottom: 1px solid black; padding-bottom: 5px; text-align: center;">Date</div> | <div style="border-bottom: 1px solid black; padding-bottom: 5px;">Overall Skill Sheet Score</div> <div style="padding: 5px;">Pass <input type="checkbox"/>    Fail <input type="checkbox"/></div> <div style="border-bottom: 1px solid black; padding-bottom: 5px;">Overall Skill Sheet Re-Test Score</div> <div style="padding: 5px;">Pass <input type="checkbox"/>    Fail <input type="checkbox"/></div> |
| <hr style="border: none; border-top: 1px solid black; margin-bottom: 5px;"/> <div style="border-bottom: 1px solid black; padding-bottom: 5px;">Re-Test Certifying Examiner</div> | <hr style="border: none; border-top: 1px solid black; margin-bottom: 5px;"/> <div style="border-bottom: 1px solid black; padding-bottom: 5px; text-align: center;">Date</div> |   |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**  
**BASIC STRUCTURE FIRE SUPPRESSION**  
Performance Evaluation Standards

**SKILL #15 SALVAGE**  
Property Conservation

**Subject: Fireground Operations**

**Section 101**

**NFPA 1001, 2019 edition, 4.3.14**

**Firefighter I**

**OBJECTIVE**

Conserve property as a member of a team, given salvage tools and equipment and an assignment, so that the building and its contents are protected from further damage. (4.3.14)

**INSTRUCTIONS: Procedures for achieving the objectives**

Given a randomly selected skill as a member of a team, you shall demonstrate the ability to perform one of the following skills:

- Construct water chute
- Cluster furniture and deploy covers
- Roll and/or fold salvage covers for reuse
- Construct catch-all
- Cover building opening including doors, windows, floor openings or roof openings
- Separate, remove and relocate charred material
- Stop the flow of water from a sprinkler with sprinkler wedges or stoppers
- Operate a main control valve on an automatic sprinkler system

**EXAMINERS NOTE**

If this skill is selected as a designated testing skill by TCFP, one of the below options will be assigned:

- Construct water chute
- Cluster furniture and deploy covers
- Roll and/or fold salvage covers for reuse
- Construct catch-all
- Cover building opening including doors, windows, floor openings or roof openings
- Separate, remove and relocate charred material
- Stop the flow of water from as sprinkler with sprinkler wedges or stoppers
- Operate a main control valve on an automatic sprinkler system

Only the portions of the steps appropriate to the designated property conservation technique will be evaluated.

The firefighter trainee will not be allowed to review the performance steps at the time of testing.

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**  
**BASIC STRUCTURE FIRE SUPPRESSION**  
Performance Evaluation Standards

**PREPARATION & EQUIPMENT**

Salvage tools and equipment

The firefighter trainee shall accomplish the skill wearing "**FULL PROTECTIVE CLOTHING FOR STRUCTURAL FIREFIGHTERS**" as required by the Texas Commission on Fire Protection to include helmet, gloves, coat, trousers, boots, hood, and SCBA.

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Evaluation Standards

**SKILL #15 SALVAGE**

Property Conservation

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| <b>Firefighter I</b>  | <b><u>TEST</u></b> |          | <b><u>RETEST</u></b> |          |
|---|--------------------|----------|----------------------|----------|
| <b>SKILL #15 SALVAGE</b>  | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| Conserve property as a member of a team, given salvage tools and equipment and an assignment, so that the building and its contents are protected from further damage. (4.3.14) |                    |          |                      |          |
| a. Clusters furniture, if required  |                    |          |                      |          |
| b. Deploys covering materials, if required  |                    |          |                      |          |
| c. Constructs water chutes and/or catch-all to remove or contain water, if required   |                    |          |                      |          |
| d. Covers building openings, including doors, windows, floor openings, and roof openings, if required   |                    |          |                      |          |
| e. Relocates charred material to a safe location while protecting the area of origin for cause determination, if required   |                    |          |                      |          |
| f. Stops the flow of water from a sprinkler with sprinkler wedges or stoppers, if required  |                    |          |                      |          |
| g. Operates a main control valve on an automatic sprinkler system   |                    |          |                      |          |
| h. Demonstrates rolling and/or folding salvage covers for reuse, if required  |                    |          |                      |          |
| i. Performs the skill in a safe and proficient manner, per AHJ  |                    |          |                      |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Evaluator/Candidate Comments:**

---

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**  
**BASIC STRUCTURE FIRE SUPPRESSION**  
Performance Evaluation Standards

---

---

---

---

---

**All steps of the skill objective are mandatory and must be scored as “Satisfactory” to pass the skill.**

|                             |       |   |
|-----------------------------|-------|---|
| _____                       | _____ | Overall Skill Sheet Score                                   |
| Certifying Examiner         | Date  | Pass <input type="checkbox"/> Fail <input type="checkbox"/> |
| _____                       | _____ | Overall Skill Sheet Re-Test Score                           |
| Re-Test Certifying Examiner | Date  | Pass <input type="checkbox"/> Fail <input type="checkbox"/> |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #16 SCBA**

Using SCBA during Emergency Operations

**Subject: Fireground Operations**

**Section 101**

**NFPA 1001, 2019 edition, 4.3.1**

**Firefighter I**

**OBJECTIVE**

Use self-contained breathing apparatus (SCBA) during emergency operations, given SCBA and other PPE, so that the SCBA is correctly donned, the SCBA is correctly worn, controlled breathing techniques are used, emergency procedures are enacted if the SCBA fails, all low-air warnings are recognized, respiratory protection is not intentionally compromised, and hazardous areas are exited prior to air depletion. (4.3.1)

**INSTRUCTIONS - procedures for achieving the objective**

Given a randomly selected scenario, you shall demonstrate the ability to perform one of the following skills:

- perform complete donning procedures and show the ability to control breathing
- replace SCBA air cylinders
- use SCBA to exit through restricted passages
- initiate and complete emergency procedures in the event of SCBA failure or air depletion

**EXAMINERS NOTE**

If this skill is selected as a designated testing skill by TCFP, one of the below options will be assigned:

- don SCBA and demonstrate the ability to control breathing
- replace SCBA air cylinders
- use SCBA to exit through restricted passages
- initiate and complete emergency procedures in the event of SCBA failure or air depletion

Only the portions of the steps appropriate to the designated SCBA skill will be evaluated.

The Fire Fighter I should already be wearing full protective clothing prior to the beginning of this SCBA-donning procedure. In addition to fully donning and activating the SCBA, the Fire Fighter I should also replace any personal protective clothing (i.e., gloves, protective hood, helmet, etc.) displaced during the donning procedure and activate the personal alert safety system (PASS) device. (NFPA 1001, A-4.3.1)

The firefighter trainee will not be allowed to review the performance steps at the time of testing.

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**  
**BASIC STRUCTURE FIRE SUPPRESSION**  
Performance Standards Evaluation

**PREPARATION & EQUIPMENT**

Scenarios

SCBA and extra air cylinders

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #16 SCBA**

Using SCBA during Emergency Operations

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| Firefighter I   | <u>TEST</u> |   | <u>RETEST</u> |   |
|---|-------------|---|---------------|---|
|   | S           | U | S             | U |
| <b>SKILL #16 SCBA</b>   |             |   |               |   |
| Use self-contained breathing apparatus (SCBA) during emergency operations, given SCBA and other PPE, so that the SCBA is correctly donned, the SCBA is correctly worn, controlled breathing techniques are used, emergency procedures are enacted if the SCBA fails, all low-air warnings are recognized, respiratory protection is not intentionally compromised, and hazardous areas are exited prior to air depletion. (4.3.1) |             |   |               |   |
| a. Completes SCBA donning procedures, if required   |             |   |               |   |
| b. Controls breathing, if required  |             |   |               |   |
| c. Replaces SCBA air cylinder, if required  |             |   |               |   |
| d. Uses SCBA to exit through restricted passage, if required  |             |   |               |   |
| e. Complete emergency procedure for SCBA failure or air depletion, if required  |             |   |               |   |
| f. Performs skill in a safe and proficient manner, per AHJ  |             |   |               |   |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Evaluator/Candidate Comments:**

---



---



---



---

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**  
**BASIC STRUCTURE FIRE SUPPRESSION**  
Performance Standards Evaluation

---

---

---

**All steps of the skill objective are mandatory and must be scored as “Satisfactory” to pass the skill.**

|                             |       |   |
|-----------------------------|-------|---|
| _____                       | _____ | Overall Skill Sheet Score                                   |
| Certifying Examiner         | Date  | Pass <input type="checkbox"/> Fail <input type="checkbox"/> |
| _____                       | _____ | Overall Skill Sheet Re-Test Score                           |
| Re-Test Certifying Examiner | Date  | Pass <input type="checkbox"/> Fail <input type="checkbox"/> |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #17 SEARCH AND RESCUE**

Conduct a Search and Rescue

**Subject: Fireground Operations**

**Section 101**

**NFPA 1001, 2019 edition, 4.3.9**

**Firefighter I**

**OBJECTIVE**

Conduct a search and rescue in a structure operating as a member of a team, given an assignment, obscured vision conditions, personal protective equipment, a flashlight, forcible entry tools, hose lines, and ladders when necessary, so that ladders are correctly placed when used, all assigned areas are searched, all victims are located and removed, team integrity is maintained, and team members' safety, including respiratory protection, is not compromised. (4.3.9)

**INSTRUCTIONS - procedures for achieving the objective**

Operating as a member of a team, you shall demonstrate the ability to perform one of the following skills:

- set up and use different types of ladders to rescue a person who has no respiratory protection
- rescue a fire fighter with functioning respiratory protection
- rescue a fire fighter whose respiratory protection is not functioning

You and a designated team member shall enter a perceived IDLH atmosphere and conduct search and rescue for victim(s). You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

If this skill is selected as a designated testing skill by TCFP, one of the below options will be assigned:

- setting up and use different types of ladders and rescuing a person who has no respiratory protection
- rescuing a fire fighter with functioning respiratory protection
- rescuing a fire fighter whose respiratory protection is not functioning

The perceived IDLH atmosphere may be obscured vision conditions. The firefighter trainee will not be allowed to review the performance steps at the time of testing.

Only the portions of the steps appropriate to the designated Search and Rescue skill will be evaluated.

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**PREPARATION & EQUIPMENT**

Equipment needed for the chosen skill

Simulated victim

The firefighter trainee shall accomplish the skill wearing "**FULL PROTECTIVE CLOTHING FOR STRUCTURAL FIREFIGHTERS**" as required by the Texas Commission on Fire Protection to include helmet, gloves, coat, trousers, boots and SCBA.

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #17 SEARCH AND RESCUE**

Conduct a Search and Rescue

Candidate: \_\_\_\_\_

Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

\_\_\_\_\_

School: \_\_\_\_\_

\_\_\_\_\_

Test Site: \_\_\_\_\_

\_\_\_\_\_

| <b>Firefighter I</b>  | <b><u>TEST</u></b> |          | <b><u>RETEST</u></b> |          |
|---|--------------------|----------|----------------------|----------|
| <b>SKILL #17 SEARCH AND RESCUE</b>  | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| Conduct a search and rescue in a structure operating as a member of a team, given an assignment, obscured vision conditions, personal protective equipment, a flashlight, forcible entry tools, hose lines, and ladders when necessary, so that ladders are correctly placed when used, all assigned areas are searched, all victims are located and removed, team integrity is maintained, and team members' safety, including respiratory protection, is not compromised. (4.3.9) |                    |          |                      |          |
| a. Assess and determines areas of tenability  |                    |          |                      |          |
| b. Sets up ladders properly, if needed  |                    |          |                      |          |
| c. Rescues a victim with no respiratory protection, if required   |                    |          |                      |          |
| d. Rescues a fire fighter with functioning respiratory protection, if required  |                    |          |                      |          |
| e. Rescues a fire fighter whose respiratory protection has failed, if required  |                    |          |                      |          |
| f. Performs skill in a safe and proficient manner, per AHJ  |                    |          |                      |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Evaluator/Candidate Comments:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**  
**BASIC STRUCTURE FIRE SUPPRESSION**  
Performance Standards Evaluation

---

---

---

**All steps of the skill objective are mandatory and must be scored as “Satisfactory” to pass the skill.**

|                             |       |   |
|-----------------------------|-------|---|
| _____                       | _____ | Overall Skill Sheet Score                                   |
| Certifying Examiner         | Date  | Pass <input type="checkbox"/> Fail <input type="checkbox"/> |
| _____                       | _____ | Overall Skill Sheet Re-Test Score                           |
| Re-Test Certifying Examiner | Date  | Pass <input type="checkbox"/> Fail <input type="checkbox"/> |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #18 VENTILATION**

Horizontal and Vertical Ventilation

**Subject: Fireground Operations**

**Section 101**

**NFPA 1001, 2019 edition, 4.3.11, 4.3.12**

**Firefighter I**

**OBJECTIVE**

Perform horizontal ventilation on a structure operating as part of a team, given an assignment, PPE, ventilation tools, equipment, and ladders, so that the ventilation openings are free of obstructions, tools are used as designed, ladders are correctly placed, ventilation devices are correctly placed, and the structure is cleared of smoke. (4.3.11)

Perform vertical ventilation on a structure as part of a team, given an assignment, personal protective equipment, ground and roof ladders, and tools, so that ladders are positioned for ventilation, a specified opening is created, all ventilation barriers are removed, structural integrity is not compromised, products of combustion are released from the structure, and the team retreats from the area when ventilation is accomplished. (4.3.12)

**INSTRUCTIONS: Procedures for achieving the objectives**

You will perform (horizontal or vertical) ventilation on a structure as part of a team, given an assignment, personal protective equipment, ground and roof ladders, and tools, so that ladders are positioned for ventilation, a specified opening is created, all ventilation barriers are removed, structural integrity is not compromised, products of combustion are released from the structure, and the team retreats from the area when ventilation is accomplished. You will perform this skill in a safe and proficient manner. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

If this skill is selected as a designated testing skill by TCFP, one of the below options will be assigned:

- Horizontal ventilation
- Vertical ventilation

Only the portions of the steps appropriate for the designated ventilation skill will be evaluated.

The firefighter trainee will not be allowed to review the performance steps at the time of testing.

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

# TEXAS COMMISSION ON FIRE PROTECTION BASIC STRUCTURE FIRE SUPPRESSION

## Performance Standards Evaluation

### PREPARATION & EQUIPMENT

Ventilation scenario

Ventilation prop

PPV or smoke ejector

Appropriate length and size of hose with nozzle

Tools as needed for the scenario (chain saw, axe, pike pole, etc.)

Roof ladder

Extension ladder

The firefighter trainee shall accomplish the skill wearing "**FULL PROTECTIVE CLOTHING FOR STRUCTURAL FIREFIGHTERS**" as required by the Texas Commission on Fire Protection to include, helmet, gloves, coat, trousers, boots, hood, and SCBA.

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #18 VENTILATION**

Horizontal and Vertical Ventilation

Candidate: \_\_\_\_\_

Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

\_\_\_\_\_

School: \_\_\_\_\_

\_\_\_\_\_

Test Site: \_\_\_\_\_

\_\_\_\_\_

| <b>Firefighter I</b>   | <u><b>TEST</b></u> |          | <u><b>RETEST</b></u> |          |
|--|--------------------|----------|----------------------|----------|
| <b>SKILL #18 VENTILATION</b>   | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| Perform horizontal ventilation on a structure operating as part of a team, given an assignment, PPE, ventilation tools, equipment, and ladders, so that the ventilation openings are free of obstructions, tools are used as designed, ladders are correctly placed, ventilation devices are correctly placed, and the structure is cleared of smoke. (4.3.11)   |                    |          |                      |          |
| Perform vertical ventilation on a structure as part of a team, given an assignment, PPE, ground and roof ladders, and tools, so that ladders are positioned for ventilation, a specified opening is created, all ventilation barriers are removed, structural integrity is not compromised, products of combustion are released from the structure, and the team retreats from the area when ventilation is accomplished. (4.3.12) |                    |          |                      |          |
| <b>Horizontal ventilation</b>  | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| a. Transports and operates ventilation tools and equipment and ladders as required for scenario  |                    |          |                      |          |
| b. Uses safe procedures for breaking window and door glass and removing obstructions as required for scenario  |                    |          |                      |          |
| c. Performs skill in a safe and proficient manner  |                    |          |                      |          |
| <b>Vertical ventilation</b>  | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| a. Transports and operates ventilation tools and equipment   |                    |          |                      |          |
| b. Selects, carries, deploys, and secures ground ladders for ventilation activities  |                    |          |                      |          |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

# TEXAS COMMISSION ON FIRE PROTECTION BASIC STRUCTURE FIRE SUPPRESSION

## Performance Standards Evaluation

|  |  |  |  |  |
|--|--|--|--|--|
| c. Deploys roof ladders on pitched roofs while secured to a ground ladder  |  |  |  |  |
| d. Sounds roof for integrity; assures a clear opening with hand tools  |  |  |  |  |
| e. Hoists or carries ventilation tools to a roof as required for scenario  |  |  |  |  |
| f. Cuts roofing and flooring materials to vent flat roofs, pitched roofs, and basements as required for scenario |  |  |  |  |
| g. Ascends and descends ladders while carrying tools and equipment   |  |  |  |  |
| h. Clears an opening with hand tools   |  |  |  |  |
| i. Performs skill in a safe and proficient manner, per AHJ   |  |  |  |  |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Evaluator/Candidate Comments:**

---



---



---



---



---



---



---



---

**All steps of the skill objective are mandatory and must be scored as “Satisfactory” to pass the skill.**

|                             |      |  |
|-----------------------------|------|--|
|                             |      | Overall Skill Sheet Score<br>Pass <input type="checkbox"/> Fail <input type="checkbox"/>         |
|                             |      | Overall Skill Sheet Re-Test Score<br>Pass <input type="checkbox"/> Fail <input type="checkbox"/> |
| Certifying Examiner         | Date |  |
| Re-Test Certifying Examiner | Date |  |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #19 WATER SOURCE**

Developing Water Supply

**Subject: Fireground Operations**

**Section 101**

**NFPA 1001, 2019 edition, 4.3.15**

**Firefighter I**

**OBJECTIVE**

Connect a fire department pumper to a water supply as a member of a team, given supply or intake hose, hose tools, and a fire hydrant or static water source, so that connections are tight and water flow is unobstructed. (4.3.15)

**INSTRUCTIONS - procedures for achieving the objective**

Given a randomly selected scenario as a member of a team, you shall demonstrate the ability to perform one of the following skills:

- hand lay a supply hose
- deploy portable water tanks (static water source) as well as the equipment necessary to transfer water between and draft from them.
- make hydrant-to-pumper hose connections for forward or reverse lays, connect supply hose to a hydrant, and fully open and close the hydrant.

**EXAMINERS NOTE**

If this skill is selected as a designated testing skill by TCFP, one of the below options will be assigned:

- hand lay a supply hose
- deploy portable water tanks (static water source) as well as the equipment necessary to transfer water between and draft from them. (Actual drafting is not required)
- make hydrant-to-pumper hose connections for forward or reverse lays, connect supply hose to a hydrant, and fully open and close the hydrant.

Only the portions of the steps appropriate for the designated communication skill will be evaluated.

The firefighter trainee will not be allowed to review the performance steps at the time of testing.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**PREPARATION & EQUIPMENT**

Pumper

Sufficient amount of supply hose

Water source

Necessary adapters and tools

Portable water tanks

The firefighter trainee shall accomplish the skill wearing appropriate PPE.

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #19 WATER SOURCE**

Developing Water Supply

Candidate: \_\_\_\_\_

Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

\_\_\_\_\_

School: \_\_\_\_\_

\_\_\_\_\_

Test Site: \_\_\_\_\_

\_\_\_\_\_

| <b>Firefighter I</b>   | <b><u>TEST</u></b> |          | <b><u>RETEST</u></b> |          |
|--|--------------------|----------|----------------------|----------|
| <b>SKILL #19 WATER SOURCE</b>  | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| Connect a fire department pumper to a water supply as a member of a team, given supply or intake hose, hose tools, and a fire hydrant or static water source, so that connections are tight and water flow is unobstructed. (4.3.15) |                    |          |                      |          |
| <b>Hand Lay Supply Hose</b>  | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| a. Demonstrates the ability to hand lay a supply hose  |                    |          |                      |          |
| b. Makes water supply to pumper hose connections   |                    |          |                      |          |
| c. Performs skill in a safe and proficient manner, per AHJ   |                    |          |                      |          |
| <b>Static Water Sources</b>  | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| a. Properly deploys portable water tanks as well as the equipment necessary to transfer water between and draft from them  |                    |          |                      |          |
| b. Connect and place hard suction hose for drafting operations   |                    |          |                      |          |
| c. Performs skill in a safe and proficient manner, per AHJ   |                    |          |                      |          |
| <b>Hydrant to Pumper Connection (forward or reverse lay)</b>   | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| a. Makes hydrant-to-pumper hose connections for forward or reverse lays  |                    |          |                      |          |
| b. Connect supply hose to a hydrant  |                    |          |                      |          |
| c. Fully open and close the hydrant  |                    |          |                      |          |
| d. Performs skill in a safe and proficient manner, per AHJ   |                    |          |                      |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**  
**BASIC STRUCTURE FIRE SUPPRESSION**  
Performance Standards Evaluation

**Evaluator/Candidate Comments:**

---

---

---

---

---

**All steps of the skill objective are mandatory and must be scored as “Satisfactory” to pass the skill.**

\_\_\_\_\_  
Certifying Examiner

\_\_\_\_\_  
Date

\_\_\_\_\_  
Re-Test Certifying Examiner

\_\_\_\_\_  
Date

|   |
|---|
| Overall Skill Sheet Score                                   |
| Pass <input type="checkbox"/> Fail <input type="checkbox"/> |
| Overall Skill Sheet Re-Test Score                           |
| Pass <input type="checkbox"/> Fail <input type="checkbox"/> |

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #20 AIR MONITORING**  
Operating an Air-Monitoring Instrument

**Subject: Fireground Operations**

**Section 101**

**NFPA 1001, 2019 edition, 4.3.21**

**Firefighter I**

**OBJECTIVE**

Operate an air-monitoring instrument, given an air monitor and an assignment or task, so that the device is operated and the fire fighter recognizes the high- or low-level alarms of the air monitor and takes action to mitigate the hazard.

(4.3.21)

**INSTRUCTIONS - procedures for achieving the objective**

Given either single gas or multi-gas air monitoring instrument(s), you will demonstrate the procedures for placing the instrument(s) into service and verifying their calibration. You will also demonstrate how to use each air monitoring instrument provided. You will identify any high- or low-level alarm that may activate and report their meaning and identify the appropriate mitigation actions that is required to the Skills Examiner. You will begin on my instructions to start. The skill will end when you state or indicate to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

The fire fighter trainee will not be allowed to review the performance steps at the time of testing.

**PREPARATION & EQUIPMENT**

1. Air monitoring instruments/equipment provided by the AHJ\* that may include:
  - a. Carbon monoxide monitor\*\*
  - b. Combustible gas indicator – Lower Explosive Limit (LEL Monitor) \*\*
  - c. Oxygen monitor\*\*
  - d. Gas specific monitor\*\*
  - e. Photoionization detector (PID)\*\*
2. Other instruments/equipment provided by AHJ

\*This skill may be performed with either actual air monitoring instruments/equipment or by the use of air monitoring training simulators.

\*\*These may be single gas air monitoring instrument(s) or a component of a multi-gas air monitoring instrument/device.

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

# TEXAS COMMISSION ON FIRE PROTECTION BASIC STRUCTURE FIRE SUPPRESSION

## Performance Standards Evaluation

Note: the two (2) most common air monitoring devices used in the fire service today are four (4) gas multi-gas monitors and five (5) gas multi-gas monitors that include a photoionization detector (PID) to measure volatile organic chemicals (VOC).

Four (4) gas multi-gas monitors typically include sensors that detect:

1. Oxygen (O<sub>2</sub>)
2. Carbon Monoxide (CO)
3. A specific chemical hazard of importance to the AHJ (i.e. Hydrogen Sulfide (H<sub>2</sub>S) or Sulfur Dioxide (SO<sub>2</sub>))
4. Combustible Gas/LEL Monitor

Five (5) gas multi-gas monitors typically include sensors that detect:

1. Oxygen (O<sub>2</sub>)
2. Carbon Monoxide (CO)
3. A specific chemical hazard of importance to the AHJ (i.e. Hydrogen Sulfide (H<sub>2</sub>S) or Sulfur Dioxide (SO<sub>2</sub>))
4. Combustible Gas/LEL Monitor
5. Volatile Organic Chemicals (VOC).

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #20 AIR MONITORING**  
Operating an Air-Monitoring Instrument

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| <b>Firefighter I</b>   | <b><u>TEST</u></b> |          | <b><u>RETEST</u></b> |          |
|--|--------------------|----------|----------------------|----------|
| <b>SKILL #20 AIR MONITORING</b>  | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| Operate an air-monitoring instrument, given an air monitor and an assignment or task, so that the device is operated and the fire fighter recognizes the high- or low-level alarms of the air monitor and takes action to mitigate the hazard.<br>(4.3.21) |                    |          |                      |          |
| a. Operates air monitoring instrument correctly  |                    |          |                      |          |
| b. Recognizes high- or low-level alarm(s)  |                    |          |                      |          |
| c. Reacts to the high- or low-level alarm(s) by reporting reading  |                    |          |                      |          |
| d. Performs skill in a safe and proficient manner, per AHJ.  |                    |          |                      |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Evaluator/Candidate Comments:**

---



---



---



---

**All steps of the skill objective are mandatory and must be scored as "Satisfactory" to pass the skill.**

\_\_\_\_\_ Overall Skill Sheet Score

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

Certifying Examiner

Date

Pass  Fail

\_\_\_\_\_  
Re-Test Certifying Examiner

\_\_\_\_\_  
Date

Overall Skill Sheet Re-Test Score

Pass  Fail

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**  
**BASIC STRUCTURE FIRE SUPPRESSION**  
Performance Standards Evaluation

**SKILL #21 FIRE DEPARTMENT ORGANIZATION AND STANDARDS**  
Documentation, Standards and Codes

**Subject: General**

**Section 101**

**NFPA 1001, 2019 edition, 4.1.2**

**Firefighter I**

**OBJECTIVE**

The firefighter trainee will locate information in departmental documents and standard or code materials. (4.1.2)

**INSTRUCTIONS - procedures for achieving the objective**

You will be given a scenario requiring you to locate specific information using national, state and local documents (NFPA, TCFP, AHJ). You will physically locate the information in the documents in an efficient manner. The skill will begin on my instruction to start. The skill will end when you inform me that you have completed the skill. Do you understand these instructions?

**EXAMINERS NOTE**

The firefighter trainee will not be allowed to review the performance steps at the time of testing.

**PREPARATION & EQUIPMENT**

Scenario(s) requiring students to research information using any of the below documents.

Access to national, state and local standards, codes and documents.

- TCFP Standards Manual
- SOPs or SOGs of the AHJ
- NFPA Standards such as 1001, 1403, 472, 1500, 1581

**TEXAS COMMISSION ON FIRE PROTECTION**  
**BASIC STRUCTURE FIRE SUPPRESSION**  
 Performance Standards Evaluation

**SKILL #21 FIRE DEPARTMENT ORGANIZATION AND STANDARDS**  
 Documentation, Standards and Codes

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| <b>Firefighter I</b>   | <b><u>TEST</u></b> |          | <b><u>RETEST</u></b> |          |
|--|--------------------|----------|----------------------|----------|
| <b>SKILL #21 FD ORGANIZATION AND STANDARDS</b>   | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| The firefighter trainee will locate information in departmental documents and standard or code materials.<br>(4.1.2) |                    |          |                      |          |
| a. Locates information in departmental documents and standard or code materials                                      |                    |          |                      |          |
| b. Performs skill in an efficient manner, per AHJ  |                    |          |                      |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Evaluator/Candidate Comments:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**All steps of the skill objective are mandatory and must be scored as “Satisfactory” to pass the skill.**

|                                      |               |  |
|--------------------------------------|---------------|--|
| _____<br>Certifying Examiner         | _____<br>Date | Overall Skill Sheet Score<br>Pass <input type="checkbox"/> Fail <input type="checkbox"/>         |
| _____<br>Re-Test Certifying Examiner | _____<br>Date | Overall Skill Sheet Re-Test Score<br>Pass <input type="checkbox"/> Fail <input type="checkbox"/> |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**  
**BASIC STRUCTURE FIRE SUPPRESSION**  
Performance Standards Evaluation

**SKILL #22 PERSONAL PROTECTIVE EQUIPMENT**  
Inspection of PPE

**Subject: General**

**Section 101**

**NFPA 1001, 2019 edition, 4.1.2**

**Firefighter I**

**OBJECTIVE**

The firefighter trainee will prepare protective clothing for reuse. (4.1.2)

**INSTRUCTIONS - procedures for achieving the objective**

You will be given a complete set of personal protective equipment. You shall perform an inspection of the personal protective clothing in a proficient manner. You will recommend cleaning, repair or replacement based on Standard Operating Procedures. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

The firefighter trainee will not be allowed to review the performance steps at the time of testing.

**PREPARATION & EQUIPMENT**

Helmet  
Turnout coat  
Turnout pants  
Boots  
Gloves  
Protective hood

**TEXAS COMMISSION ON FIRE PROTECTION  
 BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #22 PERSONAL PROTECTIVE EQUIPMENT**

Inspection of PPE

Candidate: \_\_\_\_\_

Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

\_\_\_\_\_

School: \_\_\_\_\_

\_\_\_\_\_

Test Site: \_\_\_\_\_

\_\_\_\_\_

| <b>Firefighter I</b>   | <u><b>TEST</b></u> |          | <u><b>RETEST</b></u> |          |
|--|--------------------|----------|----------------------|----------|
| <b>SKILL #22 PERSONAL PROTECTIVE EQUIPMENT</b>   | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| The firefighter trainee will prepare protective clothing for reuse. (4.1.2)  |                    |          |                      |          |
| a. Inspects coat and pants   |                    |          |                      |          |
| b. Inspects helmet   |                    |          |                      |          |
| c. Inspects gloves   |                    |          |                      |          |
| d. Inspects hood   |                    |          |                      |          |
| e. Inspects boots  |                    |          |                      |          |
| f. Verbally states when inspections should be performed  |                    |          |                      |          |
| g. Verbally states whether clothing should be repaired, cleaned, or replaced based on Standard Operating Procedure |                    |          |                      |          |
| h. Performs skill in a safe and proficient manner, per AHJ   |                    |          |                      |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Evaluator/Candidate Comments:**

---



---



---



---



---

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**All steps of the skill objective are mandatory and must be scored as “Satisfactory” to pass the skill.**

|                             |       |   |
|-----------------------------|-------|---|
| _____                       | _____ | Overall Skill Sheet Score                                   |
| Certifying Examiner         | Date  | Pass <input type="checkbox"/> Fail <input type="checkbox"/> |
| _____                       | _____ | Overall Skill Sheet Re-Test Score                           |
| Re-Test Certifying Examiner | Date  | Pass <input type="checkbox"/> Fail <input type="checkbox"/> |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #23 PERSONAL PROTECTIVE EQUIPMENT**

Donning and Doffing of PPE

**Subject: General**

**Section 101**

**NFPA 1001, 2019 edition, 4.1.2**

**Firefighter I**

**OBJECTIVE**

The firefighter trainee will demonstrate the ability to don personal protective clothing doff personal protective clothing. (4.1.2)

**INSTRUCTIONS - procedures for achieving the objective**

You will be given a complete set of protective clothing (turnout coat, turnout pants, hood, gloves, helmet, and boots). You will be required to properly don the protective clothing. After you have donned the clothing, reverse the procedure to doff and place in ready state. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

The firefighter trainee will not be allowed to review the performance steps at the time of testing.

**PREPARATION & EQUIPMENT**

Turnout coat  
Turnout pants  
Hood  
Helmet  
Gloves  
Boots

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #23 PERSONAL PROTECTIVE EQUIPMENT**

Donning and Doffing of PPE

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| <b>Firefighter 1</b>  | <b><u>TEST</u></b> |          | <b><u>RETEST</u></b> |          |
|---|--------------------|----------|----------------------|----------|
| <b>SKILL #23 PERSONAL PROTECTIVE EQUIPMENT</b>  | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| The firefighter trainee will demonstrate the ability to don personal protective clothing and doff personal protective clothing. (4.1.2) |                    |          |                      |          |
| a. Dons pants and boots   |                    |          |                      |          |
| b. Dons coat and protective hood  |                    |          |                      |          |
| c. Dons helmet and gloves   |                    |          |                      |          |
| d. Doffs personal protective clothing and places in ready state   |                    |          |                      |          |
| e. Performs skill in a safe and proficient manner, per AHJ  |                    |          |                      |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Evaluator/Candidate Comments:**

---



---



---



---



---



---



---

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**All steps of the skill objective are mandatory and must be scored as “Satisfactory” to pass the skill.**

|                             |       |   |
|-----------------------------|-------|---|
| _____                       | _____ | Overall Skill Sheet Score                                   |
| Certifying Examiner         | Date  | Pass <input type="checkbox"/> Fail <input type="checkbox"/> |
| _____                       | _____ | Overall Skill Sheet Re-Test Score                           |
| Re-Test Certifying Examiner | Date  | Pass <input type="checkbox"/> Fail <input type="checkbox"/> |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #24 ROPES**

Hoisting Tools and Equipment Using Ropes

**Subject: General**

**Section 101**

**NFPA 1001, 2019 edition, 4.1.2, 4.3.20**

**Firefighter I**

**OBJECTIVE**

The firefighter trainee will hoist tools and equipment using ropes and the correct knot. (4.1.2)

Tie a knot appropriate for hoisting tools, given personal protective equipment, tools, ropes, and an assignment, so that the knots used are appropriate for hoisting tools securely and as directed. (4.3.20)

**INSTRUCTIONS - procedures for achieving the objective**

A tool has been randomly selected for you to hoist. You will select the type and length of rope which will be adequate to meet this skill. You will ensure that the deployed section of rope is safe to use. Using the appropriate knot for the given tool, you will hoist the tool to a level determined by the scenario in a safe and proficient manner. The skill will begin on my instruction to start. The skill will end when you inform me that you have completed the skill. Do you understand these instructions?

**EXAMINERS NOTE**

If this skill is selected as a designated testing skill by TCFP, one of the below options will be assigned:

- Axe
- Pike pole
- Ladder
- Charged hose line
- Uncharged hose line
- Exhaust fan
- Chain saw

The firefighter trainee will not be allowed to review the performance steps at the time of testing.

**PREPARATION & EQUIPMENT**

Adequate length of rope

Appropriate tool (randomly selected from the list below)

- Axe
- Pike pole
- Ladder

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

- Charged and uncharged hose line
- Exhaust fan
- Chain saw

The firefighter trainee shall accomplish the skill wearing appropriate PPE.

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #24 ROPES**

Hoisting Tools and Equipment Using Ropes

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| <b>Firefighter I</b>   | <u>TEST</u> |          | <u>RETEST</u> |          |
|--|-------------|----------|---------------|----------|
|  | <b>S</b>    | <b>U</b> | <b>S</b>      | <b>U</b> |
| <b>SKILL #24 ROPES</b>   |             |          |               |          |
| The firefighter trainee will hoist tools and equipment using ropes and the correct knot. (4.1.2)   |             |          |               |          |
| Tie a knot appropriate for hoisting tool, given personal protective equipment, tools, ropes, and an assignment, so that the knots used are appropriate for hoisting tools securely and as directed. (4.3.20) |             |          |               |          |
| a. Ensures that the deployed section of rope is safe to use  |             |          |               |          |
| b. Uses the appropriate knot(s) for the scenario   |             |          |               |          |
| c. Forms safety knot   |             |          |               |          |
| d. Performs the skill in a safe and proficient manner, per AHJ   |             |          |               |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Evaluator/Candidate Comments:**

---



---



---



---

**All steps of the skill objective are mandatory and must be scored as “Satisfactory” to pass the skill.**

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

\_\_\_\_\_  
Certifying Examiner

\_\_\_\_\_  
Date

Overall Skill Sheet Score

Pass  Fail

\_\_\_\_\_  
Re-Test Certifying Examiner

\_\_\_\_\_  
Date

Overall Skill Sheet Re-Test  
Score

Pass  Fail

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #25 HOSE**

Inspect, Clean and Return Hose to Service

**Subject: Preparedness and Maintenance**

**Section 101**

**NFPA 1001, 2019 edition, 4.5.2**

**Firefighter I**

**OBJECTIVE**

Clean, inspect, and return fire hose to service, given washing equipment, water, detergent, tools, and replacement gaskets, so that damage is noted and corrected, the hose is clean, and the equipment is placed in a ready state for service. (4.5.2)

**INSTRUCTIONS - procedures for achieving the objective**

Given a randomly selected scenario, you shall demonstrate the ability to perform one of the following skills:

- roll or reload hose according to AHJ procedures
- clean a section of hose according to AHJ procedures

You will begin on my instruction to start. The skill will end when you state to me that you have completed all of the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

If this skill is selected as a designated testing skill by TCFP, one of the below options will be assigned:

- roll or reload hose according to AHJ procedures
- clean a section of hose according to AHJ procedures

Only the portions of the steps appropriate to the designated hose skill will be evaluated.

The firefighter trainee will not be allowed to review the performance steps at the time of testing.

**PREPARATION & EQUIPMENT**

Assorted hose

Cleaning and inspection equipment per AHJ

The firefighter trainee shall accomplish this skill wearing, as a minimum, protective trousers and boots.

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #25 HOSE**

Inspect, Clean and Return Hose to Service

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| <b>Firefighter I</b>  | <u><b>TEST</b></u> |          | <u><b>RETEST</b></u> |          |
|---|--------------------|----------|----------------------|----------|
| <b>SKILL #25 HOSE</b>   | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| Clean, inspect, and return fire hose to service, given washing equipment, water, detergent, tools, and replacement gaskets, so that damage is noted and corrected, the hose is clean, and the equipment is placed in a ready state for service. (4.5.2) |                    |          |                      |          |
| <b>Roll or Reload Hose</b>  | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| a. Rolls or reloads hose as assigned  |                    |          |                      |          |
| b. Performs skill in a safe and proficient manner, per AHJ  |                    |          |                      |          |
| <b>Clean Hose</b>   | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| a. Cleans hose  |                    |          |                      |          |
| b. Operates hose washing and drying equipment   |                    |          |                      |          |
| c. Inspects and marks defective hose per AHJ  |                    |          |                      |          |
| d. Inspects coupling gaskets and replaces if necessary  |                    |          |                      |          |
| e. Performs skill in a safe and proficient manner, per AHJ  |                    |          |                      |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Evaluator/Candidate Comments:**

---



---



---



---

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**All steps of the skill objective are mandatory and must be scored as “Satisfactory” to pass the skill.**

|                             |       |   |
|-----------------------------|-------|---|
| _____                       | _____ | Overall Skill Sheet Score                                   |
| Certifying Examiner         | Date  | Pass <input type="checkbox"/> Fail <input type="checkbox"/> |
| _____                       | _____ | Overall Skill Sheet Re-Test Score                           |
| Re-Test Certifying Examiner | Date  | Pass <input type="checkbox"/> Fail <input type="checkbox"/> |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #26 MAINTENANCE**

Cleaning, Maintaining and Placing Equipment in a Ready State

**Subject: Preparedness and Maintenance**

**Section 101**

**NFPA 1001, 2019 edition, 4.5.1**

**Firefighter I**

**OBJECTIVE**

Clean and check ladders, ventilation equipment, SCBA, ropes, salvage equipment, and hand tools, given cleaning tools, cleaning supplies, and an assignment, so that equipment is clean and maintained according to manufacturer's or departmental guidelines, maintenance is recorded, and equipment is placed in a ready state or reported otherwise. (4.5.1)

**INSTRUCTIONS - procedures for achieving the objective**

Given a randomly selected piece of equipment, you shall demonstrate the ability to clean, check, and place equipment in a ready state or report otherwise.

**EXAMINERS NOTE**

If this skill is selected as a designated testing skill by TCFP, one of the below options will be assigned:

- Ladders
- Ventilation equipment
- SCBA
- Ropes
- Salvage equipment
- Hand tools

The firefighter trainee will not be allowed to review the performance steps at the time of testing.

**PREPARATION & EQUIPMENT**

Ladders  
Ventilation equipment (PPV or smoke ejector)  
SCBA  
Ropes  
Salvage equipment  
Hand tools  
Cleaning supplies

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #26 MAINTENANCE**

Cleaning, Maintaining and Placing Equipment in a Ready State

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| <b>Firefighter I</b>   | <b><u>TEST</u></b> |          | <b><u>RETEST</u></b> |          |
|--|--------------------|----------|----------------------|----------|
| <b>SKILL #26 MAINTENANCE</b>   | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| Clean and check ladders, ventilation equipment, SCBA, ropes, salvage equipment, and hand tools, given cleaning tools, cleaning supplies, and an assignment, so that equipment is clean and maintained according to manufacturer's or departmental guidelines, maintenance is recorded, and equipment is placed in a ready state or reported otherwise. (4.5.1) |                    |          |                      |          |
| a. Selects correct tools for various parts and pieces of equipment   |                    |          |                      |          |
| b. Follows guidelines per AHJ documents (SOP) or manufacturer's recommendations  |                    |          |                      |          |
| c. Completes recording and reporting procedures (AHJ)  |                    |          |                      |          |
| d. Performs skill in a safe and proficient manner, per AHJ   |                    |          |                      |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Evaluator/Candidate Comments:**

---



---



---



---

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**All steps of the skill objective are mandatory and must be scored as “Satisfactory” to pass the skill.**

|                             |       |   |
|-----------------------------|-------|---|
| _____                       | _____ | Overall Skill Sheet Score                                   |
| Certifying Examiner         | Date  | Pass <input type="checkbox"/> Fail <input type="checkbox"/> |
| _____                       | _____ | Overall Skill Sheet Re-Test Score                           |
| Re-Test Certifying Examiner | Date  | Pass <input type="checkbox"/> Fail <input type="checkbox"/> |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #1 INCIDENT REPORT FORM**

Complete an Incident Report Form

**Subject: Fire Department Communications**

**Section 102**

**NFPA 1001, 2019 edition, 5.2.1**

**Firefighter II**

**OBJECTIVE**

Complete a basic incident report, given the report forms, guidelines, and information, so that all pertinent information is recorded, the information is accurate, and the report is complete. (5.2.1)

**INSTRUCTIONS - procedures for achieving the objective**

You will complete a basic incident report given information from a fire incident. You will be required to complete and proof the report using the provided information. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

The firefighter trainee will not be allowed to review the performance steps at the time of testing.

**PREPARATION & EQUIPMENT**

Blank report forms or activity sheets  
Scenarios of different types of fire incidents

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #1 INCIDENT REPORT FORM**

Complete an Incident Report Form

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| <b>Firefighter II</b>  | <b><u>TEST</u></b> |          | <b><u>RETEST</u></b> |          |
|--|--------------------|----------|----------------------|----------|
| <b>SKILL #1 INCIDENT REPORT FORM</b>   | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| Complete a basic incident report, given the report forms, guidelines, and information, so that all pertinent information is recorded, the information is accurate, and the report is complete. (5.2.1) |                    |          |                      |          |
| a. Determines necessary codes  |                    |          |                      |          |
| b. Proofs reports  |                    |          |                      |          |
| c. Operates fire department computers or other equipment necessary to complete reports   |                    |          |                      |          |
| d. Performs skill in a safe and proficient manner, per AHJ   |                    |          |                      |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Evaluator/Candidate Comments:**

\_\_\_\_\_

**All steps of the skill objective are mandatory and must be scored as "Satisfactory" to pass the skill.**

\_\_\_\_\_  
Certifying Examiner

\_\_\_\_\_  
Date

|                                   |                               |
|-----------------------------------|-------------------------------|
| Overall Skill Sheet Score         |                               |
| Pass <input type="checkbox"/>     | Fail <input type="checkbox"/> |
| Overall Skill Sheet Re-Test Score |                               |
| Pass <input type="checkbox"/>     | Fail <input type="checkbox"/> |

\_\_\_\_\_  
Re-Test Certifying Examiner

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #2 LIVE FIRE TRAINING**

Ignitable Liquid Fire

**Subject: Fireground Operations**

**Section 102**

**NFPA 1001, 2019 edition, 5.3.1**

**Firefighter II**

**OBJECTIVE**

Extinguish an ignitable liquid fire, operating as a member of a team, given an assignment, an attack line, personal protective equipment, a foam proportioning device, a nozzle, foam concentrates and a water supply, so that the correct type of foam concentrate is selected for the given fuel and conditions, a properly proportioned foam stream is applied to the surface of the fuel to create and maintain a foam blanket, fire is extinguished, reignition is prevented, team protection is maintained with a foam stream, and the hazard is faced until retreat to safe haven is reached. (5.3.1)

**INSTRUCTIONS - procedures for achieving the objective**

Operating as a member of a team, you will demonstrate the proper technique for extinguishing an ignitable liquid fire. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

This skill must be conducted with live fire and cannot be simulated.

102-A.5.3.1 The Fire Fighter II should be able to accomplish this task with each type of foam concentrate used by the jurisdiction. This could include the use of both Class A and B foam concentrates on appropriate fires. When using Class B foams to attack flammable or combustible liquid fires, the Fire Fighter II should extinguish a fire of at least 100 ft<sup>2</sup> (9 m<sup>2</sup>). The Fire Fighter II is not expected to calculate application rates and densities. The intent of this JPR can be met in training through the use of training foam concentrates or gas-fired training props.

The firefighter trainee will not be allowed to review the performance steps at the time of testing.

**PREPARATION & EQUIPMENT**

Pumper apparatus

Attack hose and nozzles for two lines

Firefighting foam and foam equipment

Ignitable liquid fire (must comply with NFPA 1403) or gas-fired training prop

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

The firefighter trainee shall accomplish the skill wearing "**FULL PROTECTIVE CLOTHING FOR STRUCTURAL FIREFIGHTERS**" as required by the Texas Commission on Fire Protection to include helmet, gloves, coat, trousers, boots, and SCBA.

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #2 LIVE FIRE TRAINING**

Ignitable Liquid Fire

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Date: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| <b>Firefighter II</b>   | <u><b>TEST</b></u> |          | <u><b>RETEST</b></u> |          |
|---|--------------------|----------|----------------------|----------|
| <b>SKILL #2 LIVE FIRE TRAINING</b>  | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| Extinguish an ignitable liquid fire, operating as a member of a team, given an assignment, an attack line, personal protective equipment, a foam proportioning device, a nozzle, foam concentrates, and a water supply, so that the correct type of foam concentrate is selected for the given fuel and conditions, a properly proportioned foam stream is applied to the surface of the fuel to create and maintain a foam blanket, fire is extinguished, reignition is prevented, team protection is maintained with a foam stream, and the hazard is faced until retreat to safe haven is reached. (5.3.1) |                    |          |                      |          |
| a. Prepares a foam concentrate supply for use   |                    |          |                      |          |
| b. Assembles foam stream components   |                    |          |                      |          |
| c. Masters various foam application techniques  |                    |          |                      |          |
| d. Approaches and retreats from spills as part of a coordinated team  |                    |          |                      |          |
| e. Performs skill in a safe and proficient manner, per AHJ  |                    |          |                      |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.



**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #3 LIVE FIRE TRAINING**

Flammable Gas Cylinder Fire

**Subject: Fireground Operations**

**Section 102**

**NFPA 1001, 2019 edition, 5.3.3**

**Firefighter II**

**OBJECTIVE**

Control a flammable gas cylinder fire operating as a member of a team. Given an assignment, a cylinder outside of a structure, an attack line, personal protective equipment, and tools, so that crew integrity is maintained, contents are identified, safe havens are identified prior to advancing, open valves are closed, flames are not extinguished unless the leaking gas is eliminated, the cylinder is cooled, cylinder integrity is evaluated, hazardous conditions are recognized and acted upon, and the cylinder is faced during approach and retreat. (5.3.3)

**INSTRUCTIONS - procedures for achieving the objective**

Operating as a member of a team, you will demonstrate the proper technique for extinguishing a simulated fire involving a flammable gas cylinder. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

This skill may be conducted with or without live fire.

102-A.5.3.3 Controlling flammable gas cylinder fires can be a very dangerous operation. The Fire Fighter II should act as a team member, under the direct supervision of an officer, during these operations.

The firefighter trainee will not be allowed to review the performance steps at the time of testing.

**PREPARATION & EQUIPMENT**

Pumper apparatus

Attack hose and nozzles for two lines

Flammable gas cylinder (may be simulated) or gas-fired prop

The firefighter trainee shall accomplish the skill wearing "**FULL PROTECTIVE CLOTHING FOR STRUCTURAL FIREFIGHTERS**" as required by the Texas Commission on Fire Protection to include helmet, gloves, coat, trousers, boots, and SCBA.

Reprinted with permission from NFPA 1001-20019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #3 LIVE FIRE TRAINING**

Flammable Gas Cylinder Fire

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| <b>Firefighter II</b>  | <u><b>TEST</b></u> |          | <u><b>RETEST</b></u> |          |
|--|--------------------|----------|----------------------|----------|
| <b>SKILL #3 LIVE FIRE TRAINING</b>   | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| Control a flammable gas cylinder fire operating as a member of a team. Given an assignment, a cylinder outside of a structure, an attack line, personal protective equipment, and tools, so that crew integrity is maintained, contents are identified, safe havens are identified prior to advancing, open valves are closed, flames are not extinguished unless the leaking gas is eliminated, the cylinder is cooled, cylinder integrity is evaluated, hazardous conditions are recognized and acted upon, and the cylinder is faced during approach and retreat. (5.3.3) |                    |          |                      |          |
| <b>Simulated fire involving a flammable gas cylinder:</b>  | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| a. Executes effective advances and retreats  |                    |          |                      |          |
| b. Applies various techniques for water application  |                    |          |                      |          |
| c. Assesses cylinder integrity and changing cylinder conditions as needed  |                    |          |                      |          |
| d. Chooses effective procedures when conditions change   |                    |          |                      |          |
| e. Operates control valve  |                    |          |                      |          |
| f. Performs skill in a safe and proficient manner, per AHJ   |                    |          |                      |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

Reprinted with permission from NFPA 1001-20019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.



**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #4 LIVE FIRE TRAINING**

Coordinate an Interior Attack

**Subject: Fireground Operations**

**Section 102**

**NFPA 1001, 2019 edition, 5.3.2**

**Firefighter II**

**OBJECTIVE**

Coordinate an interior attack line for team's accomplishment of an assignment in a structure fire, given attack lines, personnel, personal protective equipment, and tools, so that crew integrity is established; attack techniques are selected for the given level of the fire (for example, attic, grade level, upper levels or basement); attack techniques are communicated to the attack team; constant team coordination is maintained; fire growth and development is continuously evaluated; search, rescue, and ventilation requirements are communicated or managed; hazards are reported to the attack team; and incident command is apprised of changing conditions. (5.3.2)

**INSTRUCTIONS - procedures for achieving the objective**

Operating as a member of a team, you will demonstrate the proper technique for coordinating an interior attack on a structure fire. You shall communicate attack techniques, fire growth and development, search, rescue and ventilation requirements, and report hazards to incident command. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

This skill may be conducted with or without live fire.

(A.5.3.2) The fire fighter II should be able to coordinate the actions of the interior attack line team at common residential fires and small business fires in the department's district. Complex or large interior fire management should be left to officers: however, this JPR will facilitate the development of the fire fighter II towards effectively handling specific assignments within large fires.

The firefighter trainee will not be allowed to review the performance steps at the time of testing.

**PREPARATION & EQUIPMENT**

Pumper apparatus

Attack hose and nozzles for two lines

Multiple story structure or burn facility suitable for interior fire attack

Material for burning (must comply with NFPA 1403) if using live fire

All needed support equipment and personnel for the scenario

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**  
**BASIC STRUCTURE FIRE SUPPRESSION**  
Performance Standards Evaluation

The firefighter trainee shall accomplish the skill wearing "**FULL PROTECTIVE CLOTHING FOR STRUCTURAL FIREFIGHTERS**" as required by the Texas Commission on Fire Protection to include helmet, gloves, coat, trousers, boots, and SCBA.

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #4 LIVE FIRE TRAINING**

Coordinate an Interior Attack

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| <b>Firefighter II</b>  | <u><b>TEST</b></u> |          | <u><b>RETEST</b></u> |          |
|--|--------------------|----------|----------------------|----------|
| <b>SKILL #4 LIVE FIRE TRAINING</b>   | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| Coordinate an interior attack line for team's accomplishment of an assignment in a structure fire, given attack lines, personnel, personal protective equipment, and tools, so that crew integrity is established; attack techniques are selected for the given level of the fire (for example, attic, grade level, upper levels or basement); attack techniques are communicated to the attack team; constant team coordination is maintained; fire growth and development is continuously evaluated; search, rescue, and ventilation requirements are communicated or managed; hazards are reported to the attack team; and incident command is apprised of changing conditions. (5.3.2) |                    |          |                      |          |
| a. Assembles a team  |                    |          |                      |          |
| b. Chooses attack techniques for various levels of fires   |                    |          |                      |          |
| c. Evaluates and forecasts a fire's growth and development   |                    |          |                      |          |
| d. Selects tools for forcible entry  |                    |          |                      |          |
| e. Incorporates search and rescue procedures and ventilation procedures in the completion of the attack team efforts   |                    |          |                      |          |
| f. Determines developing hazardous building or fire conditions   |                    |          |                      |          |
| g. Performs skill in a safe and proficient manner, per AHJ   |                    |          |                      |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.



**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #5 OVERHAUL**

Protecting Evidence of Fire Cause and Origin

**Subject: Fireground Operations**

**Section 102**

**NFPA 1001, 2019 edition, 5.3.4**

**Firefighter II**

**OBJECTIVE**

Protect evidence of fire cause and origin, given a flashlight and overhaul tools, so that the evidence is noted and protected from further disturbance until investigators can arrive on the scene. (5.3.4)

**INSTRUCTIONS - procedures for achieving the objective**

You will identify the area of origin of a fire, recognize possible causes and protect potential evidence. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

The firefighter trainee will not be allowed to review the performance steps at the time of testing.

The examiner shall provide suitable evidence of area of origin.

NFPA 1001, A.5.3.4 - The Fire Fighter II should be able to recognize important evidence as to a fire's cause and maintain the evidence so that further testing can be done without contamination or chain-of-custody problems. Evidence should be left in place (when possible; otherwise, chain of custody must be established), not altered by improper handling, walking, and so forth, and not destroyed. Possible means to protect evidence is to avoid touching, protect with salvage covers during overhaul, or rope off the area where the evidence lies. The Fire Fighter II is not intended to be highly proficient at origin and cause determination.

**PREPARATION & EQUIPMENT**

Various overhaul tools  
Appropriate PPE  
Flashlight  
Evidence of fire origin  
Equipment for noting and protecting evidence

The firefighter trainee shall accomplish the skill wearing appropriate PPE.

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #5 OVERHAUL**

Protecting Evidence of Fire Cause and Origin

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| Firefighter II  | <u>TEST</u> |   | <u>RETEST</u> |   |
|---|-------------|---|---------------|---|
| SKILL #5 OVERHAUL   | S           | U | S             | U |
| Protect evidence of fire cause and origin, given a flashlight and overhaul tools, so that the evidence is noted and protected from further disturbance until investigators can arrive on the scene. (5.3.4) |             |   |               |   |
| a. Selects appropriate overhaul tools   |             |   |               |   |
| b. Locates the fire's origin area   |             |   |               |   |
| c. Recognizes possible causes   |             |   |               |   |
| d. Protects the evidence  |             |   |               |   |
| e. Performs skill in a safe and proficient manner, per AHJ  |             |   |               |   |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Evaluator/Candidate Comments:**

\_\_\_\_\_

\_\_\_\_\_

**All steps of the skill objective are mandatory and must be scored as "Satisfactory" to pass the skill.**

\_\_\_\_\_

Certifying Examiner

\_\_\_\_\_

Date

Overall Skill Sheet Score

Pass  Fail

\_\_\_\_\_

Re-Test Certifying Examiner

\_\_\_\_\_

Date

Overall Skill Sheet Re-Test Score

Pass  Fail

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #6 INCIDENT MANAGEMENT SYSTEM**

Implementing IMS

**Subject: General**

**Section 102**

**NFPA 1001, 2019 edition, 5.1.2, 5.2.2**

**Firefighter II**

**OBJECTIVE**

The firefighter trainee shall determine the need for command, organize and coordinate the Incident Management System until command is transferred, and function within an assigned role in the Incident Management System. (5.1.2)

Communicate the need for team assistance, given fire department communications equipment, SOPs, and a team, so that the supervisor is consistently informed of team needs, departmental SOPs are followed, and the assignment is accomplished safely. (5.2.2)

**INSTRUCTIONS - procedures for achieving the objective**

Given a specific scenario, you will determine the need for command, organize and coordinate the Incident Management System until command is transferred, and function within an assigned role in the Incident Management System. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

Whenever possible integrate the evaluation of this skill within a consolidated fire ground/emergency scenario. This will allow multiple skills to be evaluated effectively in conjunction with other fire ground/emergency scenario activities. Here are some examples of possible scenarios:

- **Scenario #1:** Building fire, two story masonry construction. 30 feet by 50 feet. 50% fire involvement on the first floor with fire extension to the second story. Need to call for a second alarm.
- **Scenario #2:** Large grass fire. Need to request mutual aid from a surrounding department.
- **Scenario #3:** On the scene of an injury accident. Need to request a set of "jaws" or request a second set.
- **Scenario #4:** On the scene of a long incident. Need to call for a canteen service, such as the Salvation Army or other group.
- **Scenario #5:** On the scene of a hazardous materials incident. Need to call for more personnel and specialized equipment.

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**  
**BASIC STRUCTURE FIRE SUPPRESSION**  
Performance Standards Evaluation

**PREPARATION & EQUIPMENT**

SOPs for alarm assignments

Communications equipment and procedures per AHJ

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #6 INCIDENT MANAGEMENT SYSTEM**

Implementing IMS

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| <b>Firefighter II</b>   | <b><u>TEST</u></b> |          | <b><u>RETEST</u></b> |          |
|---|--------------------|----------|----------------------|----------|
| <b>SKILL #6 INCIDENT MANAGEMENT SYSTEM</b>  | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| The firefighter trainee shall determine the need for command, organize and coordinate the Incident Management System until command is transferred, and function within an assigned role in the Incident Management System. (5.1.2)                            |                    |          |                      |          |
| Communicate the need for team assistance, given fire department communications equipment, SOPs, and a team, so that the supervisor is consistently informed of team needs, departmental SOPs are followed, and the assignment is accomplished safely. (5.2.2) |                    |          |                      |          |
| a. Demonstrates the ability to operate fire department communications equipment   |                    |          |                      |          |
| b. Determines the need for command  |                    |          |                      |          |
| c. Organizes and coordinates an incident management system until command is transferred   |                    |          |                      |          |
| d. Functions within an assigned role in the incident management system  |                    |          |                      |          |
| e. Performs skill in a safe and proficient manner, per AHJ  |                    |          |                      |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**All steps of the skill objective are mandatory and must be scored as “Satisfactory” to pass the skill.**

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**  
**BASIC STRUCTURE FIRE SUPPRESSION**  
Performance Standards Evaluation

**Evaluator/Candidate Comments:**

---

---

---

---

---

---

---

---

---

---

\_\_\_\_\_  
Certifying Examiner

\_\_\_\_\_  
Date

|   |
|---|
| Overall Skill Sheet Score                                   |
| Pass <input type="checkbox"/> Fail <input type="checkbox"/> |
| Overall Skill Sheet Re-Test Score                           |
| Pass <input type="checkbox"/> Fail <input type="checkbox"/> |

\_\_\_\_\_  
Re-Test Certifying Examiner

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #7 EDUCATION**

Present Fire Safety Information

**Subject: Fire and Life Safety Initiatives, Preparedness and Maintenance**

**Section 102**

**NFPA 1001, 2019 edition, 5.5.2**

**Firefighter II**

**OBJECTIVE**

Present fire safety information to station visitors or small groups, given prepared materials, so that all information is presented, the information is accurate, and questions are answered or referred. (5.5.2)

**INSTRUCTIONS - procedures for achieving the objective**

You shall present fire safety information to your examiner, given prepared materials, so that all information is presented, the information is accurate, and questions are answered or referred. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

The firefighter trainee will not be allowed to review the performance steps at the time of testing. Be prepared to ask questions as part of the evaluation.

**PREPARATION & EQUIPMENT**

Life safety presentation information such as:

1. Stop, Drop, and Roll
2. Crawl Low in Smoke
3. Escape Planning
4. Alerting Others
5. Calling the Fire Department
6. Fire Station Tour
7. Residential Smoke Detector Placement and Maintenance
8. School Exit Plan

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #7 EDUCATION**

Present Fire Safety Information

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| Firefighter II  | <u>TEST</u> |   | <u>RETEST</u> |   |
|---|-------------|---|---------------|---|
| SKILL #7 EDUCATION  | S           | U | S             | U |
| Present fire safety information to station visitors or small groups, given prepared materials, so that all information is presented, the information is accurate, and questions are answered or referred. (5.5.2) |             |   |               |   |
| <i>a. Verbalizes how to document presentations</i>  |             |   |               |   |
| b. Presents prepared materials using basic presentation skills  |             |   |               |   |
| c. Presents information accurately and either answers or refers questions as appropriate  |             |   |               |   |
| d. Performs skill in a safe and proficient manner, per AHJ  |             |   |               |   |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**All steps of the skill objective are mandatory and must be scored as "Satisfactory" to pass the skill.**

**Evaluator/Candidate Comments:**

---



---

\_\_\_\_\_  
Certifying Examiner

\_\_\_\_\_  
Date

Overall Skill Sheet Score

Pass  Fail

Overall Skill Sheet Re-Test Score

Pass  Fail

\_\_\_\_\_  
Re-Test Certifying Examiner

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #8 HOSE**

Perform an Annual Fire Hose Test

**Subject: Fire and Life Safety Initiatives, Preparedness and  
Maintenance**

**Section 102**

**NFPA 1001, 2019 edition, 5.5.5**

**Firefighter II**

**OBJECTIVE**

Perform an annual service test on fire hose, given a pump, a marking device, pressure gauges, a timer, record sheets, and related equipment, so that procedures are followed, the condition of the hose is evaluated, any damaged hose is removed from service, and the results are recorded. (5.5.5)

**INSTRUCTIONS - procedures for achieving the objective**

You shall describe and demonstrate the proper method of service testing fire hose. You will be required to verbalize key steps while performing this skill. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINER NOTE**

The firefighter trainee will begin with the hose rolled and stacked. The firefighter trainee will not be allowed to review the performance steps at the time of testing.

**PREPARATION & EQUIPMENT**

Up to 300' of 1½" or larger hose  
Hose test gate valve (1/4" hole drilled in the gate)  
Spanners (x2)  
Fire Engine, Hose Testing Device, or other fire pump  
Nozzle for size hose or gated valve  
Pen to mark hose (may verbalize marking)  
Rope, rope hose tool, or hose strap

The firefighter trainee shall wear boots and helmet.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #8 HOSE**

Perform an Annual Fire Hose Test

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| Firefighter II  | <u>TEST</u> |   | <u>RETEST</u> |   |
|---|-------------|---|---------------|---|
|   | S           | U | S             | U |
| <b>SKILL #8 HOSE</b>  |             |   |               |   |
| Perform an annual service test on fire hose, given a pump, a marking device, pressure gauges, a timer, record sheets, and related equipment, so that procedures are followed, the condition of the hose is evaluated, any damaged hose is removed from service, and the results are recorded. (5.5.5) |             |   |               |   |
| a. Operates hose testing equipment and nozzles per AHJ or manufacturer's specifications   |             |   |               |   |
| b. Records results and removes damaged hose from service if required  |             |   |               |   |
| c. Performs skill in a safe and proficient manner, per AHJ  |             |   |               |   |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**All steps of the skill objective are mandatory and must be scored as "Satisfactory" to pass the skill.**

**Evaluator/Candidate Comments:**

---



---

\_\_\_\_\_  
Certifying Examiner

\_\_\_\_\_  
Date

\_\_\_\_\_  
Re-Test Certifying Examiner

\_\_\_\_\_  
Date

|                                   |                               |
|-----------------------------------|-------------------------------|
| Overall Skill Sheet Score         |                               |
| Pass <input type="checkbox"/>     | Fail <input type="checkbox"/> |
| Overall Skill Sheet Re-Test Score |                               |
| Pass <input type="checkbox"/>     | Fail <input type="checkbox"/> |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #9 FIRE AND LIFE SAFETY SURVEY**

Fire Safety Survey in an Occupied Structure

**Subject: Fire and Life Safety Initiatives, Preparedness and  
Maintenance**

**Section 102**

**NFPA 1001, 2019 edition, 5.5.1**

**Firefighter II**

**OBJECTIVE**

Perform a fire safety survey in an occupied structure, given survey forms and procedures, so that fire and life safety hazards are identified, recommendations for their correction are made to the occupant, and unresolved issues are referred to the proper authority. (5.5.1)

**INSTRUCTIONS - procedures for achieving the objective**

Given an occupied structure, survey forms and procedures for a safety survey, you shall demonstrate the proper procedure for a home safety survey. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

The firefighter trainee will not be allowed to review the performance steps at the time of testing.

The space to be surveyed must have a minimum of 2 life safety hazards for the firefighter trainee to identify.

**PREPARATION & EQUIPMENT**

Occupied structure suitable for survey  
Simulated fire department SOP  
Survey forms

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #9 FIRE AND LIFE SAFETY SURVEY**

Fire Safety Survey in an Occupied Structure

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| <b>Firefighter II</b>   | <u><b>TEST</b></u> |          | <u><b>RETEST</b></u> |          |
|---|--------------------|----------|----------------------|----------|
| <b>SKILL #9 FIRE AND LIFE SAFETY SURVEY</b>   | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| Perform a fire safety survey in an occupied structure, given survey forms and procedures, so that fire and life safety hazards are identified, recommendations for their correction are made to the occupant, and unresolved issues are referred to the proper authority. (5.5.1) |                    |          |                      |          |
| a. Completes forms  |                    |          |                      |          |
| b. Recognizes hazards   |                    |          |                      |          |
| c. Matches findings to preapproved recommendations  |                    |          |                      |          |
| d. Effectively communicates findings to occupants or referrals  |                    |          |                      |          |
| e. Performs skill in a safe and proficient manner, per AHJ  |                    |          |                      |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**All steps of the skill objective are mandatory and must be scored as "Satisfactory" to pass the skill.**

**Evaluator/Candidate Comments:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
Certifying Examiner

\_\_\_\_\_  
Date

Overall Skill Sheet Score

Pass  Fail

Overall Skill Sheet Re-Test Score

Pass  Fail

\_\_\_\_\_  
Re-Test Certifying Examiner

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #10 MAINTENANCE**

Service and Maintenance of Portable Power Plants and Lighting Equipment

**Subject: Fire and Life Safety Initiatives, Preparedness and  
Maintenance**

**Section 102**

**NFPA 1001, 2019 edition, 5.5.4**

**Firefighter II**

**OBJECTIVE**

Maintain power plants, power tools, and lighting equipment, given tools and manufacturers' instructions, so that equipment is clean and maintained according to manufacturer and departmental guidelines, maintenance is recorded, and equipment is placed in a ready state or reported otherwise. (5.5.4)

**INSTRUCTIONS - procedures for achieving the objective**

Given a power plant, electrical cords, and lighting equipment, you will demonstrate and verbalize when the proper procedures are necessary for servicing and maintaining a power plant and lighting equipment. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

The examiner shall stop the firefighter trainee if any safety hazard exists. The firefighter trainee will not be allowed to review the performance steps at the time of testing.

**PREPARATION & EQUIPMENT**

Power plant  
Electrical cords  
Lighting equipment  
Gloves  
Cloth for checking fluids  
Eye protection  
Form for documenting maintenance and repairs (AHJ)

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #10 MAINTENANCE**

Service and Maintenance of Portable Power Plants and Lighting Equipment

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| <b>Firefighter II</b>  | <u><b>TEST</b></u> |          | <u><b>RETEST</b></u> |          |
|--|--------------------|----------|----------------------|----------|
| <b>SKILL #10 MAINTENANCE</b>   | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| Maintain power plants, power tools, and lighting equipment, given tools and manufacturers' instructions, so that equipment is clean and maintained according to manufacturer and departmental guidelines, maintenance is recorded, and equipment is placed in a ready state or reported otherwise. (5.5.4) |                    |          |                      |          |
| a. Selects correct tools and/or equipment  |                    |          |                      |          |
| b. Follows manufacturer and departmental guidelines  |                    |          |                      |          |
| c. Completes recording and reporting procedures  |                    |          |                      |          |
| d. Operates power plants, power tools, and lighting equipment  |                    |          |                      |          |
| e. Equipment is cleaned to an acceptable standard  |                    |          |                      |          |
| f. Performs skill in a safe and proficient manner, per AHJ   |                    |          |                      |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Evaluator/Candidate Comments:**

---



---



---



---



---

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**  
**BASIC STRUCTURE FIRE SUPPRESSION**  
Performance Standards Evaluation

---

---

**All steps of the skill objective are mandatory and must be scored as “Satisfactory” to pass the skill.**

\_\_\_\_\_  
Certifying Examiner

\_\_\_\_\_  
Date

Overall Skill Sheet Score

Pass  Fail

\_\_\_\_\_  
Re-Test Certifying Examiner

\_\_\_\_\_  
Date

Overall Skill Sheet Re-Test Score

Pass  Fail

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #11 PREFIRE PLAN**

Prepare a Preincident Survey

**Subject: Fire and Life Safety Initiatives, Preparedness and Maintenance**

**Section 102**

**NFPA 1001, 2019 edition, 5.5.3**

**Firefighter II**

**OBJECTIVE**

Prepare a preincident survey, given forms, necessary tools, and an assignment, so that all required occupancy information is recorded, items of concern are noted, and accurate sketches or diagrams are prepared. (5.5.3)

**INSTRUCTIONS - procedures for achieving the objective**

You will prepare a preincident survey, given forms, necessary tools, and an assignment, so that all required occupancy information is recorded, items of concern are noted, and accurate sketches or diagrams are prepared. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

The firefighter trainee will not be allowed to review the performance steps at the time of testing.

**PREPARATION & EQUIPMENT**

Building to prefire plan  
Instrument(s) for diagramming sketches

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #11 PREFIRE PLAN**

Prepare a Preincident Survey

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| <b>Firefighter II</b>  | <u><b>TEST</b></u> |          | <u><b>RETEST</b></u> |          |
|--|--------------------|----------|----------------------|----------|
| <b>SKILL #11 PREFIRE PLAN</b>  | <b>S</b>           | <b>U</b> | <b>S</b>             | <b>U</b> |
| Prepare a preincident survey, given forms, necessary tools, and an assignment, so that all required occupancy information is recorded, items of concern are noted, and accurate sketches or diagrams are prepared. (5.5.3) |                    |          |                      |          |
| a. Identifies the components of fire suppression and detection systems   |                    |          |                      |          |
| b. Diagrams the site, buildings, and special features  |                    |          |                      |          |
| c. Detects hazards and special considerations to include in the preincident diagram  |                    |          |                      |          |
| d. Completes all related departmental forms  |                    |          |                      |          |
| e. Performs skill in a safe and proficient manner, per AHJ   |                    |          |                      |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Evaluator/Candidate Comments:**

\_\_\_\_\_

\_\_\_\_\_

**All steps of the skill objective are mandatory and must be scored as "Satisfactory" to pass the skill.**

|                     |       |   |
|---------------------|-------|---|
| _____               | _____ | Overall Skill Sheet Score                                   |
| Certifying Examiner | Date  | Pass <input type="checkbox"/> Fail <input type="checkbox"/> |
| _____               | _____ | Overall Skill Sheet Re-Test Score                           |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

Re-Test Certifying Examiner

|      |   |
|------|---|
| Date | Pass <input type="checkbox"/> Fail <input type="checkbox"/> |
|------|---|

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #12 RESCUE**

Vehicle Extrication

**Subject: Rescue Operations**

**Section 102**

**NFPA 1001, 2019 edition, 5.4.1**

**Firefighter II**

**OBJECTIVE**

Extricate a victim entrapped in a motor vehicle as part of a team, given stabilization and extrication tools, so that the vehicle is stabilized, the victim disentangled without further injury, and hazards are managed. (5.4.1)

**INSTRUCTIONS - procedures for achieving the objective**

Operating as a team, you will demonstrate one of the following techniques for extricating a victim entrapped in a motor vehicle: vehicle stabilization, victim disentanglement or managing hazards. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

If this skill is selected as a designated testing skill by TCFP, one of the below options will be assigned:

- Vehicle stabilization
- Victim disentanglement
- Managing hazards

Only the portions of the steps appropriate to the designated extrication skill will be evaluated.

NFPA 1001 A.5.4.1 In the context of this standard, the term *extricate* refers to those activities required to allow emergency medical personnel access to the victim, stabilization of the vehicle, the displacement or removal of vehicle components obstructing victim removal, and the protection of the victim and response personnel from hazards associated with motor vehicle accidents and the use of hand and power tools on a motor vehicle.

The firefighter trainee will not be allowed to review the performance steps at the time of testing.

**PREPARATION & EQUIPMENT**

Cribbing and shoring materials

Hydraulic devices

Pneumatic devices

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

# TEXAS COMMISSION ON FIRE PROTECTION BASIC STRUCTURE FIRE SUPPRESSION

## Performance Standards Evaluation

Ratchet devices

Vehicle for extrication evolution

The firefighter trainee shall accomplish the skill wearing "**FULL PROTECTIVE CLOTHING FOR STRUCTURAL FIREFIGHTERS**" as required by the Texas Commission on Fire Protection to include helmet, gloves, coat, trousers, and boots. The trainee is not required to wear an SCBA or hood.

Note: If the AHJ has issued **NFPA 1951 compliant gloves or Protective Ensembles for Technical Rescue Incidents**, the gloves or the complete protective ensemble may be used to perform this skill.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #12 RESCUE**

Vehicle Extrication

Candidate: \_\_\_\_\_

Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

\_\_\_\_\_

School: \_\_\_\_\_

\_\_\_\_\_

Test Site: \_\_\_\_\_

\_\_\_\_\_

| <b>Firefighter II</b>   | <b>TEST</b> |          | <b>RETEST</b> |          |
|---|-------------|----------|---------------|----------|
| <b>SKILL #12 RESCUE</b>   | <b>S</b>    | <b>U</b> | <b>S</b>      | <b>U</b> |
| Extricate a victim entrapped in a motor vehicle as part of a team, given stabilization and extrication tools, so that the vehicle is stabilized, the victim disentangled without further injury, and hazards are managed. (5.4.1) |             |          |               |          |
| a. Sizes up scene and manages hazards, if required  |             |          |               |          |
| b. Uses cribbing and shoring material, if required  |             |          |               |          |
| c. Chooses and applies appropriate techniques for moving or removing vehicle roofs, doors, windshields, windows, steering wheels or columns, and the dashboard, if required   |             |          |               |          |
| d. Operates hand and power tools used for forcible entry and rescue as designed, if required  |             |          |               |          |
| e. Performs skill in a safe and proficient manner, per AHJ  |             |          |               |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Evaluator/Candidate Comments:**

---



---



---



---

**All steps of the skill objective are mandatory and must be scored as "Satisfactory" to pass the skill.**

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

\_\_\_\_\_  
Certifying Examiner

\_\_\_\_\_  
Date

Overall Skill Sheet Score

Pass  Fail

\_\_\_\_\_  
Re-Test Certifying Examiner

\_\_\_\_\_  
Date

Overall Skill Sheet Re-Test Score

Pass  Fail

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #13 RESCUE**  
Assist Rescue Operation Teams

**Subject: Rescue Operations**

**Section 102**

**NFPA 1001, 2019 edition, 5.4.2**

**Firefighter II**

**OBJECTIVE**

Assist rescue operation teams, given standard operating procedures, necessary rescue equipment, and an assignment, so that procedures are followed, rescue items are recognized and retrieved in the time as prescribed by the AHJ, and the assignment is completed. (5.4.2)

**INSTRUCTIONS - procedures for achieving the objective**

You will assist a rescue operation team, following accepted standard operating procedures (SOP), necessary rescue equipment, and an assignment. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

The firefighter trainee will not be allowed to review the performance steps at the time of testing.

NFPA 1001, A.5.4.2 – The Fire Fighter II is not expected to be proficient in technical rescue skills. The Fire Fighter II should be able to help technical rescue teams in their efforts to safely manage structural collapses, trench collapses, cave and tunnel emergencies, water and ice emergencies, elevator, and escalator emergencies, energized electrical line emergencies, and industrial accidents.

**PREPARATION & EQUIPMENT**

Department rescue SOPs or recognized safety practices of the AHJ

Various rescue equipment used by AHJ

Scenarios based on equipment and SOPs used by AHJ

The firefighter trainee shall accomplish the skill wearing the appropriate PPE for the type of rescue incident they are assisting with per the AHJ

**TEXAS COMMISSION ON FIRE PROTECTION  
BASIC STRUCTURE FIRE SUPPRESSION**

Performance Standards Evaluation

**SKILL #13 RESCUE**  
Assist Rescue Operation Teams

Candidate: \_\_\_\_\_ Notes: \_\_\_\_\_

Examiner: \_\_\_\_\_

School: \_\_\_\_\_

Test Site: \_\_\_\_\_

| Firefighter II   | <u>TEST</u> |   | <u>RETEST</u> |   |
|--|-------------|---|---------------|---|
| SKILL #13 RESCUE   | S           | U | S             | U |
| Assist rescue operation teams, given standard operating procedures, necessary rescue equipment, and an assignment, so that procedures are followed, rescue items are recognized and retrieved in the time as prescribed by the AHJ, and the assignment is completed. (5.4.2) |             |   |               |   |
| a. Identifies and retrieves various types of rescue tools  |             |   |               |   |
| b. Establishes public barriers   |             |   |               |   |
| c. Assists rescue teams as a member of the team when assigned  |             |   |               |   |
| d. Performs skill in a safe and proficient manner, per AHJ   |             |   |               |   |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Evaluator/Candidate Comments:**

---



---



---



---



---



---

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**  
**BASIC STRUCTURE FIRE SUPPRESSION**  
Performance Standards Evaluation

---

**All steps of the skill objective are mandatory and must be scored as “Satisfactory” to pass the skill.**

|                             |       |   |
|-----------------------------|-------|---|
| _____                       | _____ | Overall Skill Sheet Score                                   |
| Certifying Examiner         | Date  | Pass <input type="checkbox"/> Fail <input type="checkbox"/> |
| _____                       | _____ | Overall Skill Sheet Re-Test Score                           |
| Re-Test Certifying Examiner | Date  | Pass <input type="checkbox"/> Fail <input type="checkbox"/> |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

# **INSTRUCTIONAL SKILLS MANUAL**

## **BASIC FIRE SUPPRESSION**

**Effective January 1, 2021**



**Texas Commission on Fire Protection**  
P.O. Box 2286 Austin, Texas 78768-2286 (512) 936-3838

## INSTRUCTION SHEET STATE PERFORMANCE (TESTING) SKILLS

All the Basic Fire Suppression Performance Testing Skills are based on the NFPA 1001 *Standard for Fire Fighter Professional Qualifications*. Each TCFP Testing Skill references the corresponding Job Performance Requirement (JPR) number(s) from NFPA 1001 and includes the JPR(s) in entirety on the skill sheets. Each gradable step of the skill comes directly from the “Requisite Skills” statements in NFPA 1001, chapters 4 and 5. Many of the Testing Skills are scenario-based, requiring teamwork. This allows several JPRs to be performed under the umbrella of a single Testing Skill. Skills Examiners must grade each student individually even when a student is acting as a member of a working team. This will provide a realistic testing environment that requires examinees to demonstrate the knowledge, skills, and abilities of entry level fire fighters.

These Testing Skills are **not** designed to be used as teaching aids. The Testing Skills are broad in scope and do not adequately provide the specific details of how to perform each step of a given skill – they are designed only for testing. However, the Instructional Skills are designed for teaching purposes and may be used to prepare the trainees on the details of each step required for successfully passing the Testing Skills.

Some Testing Skills have multiple testing possibilities built into them (i.e., a “random selection” component). The commission will randomly select the option, if any of those types of skills are designated for testing. For example, in Skill #5 Live Fire – Interior Structure Fire, an academy would only be required to test one of three possible scenarios: (1) below grade level, (2) above grade level or (3) grade level fires. When the commission identifies which skills are required for the designated skills testing, the commission will also indicate the option that was randomly selected for any Testing Skills with multiple testing possibilities.

Field examiners have the responsibility of determining the success of student performance based on the skills as taught (TCFP instructional skills, AHJ policy, textbook skills) in the instructional process. All the grading criteria for the TCFP Testing Skills is satisfactory/unsatisfactory. If a trainee fails any one step, they fail the skill.

## INSTRUCTIONAL SKILLS

The Instructional Skills are available for academies to use to teach the skills that every fire fighter should know and be able to do. If the trainee has mastered these Instructional Skills, they should be confident in their ability to perform the TCFP Testing Skills without failure. The use of the TCFP Instructional Skills is optional. If an academy chooses not to use a TCFP Instructional Skill, the academy should then create its own skill sheet(s) for instructional purposes of that skill(s).

TCFP INSTRUCTIONAL SKILLS  
Table of Contents

| <b>Skill #</b>      | <b>Skill Name</b>   |
|---------------------|---|
| Comm FFI-1          | Relaying a Report of an Emergency   |
| Comm FFI-2          | Receiving a Business or Personal Telephone Call   |
| Comm FFI-3          | Transmit and Receive Radio Messages   |
| Education FFII-1    | Present Fire Safety Information   |
| Exting FFI-1        | Extinguish Class A Fire   |
| Exting FFI-2        | Extinguish Class B Fire   |
| Exting FFI-3        | Extinguish Class C Fire   |
| FDOrgStds FFI-1     | Locate Information in Documents   |
| FE FFI-1            | Force Entry into a Structure (Doors)  |
| FE FFI-2            | Force Entry into a Structure (Windows)  |
| FE FFI-3            | Force Entry into a Structure (Walls)  |
| FE FFI-4            | Demonstrate Hand and Power Tools Used for Forcible Entry                                    |
| Fire Streams FFII-1 | Setting up and Operating a Foam Fire Stream   |
| Fire Streams FFII-2 | Applying Foam   |
| FPS FFI-1           | Locating the Main Control Valve   |
| FPS FFI-2           | Controlling and Identifying Sprinkler Heads   |
| Hand Tools FFI-1    | Clean and Inspect Hand Tools  |
| Hose FFI-1          | Coupling and Uncoupling Fire Hose   |
| Hose FFI-2          | Replacing Burst Section of Hose   |
| Hose FFI-3          | Extend a Hoseline   |
| Hose FFI-4          | Performing Two Types of Hose Carries  |
| Hose FFI-5          | Advance a Charged Attack Line Up a Ladder   |
| Hose FFI-6          | Advancing Charged and Uncharged Attack Lines  |
| Hose FFI-7          | Connecting Hose to a Standpipe  |
| Hose FFI-8          | Inspecting for Damage, Cleaning, and Maintenance of Hose, Couplings, and Nozzles            |
| Hose FFI-9          | Loading Hose  |
| Hose FFI-10         | Rolling Hose  |
| Hose FFII-1         | Annual Hose Test  |
| IMS FFII-1          | Implement IMS   |
| Ladders FFI-1       | Inspection and Maintenance Procedures of Ladders  |
| Ladders FFI-2       | Cleaning Ladders  |
| Ladders FFI-3       | Rescuing a Conscious Person   |
| Ladders FFI-4       | Rescuing an Unconscious Adult   |
| Ladders FFI-5       | Rescuing an Unconscious Child or Small Adult  |
| Ladders FFI-6       | Rescuing an Unconscious Large Adult   |
| Ladders FFI-7       | Working Off Ground Ladder with Tools  |
| Ladders FFI-8       | Low Shoulder Carry, Right Angle Raise of a Single Ladder                                    |
| Ladders FFI-9       | Two-Firefighter Low Shoulder Carry, Right Angle Flat Raise of a 24 Foot Extension Ladder    |
| Ladders FFI-10      | Two-Firefighter Low Shoulder Carry, Right Angle Beam Raise of a 24 Foot Extension Ladder    |
| Ladders FFI-11      | Two-Firefighter Low-shoulder Carry, Flat Parallel Raise of a 24 Foot Extension Ladder       |
| Ladders FFI-12      | Carry, Hoist, and Secure a Roof Ladder  |
| Ladders FFI-13      | Three-Firefighter Flat Shoulder Carry, Right Angle Flat Raise of a 35 Foot Extension Ladder |
| Ladders FFI-14      | Carry a Folding/Attic Ladder  |
| Ladders FFI-15      | Securing a Ladder   |

TCFP INSTRUCTIONAL SKILLS  
Table of Contents

| <b>Skill #</b>            | <b>Skill Name</b>   |
|---------------------------|---|
| Live Fire FFI-1           | Grade Level Structure Fire  |
| Live Fire FFI-2           | Above Grade Level Structure Fire                                    |
| Live Fire FFI-3           | Below Grade Level Structure Fire                                    |
| Live Fire FFI-4           | Storage Container Fire  |
| Live Fire FFI-5           | Vehicle Fire  |
| Live Fire FFI-6           | Ground Cover Fire   |
| Live Fire FFII-1          | Ignitable Liquid Fire   |
| Live Fire FFII-2          | Flammable Gas Cylinder Fire   |
| Live Fire FFII-3          | Coordinate an Interior Attack                                       |
| Maint FFII-1              | Power Equipment Maintenance   |
| Overhaul FFI-1            | Exposure of Hidden Fires  |
| Overhaul FFII-1           | Protecting Evidence of Fire Cause and Origin                        |
| PPE FFI-1                 | Inspection of PPE   |
| PPE FFI-2                 | Donning and Doffing of PPE  |
| Preplan FFII-1            | Prepare a Pre-incident Survey                                       |
| Reports FFII-1            | Complete an Incident Report Form                                    |
| Rescue FFII-1             | Manage Vehicle Extrication Hazards                                  |
| Rescue FFII-2             | Stabilize Vehicle   |
| Rescue FFII-3             | Disentangle Victim  |
| Rescue FFII-4             | Assist Rescue Operations Teams                                      |
| Ropes FFI-1               | Rope Inspection and Maintenance                                     |
| Ropes FFI-2               | Tying a Bowline Knot to Hoist a Smoke Ejector or Chain Saw          |
| Ropes FFI-3               | Tying a Figure Eight on a Bight, Ends Alike to Hoist a Ladder       |
| Ropes FFI-4               | Tying a Clove Hitch to Hoist a Charged and Uncharged Hose Line      |
| Ropes FFI-5               | Tying Clove Hitch to Hoist a Pike Pole or Axe                       |
| S&R FFI-1                 | Rescue of a Firefighter with Functioning Respiratory Protection     |
| S&R FFI-2                 | Rescue of a Firefighter with Non-Functioning Respiratory Protection |
| S&R FFI-3                 | Conduct a Primary and Secondary Search                              |
| S&R FFI-4                 | Removing Victims from Hazardous Environments                        |
| Safety FFI-1              | Report a Mayday   |
| Safety FFI-2              | Follow a Hoseline to Safety   |
| Safety FFI-3              | Follow a Wall to Safety   |
| Safety FFI-4              | Terminate Utility Service   |
| Safety FFI-5              | Set Up Emergency Lighting for Fire Ground Operation                 |
| Safety FFI-6              | Use of Safety Equipment While Riding on Fire Apparatus              |
| Safety FFI-7              | Safely Working in Protected Areas                                   |
| Safety FFI-8              | Operating an Air Monitoring Instrument                              |
| Fire Safety Survey FFII-1 | Fire Safety Survey in an Occupied Structure                         |
| Salvage FFI-1             | Cleaning and Inspecting Salvage Covers                              |
| Salvage FFI-2             | Construction of a Water Chute                                       |
| Salvage FFI-3             | One-Firefighter Salvage Cover Roll Deployment                       |
| Salvage FFI-4             | Salvage Cover Fold  |
| Salvage FFI-5             | Salvage Cover Roll  |
| Salvage FFI-6             | One-Firefighter Salvage Cover Spread                                |
| Salvage FFI-7             | Two-Firefighter Salvage Cover Spread                                |
| Salvage FFI-8             | Debris Removal  |

TCFP INSTRUCTIONAL SKILLS  
Table of Contents

| <b>Skill #</b>     | <b>Skill Name</b>  |
|--------------------|--|
| Salvage FFI-9      | Covering an Opening in a Structure                               |
| Salvage FFI-10     | Construction of a Catch-All                                      |
| SCBA FFI-1         | Replacing a Spent SCBA Cylinder                                  |
| SCBA FFI-2         | Operational Inspection of SCBA and PASS Device                   |
| SCBA FFI-3         | Cleaning and Sanitizing SCBA                                     |
| SCBA FFI-4         | Donning Breathing Apparatus using the Coat Method                |
| SCBA FFI-5         | Donning Breathing Apparatus using the Over the Head Method       |
| SCBA FFI-6         | Skip-Breathing   |
| SCBA FFI-7         | Donning Breathing Apparatus Using the Compartment Mounted Method |
| SCBA FFI-8         | Donning Breathing Apparatus Using the Seat Mounted Method        |
| SCBA FFI-9         | Restricted Passage   |
| SCBA FFI-10        | Controlled Breathing   |
| Vent FFI-1         | Vertical Ventilation   |
| Vent FFI-2         | Horizontal Ventilation   |
| Vent FFI-3         | Cleaning and Inspecting Ventilation Equipment                    |
| Water Source FFI-1 | Supply Hose to Hydrant   |
| Water Source FFI-2 | Hand Laying Supply Line  |
| Water Source FFI-3 | Establishing a Portable Water Source Connection                  |

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**COMMUNICATION FFI-1**

Relaying a Report of an Emergency

**Subject: Fire Department Communications**

**NFPA 1001 4.2.1**

**REFERENCE**

Initiate the response to a reported emergency, given the report of an emergency, fire department SOPs, and communications equipment, so that all necessary information is obtained, communications equipment is operated correctly, and the information is relayed promptly and accurately to the dispatch center. (4.2.1)

**OBJECTIVE**

The firefighter trainee shall initiate a response for a reported emergency by obtaining all necessary information and relaying the reported emergency information to the dispatch center using communication equipment.

**INSTRUCTIONS - procedures for achieving the objective**

Given a report of an emergency from the public, you will initiate a response by obtaining all necessary information and relaying this information to the dispatch center using the appropriate communication equipment. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Simulated emergency situation

Communication equipment (radio, telephone, etc.)

Equipment for recording information (pencil and paper, dry erase board, etc)

Department SOPs

PPE appropriate for the skill

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

COMMUNICATION FFI-1

Relaying a Report of an Emergency

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| INSTRUCTIONAL SKILLS  |           |   |           |   |
|---|-----------|---|-----------|---|
| COMMUNICATION FFI-1   | ATTEMPT 1 |   | ATTEMPT 2 |   |
|   | S         | U | S         | U |
| The firefighter trainee shall initiate a response for a reported emergency by obtaining all necessary information and relaying the reported emergency information to the dispatch center using communication equipment. |           |   |           |   |
| a. Receives report of emergency from the public   |           |   |           |   |
| b. Records the type of emergency  |           |   |           |   |
| c. Records the incident address of the emergency  |           |   |           |   |
| d. Uses communication equipment to contact the dispatch center  |           |   |           |   |
| e. Accurately relays reported emergency information   |           |   |           |   |
| f. Performs skill in a safe and proficient manner, per AHJ  |           |   |           |   |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

Comments:

---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**COMMUNICATION FFI-2**

Receiving a Business or Personal Telephone Call

**Subject: Fire Department Communications**

**NFPA 1001 4.2.2**

**REFERENCE**

Receive a telephone call, given a fire department phone, so that procedures for answering the phone are used and the caller's information is relayed. (4.2.2)

**OBJECTIVE**

The firefighter trainee shall verbally explain the procedures for receiving a business or personal telephone call on the fire department phone. Then the firefighter trainee shall demonstrate the procedure for receiving a telephone call.

**INSTRUCTIONS - procedures for achieving the objective**

Given a fire department business phone and equipment for recording information, you will verbally explain the procedures for receiving a business or personal telephone call on the fire department phone. Then you will demonstrate the procedures by receiving a simulated telephone call. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Business or personal call (may be simulated)

Personnel to place the simulated call

Equipment used for recording this information as determined by the authority having jurisdiction, (examples: paper and pencil, dry erase board, etc.)

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**COMMUNICATION FFI-2**

Receiving a Business or Personal Telephone Call

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
| <b>COMMUNICATION FFI-2</b>  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall verbally explain the procedures for receiving a business or personal telephone call on the fire department phone. Then the firefighter trainee shall demonstrate the procedure by receiving a simulated telephone call. |                  |          |                  |          |
| a. Verbalizes a correct explanation of the procedures   |                  |          |                  |          |
| b. Answers the call promptly  |                  |          |                  |          |
| c. Courteously identifies self and department   |                  |          |                  |          |
| d. Demonstrates good verbal skills for telephone communications (pleasant, correct volume and tone)   |                  |          |                  |          |
| e. Has no "open line" or extended time on hold for caller   |                  |          |                  |          |
| f. Posts or delivers message promptly to intended recipient   |                  |          |                  |          |
| g. Terminates the call courteously  |                  |          |                  |          |
| h. Message is accurate and complete   |                  |          |                  |          |
| i. Followed correct procedures  |                  |          |                  |          |
| j. Performs skill in a safe and proficient manner, per AHJ  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**COMMUNICATION FFI-3**

Transmit and Receive Radio Messages

**Subject: Fire Department Communications**

**NFPA 1001 4.2.3**

**REFERENCE**

Transmit and receive messages via the fire department radio, given a fire department radio and operating procedures, so that the information is accurate, complete, clear and relayed within the time established by the AHJ. (4.2.3)

**OBJECTIVE**

The fire fighter trainee shall transmit and receive messages via the fire department radio, so that the information is accurate, complete, clear and relayed within the time established by the AHJ.

**INSTRUCTIONS - procedures for achieving the objective**

Given a fire department radio, you will transmit and receive messages according to operating procedures. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Fire department radios

AHJ radio communication operating procedures

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**COMMUNICATION FFI-3**

Transmit and Receive Radio Messages

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
| <b>COMMUNICATION FFI-3</b>   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The fire fighter trainee shall transmit and receive messages via the fire department radio, so that the information is accurate, complete, clear and relayed within the time established by the AHJ. |                  |          |                  |          |
| a. Turns radio on  |                  |          |                  |          |
| b. Turns radio to the correct channel/frequency  |                  |          |                  |          |
| c. Receives message on radio   |                  |          |                  |          |
| d. Transmits message on radio  |                  |          |                  |          |
| e. Message is transmitted accurately   |                  |          |                  |          |
| f. Message is transmitted completely   |                  |          |                  |          |
| g. Message is transmitted clearly  |                  |          |                  |          |
| h. Message is transmitted timely   |                  |          |                  |          |
| i. Followed correct procedures   |                  |          |                  |          |
| j. Performs skill in a safe and proficient manner, per AHJ   |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**EDUCATION FFII-1**

Present Fire Safety Information

**Subject: Fire and Life Safety Initiatives, Preparedness, and Maintenance**

**NFPA 1001 5.5.2**

**REFERENCE**

Present fire safety information to station visitors or small groups, given prepared materials, so that all information is presented, the information is accurate, and questions are answered or referred. (5.5.2)

**OBJECTIVE**

The firefighter trainee shall present fire safety information to station visitors or small groups, so that all information is presented, the information is accurate, and questions are answered or referred.

**INSTRUCTIONS - procedures for achieving the objective**

You shall present fire safety information to your examiner, given prepared materials, so that all information is presented, the information is accurate, and questions are answered or referred. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**INSTRUCTOR NOTE**

Be prepared to ask questions as part of the skill.

**PREPARATION & EQUIPMENT**

Life safety presentation information such as:

1. Stop, Drop, and Roll
2. Crawl low in smoke
3. Escape Planning
4. Alerting Others
5. Calling the Fire Department
6. Fire Station Tour
7. Residential Smoke Detector Placement and Maintenance
8. School Exit Plan

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2019, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

EDUCATION FFII-1

Present Fire Safety Information

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| INSTRUCTIONAL SKILLS  |           |   |           |   |
|---|-----------|---|-----------|---|
| EDUCATION FFII-1  | ATTEMPT 1 |   | ATTEMPT 2 |   |
|   | S         | U | S         | U |
| The firefighter trainee shall present fire safety information to station visitors or small groups, so that all information is presented, the information is accurate, and questions are answered or referred. |           |   |           |   |
| a. Reviews the information to be presented  |           |   |           |   |
| b. Ensures all necessary equipment and materials are available  |           |   |           |   |
| c. Presents prepared materials using basic presentation skills  |           |   |           |   |
| d. Presents information accurately and appropriately for audience   |           |   |           |   |
| e. Answers or refers questions as appropriate   |           |   |           |   |
| f. Ensures safety of the audience during the presentation   |           |   |           |   |
| g. Verbalizes how to document presentations   |           |   |           |   |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2019, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**EXTINGUISHERS FFI-1**

Extinguishing a Class A Fire

**Subject: Fireground Operations**

**NFPA 1001 4.3.16**

**REFERENCE**

Extinguish incipient Class A, Class B, and Class C fires, given a selection of portable fire extinguishers, so that the correct extinguisher is chosen, the fire is completely extinguished, and correct extinguisher-handling techniques are followed. (4.3.16)

**OBJECTIVE**

The firefighter trainee shall extinguish an incipient Class A fire, so that the correct extinguisher is chosen, the fire is completely extinguished, and correct extinguisher-handling techniques are followed.

**INSTRUCTIONS - procedures for achieving the objective**

You shall demonstrate the operation of a fire extinguisher on a Class A fire. You are required to properly select an appropriate extinguisher, properly approach, extinguish, and withdraw after the fire is completely extinguished. Only one extinguisher may be used on each class of fire. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Stored-pressure water extinguisher - 2½ gallons

Dry chemical extinguisher

Class A fuel

PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**EXTINGUISHERS FFI-1**

Extinguishing a Class A Fire

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
|   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| <b>EXTINGUISHERS FFI-1</b>  |                  |          |                  |          |
| The firefighter trainee shall extinguish an incipient Class A fire, so that the correct extinguisher is chosen, the fire is completely extinguished, and correct extinguisher-handling techniques are followed. |                  |          |                  |          |
| a. Selects an appropriate extinguisher based on the size and type of fire   |                  |          |                  |          |
| b. Checks that the extinguisher is properly charged   |                  |          |                  |          |
| c. Safely carries portable fire extinguisher  |                  |          |                  |          |
| d. Approaches fire with portable fire extinguisher  |                  |          |                  |          |
| e. Pulls pin  |                  |          |                  |          |
| f. Aims nozzle at base of fire  |                  |          |                  |          |
| g. Squeezes handle to discharge agent   |                  |          |                  |          |
| h. Sweeps slowly back and forth across base of fire   |                  |          |                  |          |
| i. Ensures extinguishment of fire   |                  |          |                  |          |
| j. Backs away without losing sight of fire location   |                  |          |                  |          |
| k. Performs skill in a safe and proficient manner, per AHJ  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**EXTINGUISHERS FFI-2**

Extinguishing a Class B Fire

**Subject: Fireground Operations**

**NFPA 1001 4.3.16**

**REFERENCE**

Extinguish incipient Class A, Class B, and Class C fires, given a selection of portable fire extinguishers, so that the correct extinguisher is chosen, the fire is completely extinguished, and correct extinguisher-handling techniques are followed. (4.3.16)

**OBJECTIVE**

The firefighter trainee shall extinguish an incipient Class B fire, so that the correct extinguisher is chosen, the fire is completely extinguished, and correct extinguisher-handling techniques are followed.

**INSTRUCTIONS - procedures for achieving the objective**

You shall demonstrate the operation of a fire extinguisher on a Class B fire. You are required to properly select an appropriate extinguisher, properly approach, extinguish, and withdraw after the fire is completely extinguished. Only one extinguisher may be used on each class of fire. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Stored-pressure water extinguisher - 2½ gallons

Dry chemical extinguisher

9 square foot metal pan (minimum size)

Class B fuel

PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**EXTINGUISHERS FFI-2**

Extinguishing a Class B Fire

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
| <b>EXTINGUISHERS FFI-2</b>  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall extinguish an incipient Class B fire, so that the correct extinguisher is chosen, the fire is completely extinguished, and correct extinguisher-handling techniques are followed. |                  |          |                  |          |
| a. Selects an appropriate extinguisher based on the size and type of fire   |                  |          |                  |          |
| b. Checks that the extinguisher is properly charged   |                  |          |                  |          |
| c. Safely carries portable fire extinguisher  |                  |          |                  |          |
| d. Approaches fire with portable fire extinguisher  |                  |          |                  |          |
| e. Pulls pin  |                  |          |                  |          |
| f. Aims nozzle at base of fire  |                  |          |                  |          |
| g. Squeezes handle to discharge agent   |                  |          |                  |          |
| h. Sweeps slowly back and forth across base of fire   |                  |          |                  |          |
| i. Avoids splashing flammable liquid  |                  |          |                  |          |
| j. Ensures extinguishment of fire   |                  |          |                  |          |
| k. Backs away without losing sight of fire location   |                  |          |                  |          |
| l. Performs skill in a safe and proficient manner, per AHJ  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**EXTINGUISHERS FFI-3**

Extinguishing a Class C Fire

**Subject: Fireground Operations**

**NFPA 1001 4.3.16**

**REFERENCE**

Extinguish incipient Class A, Class B, and Class C fires, given a selection of portable fire extinguishers, so that the correct extinguisher is chosen, the fire is completely extinguished, and correct extinguisher-handling techniques are followed. (4.3.16)

**OBJECTIVE**

The firefighter trainee shall extinguish an incipient Class C fire, so that the correct extinguisher is chosen, the fire is completely extinguished, and correct extinguisher-handling techniques are followed.

**INSTRUCTIONS - procedures for achieving the objective**

You shall demonstrate the operation of a fire extinguisher on a Class C fire. You are required to properly select an appropriate extinguisher, properly approach, extinguish, and withdraw after the fire is completely extinguished. Only one extinguisher may be used on each class of fire. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Stored-pressure water extinguisher - 2½ gallons

Dry chemical extinguisher

Class C fuel (simulated)

PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**EXTINGUISHERS FFI-3**

Extinguishing a Class C Fire

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
|   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| <b>EXTINGUISHERS FFI-3</b>  |                  |          |                  |          |
| The firefighter trainee shall extinguish an incipient Class C fire, so that the correct extinguisher is chosen, the fire is completely extinguished, and correct extinguisher-handling techniques are followed. |                  |          |                  |          |
| a. Selects an appropriate extinguisher based on the size and type of fire   |                  |          |                  |          |
| b. Checks that the extinguisher is properly charged   |                  |          |                  |          |
| c. Safely carries portable fire extinguisher  |                  |          |                  |          |
| d. Approaches fire with portable fire extinguisher  |                  |          |                  |          |
| e. De-energize power source if possible   |                  |          |                  |          |
| f. Pulls pin  |                  |          |                  |          |
| g. Aims nozzle at base of fire  |                  |          |                  |          |
| h. Squeezes handle to discharge agent   |                  |          |                  |          |
| i. Sweeps slowly back and forth across base of fire   |                  |          |                  |          |
| j. Ensures extinguishment of fire   |                  |          |                  |          |
| k. Backs away without losing sight of fire location   |                  |          |                  |          |
| l. Performs skill in a safe and proficient manner, per AHJ  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**FD ORGANIZATION AND STANDARDS FFI-1**

Locate Information in Documents

**Subject: General**

**NFPA 1001 4.1.2**

**REFERENCE**

Locate information in departmental documents and standard or code materials. (4.1.2)

**OBJECTIVE**

The firefighter trainee shall locate information in departmental documents and standard or code materials.

**INSTRUCTIONS - procedures for achieving the objective**

You will be given a scenario requiring you to locate specific information using national, state and local documents (NFPA, TCFP, AHJ). You will physically locate the information in the documents in an efficient manner. The skill will begin on my instruction to start. The skill will end when you inform me that you have completed the skill. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Scenario(s) requiring students to research information using any of the below documents.

Access to national, state and local standards, codes and documents.

- TCFP Standards Manual
- SOPs or SOGs of the AHJ
- NFPA Standards such as 1001, 1403, 1072, 1500, 1581

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

FD ORGANIZATION AND STANDARDS FFI-1

Locate Information in Documents

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| INSTRUCTIONAL SKILLS   |           |   |           |   |
|--|-----------|---|-----------|---|
| FD ORG & STANDARDS FFI-1   | ATTEMPT 1 |   | ATTEMPT 2 |   |
|  | S         | U | S         | U |
| The firefighter trainee shall locate information in departmental documents and standard or code materials. |           |   |           |   |
| a. Confirms information to be located  |           |   |           |   |
| b. Identifies which reference material is needed   |           |   |           |   |
| c. Correctly locates information in departmental documents   |           |   |           |   |
| d. Correctly locates information in standards  |           |   |           |   |
| e. Correctly locates information in code materials   |           |   |           |   |
| f. Performs skill in a safe and proficient manner, per AHJ   |           |   |           |   |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

Comments:

---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**FORCIBLE ENTRY FFI-1**

Force Entry into a Structure (Doors)

**Subject: Fireground Operations**

**NFPA 1001 4.3.4**

**REFERENCE**

Force entry into a structure, given personal protective equipment, tools, and an assignment, so that the tools are used as designed, the barrier is removed, and the openings is in a safe condition and ready for entry. (4.3.4)

**OBJECTIVE**

The fire fighter trainee shall force entry into a structure through doors, so that the tools are used as designed, the barrier is removed, and the openings is in a safe condition and ready for entry.

**INSTRUCTIONS: Procedures for achieving the objectives**

Given a selection of forcible entry tools, you shall identify, select and safely carry the correct tool(s) appropriate for the type of door for which you will force entry. You shall then simulate the correct method of forcing entry into a structure through the door. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT:**

Pry bar  
Halligan tool  
Pick-head axe  
Flat-head axe  
Pike pole  
Hydraulic extrication tool  
K-tool  
PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**FORCIBLE ENTRY FFI-1**

Force Entry into a Structure (Doors)

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
|   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
| <b>Forcible Entry FFI-1</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The fire fighter trainee shall force entry into a structure through doors, so that the tools are used as designed, the barrier is removed, and the openings is in a safe condition and ready for entry. |                  |          |                  |          |
| <b>Doors that open toward the firefighter</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| <i>a. Correctly verbalizes the type of door</i>   |                  |          |                  |          |
| b. Selects the proper tool(s)   |                  |          |                  |          |
| c. Inserts the blade of the tool between the door and jamb near the lock  |                  |          |                  |          |
| d. Forces the blade in and against the rabbet or stop   |                  |          |                  |          |
| e. Pries the tool bar away from the door to move the door and jamb apart  |                  |          |                  |          |
| f. Pulls or pries the door open with another tool until the lock clears the keeper  |                  |          |                  |          |
| g. Performs skill in a safe and proficient manner, per AHJ  |                  |          |                  |          |
| <b>Doors that open away from the firefighter where stops are used</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| <i>a. Correctly verbalizes the type of door</i>   |                  |          |                  |          |
| b. Selects the proper forcible entry tool(s)  |                  |          |                  |          |
| c. Bumps the cutting edge of the tool against the stop to break the paint or varnish.   |                  |          |                  |          |
| d. Loosens the stop at the lock or removes the lock completely  |                  |          |                  |          |
| e. Forces the blade between the door and jamb   |                  |          |                  |          |
| f. Makes initial pry after blade is inserted at least half way  |                  |          |                  |          |
| g. With full bite, pries the door away from the jamb  |                  |          |                  |          |
| h. Performs skill in a safe and proficient manner, per AHJ  |                  |          |                  |          |
| <b>Doors that open away from the firefighter and have a rabbet jamb</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| <i>a. Correctly verbalizes the type of door</i>   |                  |          |                  |          |
| b. Selects the proper forcible entry tool(s)  |                  |          |                  |          |
| c. Places the blade of the tool flat against the door and   |                  |          |                  |          |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

|  |          |          |          |          |
|--|----------|----------|----------|----------|
| inserts the blade (or tool edge) between the rabbet and the door   |          |          |          |          |
| d. Makes short pries with the first tool to spread the jamb  |          |          |          |          |
| e. Works the blade of the second tool between the door and the jamb, hammering the blade well into the opening                                 |          |          |          |          |
| f. Pries the door away from the jamb until the bolt passes the keeper  |          |          |          |          |
| g. Performs skill in a safe and proficient manner, per AHJ   |          |          |          |          |
| <b>Door opened through the lock</b>  | <b>S</b> | <b>U</b> | <b>S</b> | <b>U</b> |
| a. Identifies the type of lock   |          |          |          |          |
| b. Selects the correct tool (K-tool) to open the lock  |          |          |          |          |
| c. Forces the K-tool into the correct position   |          |          |          |          |
| d. Inserts the prying tool into the metal loop of the K-tool   |          |          |          |          |
| e. Pries the cylinder from the door (using the K-tool as a fulcrum)  |          |          |          |          |
| f. Inserts the key into the hold made by the removed cylinder  |          |          |          |          |
| g. Operates the locking bolt by manipulating/rotating to the open position   |          |          |          |          |
| h. Performs skill in a safe and proficient manner, per AHJ   |          |          |          |          |
| <b>Sliding Door</b>  | <b>S</b> | <b>U</b> | <b>S</b> | <b>U</b> |
| a. Chooses the correct tool(s)   |          |          |          |          |
| b. Inserts the blade between the jamb and the door at the lock   |          |          |          |          |
| c. Pries the door away from the jamb   |          |          |          |          |
| d. <i>Verbalizes if the patio door is locked or blocked with a bar, the firefighter trainee should try another entrance or break the glass</i> |          |          |          |          |
| e. Performs skill in a safe and proficient manner, per AHJ   |          |          |          |          |
| <b>Overhead Door</b>   | <b>S</b> | <b>U</b> | <b>S</b> | <b>U</b> |
| a. Chooses the correct tool(s)   |          |          |          |          |
| b. Locates the lock  |          |          |          |          |
| c. If possible, breaks the panel and reaches in to unlock the door or pulls the manual door release on a garage door opener                    |          |          |          |          |
| d. Pries up on the door at the bottom  |          |          |          |          |
| e. Once the door is raised, blocks the door open   |          |          |          |          |
| f. Performs skill in a safe and proficient manner, per AHJ   |          |          |          |          |
| <b>For All Tools</b>   | <b>S</b> | <b>U</b> | <b>S</b> | <b>U</b> |
| a. Uses all tools safely   |          |          |          |          |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---

---

---

---

---

---

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**FORCIBLE ENTRY FFI-2**

Force Entry into a Structure (Windows)

**Subject: Fireground Operations**

**NFPA 1001 4.3.4**

**REFERENCE**

Force entry into a structure, given personal protective equipment, tools, and an assignment, so that the tools are used as designed, the barrier is removed, and the openings is in a safe condition and ready for entry. (4.3.4)

**OBJECTIVE**

The fire fighter trainee shall force entry into a structure through windows, so that the tools are used as designed, the barrier is removed, and the openings is in a safe condition and ready for entry.

**INSTRUCTIONS: Procedures for achieving the objectives**

Given a selection of forcible entry tools, you shall identify, select and safely carry the correct tool(s) appropriate for the type of window for which you will force entry. You shall then simulate the correct method of forcing entry into a structure through the window. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Pry bar  
Halligan tool  
Pick-head axe  
Flat-head axe  
Pike pole  
Hydraulic extrication tool  
K-tool  
PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**FORCIBLE ENTRY FFI-2**

Force Entry into a Structure (Windows)

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |             |          |               |          |
|--|-------------|----------|---------------|----------|
|  | <b>TEST</b> |          | <b>RETEST</b> |          |
|  | <b>S</b>    | <b>U</b> | <b>S</b>      | <b>U</b> |
| <b>Forcible Entry FFI-2</b>  |             |          |               |          |
| The fire fighter trainee shall force entry into a structure through a window, so that the tools are used as designed, the barrier is removed, and the openings is in a safe condition and ready for entry. |             |          |               |          |
| <b>Checkrail Windows</b>   | <b>S</b>    | <b>U</b> | <b>S</b>      | <b>U</b> |
| a. Chooses the correct tool(s)   |             |          |               |          |
| b. Locates the locking device  |             |          |               |          |
| c. Pries up on the lower sash from the center  |             |          |               |          |
| d. If this fails or the window is of metal construction, breaks the glass to unlock window   |             |          |               |          |
| e. Performs skill in a safe and proficient manner, per AHJ   |             |          |               |          |
| <b>Casement Windows</b>  | <b>S</b>    | <b>U</b> | <b>S</b>      | <b>U</b> |
| a. Chooses the correct tool(s)   |             |          |               |          |
| b. Breaks the lowest pane of glass   |             |          |               |          |
| c. Cuts or forces the screen   |             |          |               |          |
| d. Unlocks the window  |             |          |               |          |
| e. Operates the crank(s)   |             |          |               |          |
| f. Completely removes the screen   |             |          |               |          |
| g. Performs skill in a safe and proficient manner, per AHJ   |             |          |               |          |
| <b>Projected Windows</b>   | <b>S</b>    | <b>U</b> | <b>S</b>      | <b>U</b> |
| a. Chooses the correct tool(s)   |             |          |               |          |
| b. Breaks the lowest pane of glass   |             |          |               |          |
| c. Unlocks the window  |             |          |               |          |
| d. Operates the crank(s)   |             |          |               |          |
| e. Performs skill in a safe and proficient manner, per AHJ   |             |          |               |          |
| <b>Awning or Jalousie Windows</b>  | <b>S</b>    | <b>U</b> | <b>S</b>      | <b>U</b> |
| a. Chooses the correct tool(s)   |             |          |               |          |
| b. Removes the necessary slats of glass to gain entry  |             |          |               |          |
| c. Verbalizes another opening should be located, if possible   |             |          |               |          |
| d. Performs skill in a safe and proficient manner, per AHJ   |             |          |               |          |
| <b>All Windows</b>   | <b>S</b>    | <b>U</b> | <b>S</b>      | <b>U</b> |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

|                                      |  |  |  |  |
|--------------------------------------|--|--|--|--|
| a. Carries and uses all tools safely |  |  |  |  |
|--------------------------------------|--|--|--|--|

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---

---

---

---

---

---

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**FORCIBLE ENTRY FFI-3**

Force Entry into a Structure (Walls)

**Subject: Fireground Operations**

**NFPA 1001 4.3.4**

**REFERENCE**

Force entry into a structure, given personal protective equipment, tools, and an assignment, so that the tools are used as designed, the barrier is removed, and the opening is in a safe condition and ready for entry. (4.3.4)

**OBJECTIVE**

The fire fighter trainee shall force entry into a structure through walls, so that the tools are used as designed, the barrier is removed, and the openings is in a safe condition and ready for entry.

**INSTRUCTIONS: Procedures for achieving the objectives**

Given a selection of forcible entry tools, you shall identify, select and safely carry the correct tool(s) appropriate for the type of wall for which you will force entry. You shall then simulate the correct method of forcing entry into a structure through the wall. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Pry bar  
Halligan tool  
Pick-head axe  
Flat-head axe  
Pike pole  
Hydraulic extrication tool  
K-tool  
PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**FORCIBLE ENTRY FFI-3**

Force Entry into a Structure (Walls)

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
|   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
| <b>Forcible Entry FFI-3</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The fire fighter trainee shall force entry into a structure through walls, so that the tools are used as designed, the barrier is removed, and the openings is in a safe condition and ready for entry. |                  |          |                  |          |
| <b>Masonry Walls</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Chooses the correct tool(s)  |                  |          |                  |          |
| b. Correctly uses the forcible entry tool   |                  |          |                  |          |
| c. Performs skill in a safe and proficient manner, per AHJ  |                  |          |                  |          |
| <b>Metal Walls</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Chooses the correct tool(s)  |                  |          |                  |          |
| b. Sounds for studs   |                  |          |                  |          |
| c. Cuts along studs or other supports   |                  |          |                  |          |
| d. Watches for electrical wiring and pipes in the walls   |                  |          |                  |          |
| e. After cuts are made, folds the metal back out of the way   |                  |          |                  |          |
| f. Performs skill in a safe and proficient manner, per AHJ  |                  |          |                  |          |
| <b>Wood Frame Walls</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Chooses the correct tool(s)  |                  |          |                  |          |
| b. Removes siding   |                  |          |                  |          |
| c. Sounds for studs   |                  |          |                  |          |
| d. Watches for electrical wiring and pipes in the walls   |                  |          |                  |          |
| e. Cuts along studs   |                  |          |                  |          |
| f. Performs skill in a safe and proficient manner, per AHJ  |                  |          |                  |          |
| <b>Partition Walls</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Chooses the correct tool(s)  |                  |          |                  |          |
| b. Opens the partition as to the type of materials above  |                  |          |                  |          |
| c. Performs skill in a safe and proficient manner, per AHJ  |                  |          |                  |          |
| <b>For All Walls</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Carries and uses all tools safely  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**  
**INSTRUCTIONAL SKILLS**  
**Basic Structural Fire Suppression**

**Comments:**

---

---

---

---

---

---

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**FORCIBLE ENTRY FFI-4**

Demonstrate Hand and Power Tools Used for Forcible Entry

**Subject: Fireground Operations**

**NFPA 1001 4.3.4**

**REFERENCE**

Force entry into a structure, given personal protective equipment, tools, and an assignment, so that the tools are used as designed, the barrier is removed, and the opening is in a safe condition and ready for entry. (4.3.4)

**OBJECTIVE**

The fire fighter trainee shall force entry into a structure using hand and power tools, so that the tools are used as designed, the barrier is removed, and the openings is in a safe condition and ready for entry.

**INSTRUCTIONS - procedures for achieving the objective**

You will have at least three hand tools and one power tool for this skill. You will safely operate each of the tools for a total of four evaluations. You will be given a scenario by the examiner that will utilize each one of the tools used. You must demonstrate the use of the tool and verbalize any special safety procedures with each tool to fulfill the requirements of the evolution. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

| Four (4) hand tools from the following:  | One (1) power tool from the following (may be gas or electric):  |
|--|--|
| <ul style="list-style-type: none"><li>• flat-head axe</li><li>• pick-head axe</li><li>• pike pole</li><li>• halligan tool</li><li>• spanner wrench</li><li>• crow bar / pry bar</li><li>• hand saw</li><li>• sledge hammer</li></ul> | <ul style="list-style-type: none"><li>• hydraulic extrication spreaders</li><li>• hydraulic extrication shears</li><li>• chain saw</li><li>• gas circular saw (K-12)</li></ul> |

PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**FORCIBLE ENTRY FFI-4**

Demonstrate Hand and Power Tools Used for Forcible Entry

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
|  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
| <b>FORCIBLE ENTRY FFI-4</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The fire fighter trainee shall force entry into a structure using hand and power tools, so that the tools are used as designed, the barrier is removed, and the openings is in a safe condition and ready for entry. |                  |          |                  |          |
| <b>Tool #1:</b> _____  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Chooses the correct tool to accomplish the skill  |                  |          |                  |          |
| b. Inspects the tool before use to ensure its condition  |                  |          |                  |          |
| c. Ensures that all people are out of the work area  |                  |          |                  |          |
| d. Correctly uses the proper tool  |                  |          |                  |          |
| e. <i>Verbalizes and demonstrates special safety procedures with each tool</i>   |                  |          |                  |          |
| f. Performs skill in a safe and proficient manner, per AHJ   |                  |          |                  |          |
| <b>Tool #2:</b> _____  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Chooses the correct tool to accomplish the skill  |                  |          |                  |          |
| b. Inspects the tool before use to ensure its condition  |                  |          |                  |          |
| c. Ensures that all people are out of the work area  |                  |          |                  |          |
| d. Correctly uses the proper tool  |                  |          |                  |          |
| e. <i>Verbalizes and demonstrates special safety procedures with each tool</i>   |                  |          |                  |          |
| f. Performs skill in a safe and proficient manner, per AHJ   |                  |          |                  |          |
| <b>Tool #3:</b> _____  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Chooses the correct tool to accomplish the skill  |                  |          |                  |          |
| b. Inspects the tool before use to ensure its condition  |                  |          |                  |          |
| c. Ensures that all people are out of the work area  |                  |          |                  |          |
| d. Correctly uses the proper tool  |                  |          |                  |          |
| e. <i>Verbalizes and demonstrates special safety procedures with each tool</i>   |                  |          |                  |          |
| f. Performs skill in a safe and proficient manner, per AHJ   |                  |          |                  |          |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

| Tool #4: _____   | S | U | S | U |
|--|---|---|---|---|
| a. Chooses the correct tool to accomplish the skill                            |   |   |   |   |
| b. Inspects the tool before use to ensure its condition                        |   |   |   |   |
| c. Ensures that all people are out of the work area                            |   |   |   |   |
| d. Correctly uses the proper tool  |   |   |   |   |
| e. <i>Verbalizes and demonstrates special safety procedures with each tool</i> |   |   |   |   |
| f. Performs skill in a safe and proficient manner, per AHJ                     |   |   |   |   |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---

---

---

---

---

---

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**FIRE STREAMS FFII-1**

Setting up and Operating a Foam Fire Stream

**PERFORMANCE STANDARD**

**Subject: Fireground Operations**

**NFPA 1001 5.3.1**

**REFERENCE**

Extinguish an ignitable liquid fire, operating as a member of a team, given an assignment, an attack line, personal protective equipment, a foam proportioning device, a nozzle, foam concentrates, and a water supply, so that the correct type of foam concentrate is selected for the given fuel and conditions, a properly proportioned foam stream is applied to the surface of the fuel to create and maintain a foam blanket, fire is extinguished, reignition is prevented, team protection is maintained with a foam stream, and the hazard is faced until retreat to safe haven is reached. (5.3.1)

**OBJECTIVE**

The firefighter trainee shall demonstrate setting up and operating a foam fire stream.

**INSTRUCTIONS - procedures for achieving the objective**

You shall demonstrate the proper procedure for setting up a foam fire stream with the appropriate equipment. You will demonstrate the operation of the foam stream. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Foam concentrate  
Foam eductor  
Attack hose line  
Nozzle  
Pumper apparatus  
PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**FIRE STREAMS FFII-1**

Setting up and Operating a Foam Fire Stream

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILL</b>   |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
| <b>FIRE STREAMS FFII-1</b>   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall demonstrate setting up and operating a foam fire stream. |                  |          |                  |          |
| a. Selects proper foam to be used  |                  |          |                  |          |
| b. Checks the eductor and nozzle to make sure they are compatible                      |                  |          |                  |          |
| c. Ensures the foam concentration matches the eductor percentage rating                |                  |          |                  |          |
| d. Adjusts eductor if applicable   |                  |          |                  |          |
| e. Attaches eductor to hose of proper size   |                  |          |                  |          |
| f. Avoids kinks in the hose  |                  |          |                  |          |
| g. Ensures valves on outlets are fully open  |                  |          |                  |          |
| h. Attaches attack hose line and nozzle to the discharge end of eductor                |                  |          |                  |          |
| i. Opens the foam bucket   |                  |          |                  |          |
| j. Places the eductor suction hose into the foam                                       |                  |          |                  |          |
| k. Increases water supply pressure as required by the eductor                          |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

\_\_\_\_\_  
 \_\_\_\_\_

\_\_\_\_\_  
 Instructor's Signature

\_\_\_\_\_  
 Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

FIRE STREAMS FFII-2

Applying Foam

PERFORMANCE STANDARD

Subject: Fireground Operations

NFPA 1001 5.3.1

REFERENCE

Extinguish an ignitable liquid fire, operating as a member of a team, given an assignment, an attack line, personal protective equipment, a foam proportioning device, a nozzle, foam concentrates, and a water supply, so that the correct type of foam concentrate is selected for the given fuel and conditions, a properly proportioned foam stream is applied to the surface of the fuel to create and maintain a foam blanket, fire is extinguished, reignition is prevented, team protection is maintained with a foam stream, and the hazard is faced until retreat to safe haven is reached. (5.3.1)

OBJECTIVE

Given an ignitable liquid fire scenario, the firefighter trainee will select the appropriate foam concentrate for the fuel involved. The trainee shall demonstrate the proper application of a foam stream on the simulated fire for extinguishment.

INSTRUCTIONS - procedures for achieving the objective

Given an ignitable liquid fire scenario, you will select the appropriate foam concentrate for the fuel involved. You shall demonstrate the proper application of a foam stream on the **simulated** fire for extinguishment. The skill will commence on my instruction to start. The skill will end when all the identified steps have been accomplished and you state to me that you have completed the skill. Do you understand these instructions?

PREPARATION & EQUIPMENT

Foam concentrate (assorted concentrations)

Foam eductor

Attack hose line

Nozzle

Pumper apparatus

Simulated burning fuel area in or around walls or other obstructions

PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**FIRE STREAMS FFII-2**

Applying Foam

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILL</b>   |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
| <b>FIRE STREAMS FFII-2</b>   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| Given an ignitable liquid fire scenario, the firefighter trainee will select the appropriate foam concentrate for the fuel involved. The trainee shall demonstrate the proper application of a foam stream on the simulated fire for extinguishment.   |                  |          |                  |          |
| a. Ensures that the foam is compatible with the fuel burning   |                  |          |                  |          |
| b. Opens nozzle to ensure generation of foam   |                  |          |                  |          |
| c. Advances to a safe distance from the fire   |                  |          |                  |          |
| d. Applies agent on the fuel in an indirect method: <ol style="list-style-type: none"> <li>1. Bounces agent off walls or other obstructions</li> <li>2. Applies the agent in front of the burning fuel and "rolls" the agent onto the fuel</li> <li>3. In the absence of a wall or obstruction, gently lobs the agent onto the burning liquid</li> </ol> |                  |          |                  |          |
| e. Applies the agent in a sufficient rate and amount to extinguish the fuel  |                  |          |                  |          |
| f. Takes care not to approach too close to the burning fuel  |                  |          |                  |          |
| g. Takes care not to disturb the foam blanket or splash fuel with direct application of the foam stream  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**Comments:**

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**FIRE PROTECTION SYSTEMS FFI-1**

Locating the Main Control Valve

**Subject: Fireground Operations**

**NFPA 1001 4.3.14**

**REFERENCE**

Conserve property as a member of a team, given salvage tools and equipment and an assignment, so that the building and its contents are protected from further damage. (4.3.14)

**OBJECTIVE**

The firefighter trainee shall locate the Main Control Valve on a sprinkler system, correctly identify the position of the valve and demonstrate the procedures for fully opening and closing the valve.

**INSTRUCTIONS - procedures for achieving the objective**

You shall locate the Main Control Valve on a sprinkler system. You will then correctly identify and verbalize the position of the valve to the evaluator. You shall fully close the valve, then fully re-open the valve. After operating the valve, you shall verbalize special conditions for the valve when placing the system in service. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the above identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

An indicating control valve for a sprinkler system  
PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

FIRE PROTECTION SYSTEMS FFI-1

Locating the Main Control Valve

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| INSTRUCTIONAL SKILL   |           |   |           |   |
|---|-----------|---|-----------|---|
| FIRE PROTECTION SYSTEMS FFI-1   | ATTEMPT 1 |   | ATTEMPT 2 |   |
|   | S         | U | S         | U |
| The firefighter trainee shall locate the Main Control Valve on a sprinkler system, correctly identify the position of the valve and demonstrate the procedures for fully opening and closing the valve. |           |   |           |   |
| a. Locates the main control valve   |           |   |           |   |
| b. Verbally identifies the type of control valve  |           |   |           |   |
| c. Verbalizes the position of the valve (open or closed)  |           |   |           |   |
| d. Completely closes the control valve  |           |   |           |   |
| e. Re-opens the control valve completely  |           |   |           |   |
| f. Verbally indicates that valve should be secured in the open position   |           |   |           |   |
| g. Performs skill in a safe and proficient manner   |           |   |           |   |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**FIRE PROTECTION SYSTEMS FFI-2**

Controlling and Identifying Sprinkler Heads

**Subject: Fireground Operations**

**NFPA 1001 4.3.14**

**REFERENCE**

Conserve property as a member of a team, given salvage tools and equipment and an assignment, so that the building and its contents are protected from further damage. (4.3.14)

**OBJECTIVE**

The firefighter trainee shall stop the flow of water from a sprinkler head using a sprinkler stop or wedge. The trainee shall also identify the style of sprinkler head, temperature rating, and the conditions at which the control valve may be closed.

**INSTRUCTIONS - procedures for achieving the objective**

While wearing full protective clothing, you shall demonstrate the proper procedure for stopping the flow of water from a sprinkler head using a sprinkler stop or wedge. You shall identify and verbalize to the evaluator the style of sprinkler head, temperature rating, and the conditions at which the system control valve may be closed. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**INSTRUCTOR NOTE**

A mock-up for the objective can be created by using a section of pipe with one sprinkler head connected and supplied by a garden hose.

**PREPARATION & EQUIPMENT**

Sprinkler system or mock-up  
Open sprinkler head  
Replacement sprinkler head  
Wood wedges or commercially made stopper  
PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**FIRE PROTECTION SYSTEMS FFI-2**

Controlling and Identifying Sprinkler Heads

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILL</b>  |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
| <b>FIRE PROTECTION SYSTEMS FFI-2</b>  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall stop the flow of water from a sprinkler head using a sprinkler stop or wedge. The trainee shall also identify the style of sprinkler head, temperature rating, and the conditions at which the control valve may be closed. |                  |          |                  |          |
| a. Inserts the sprinkler stop(s) without complication   |                  |          |                  |          |
| b. Adequately stops the flow of water   |                  |          |                  |          |
| c. <i>Verbally identifies that the sprinkler head is either upright or pendant style</i>  |                  |          |                  |          |
| d. <i>Given a sprinkler head, verbally identifies the temperature classification</i>  |                  |          |                  |          |
| e. <i>Verbally states the control valve is not to be closed unless directed by the incident commander</i>   |                  |          |                  |          |
| f. Performs skill in a safe and proficient manner   |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**HAND TOOLS FFI-1**

Cleaning and Inspecting Hand Tools

**Subject: Preparedness and Maintenance**

**NFPA 1001 4.5.1**

**REFERENCE**

Clean and check ladders, ventilation equipment, SCBA, ropes, salvage equipment, and hand tools, given cleaning tools, cleaning supplies, and an assignment, so that equipment is clean and maintained according to manufacturer's or departmental guidelines, maintenance is recorded, and equipment is placed in a ready state or reported otherwise. (4.5.1)

**OBJECTIVE**

The firefighter trainee shall clean hand tools and inspect for damage. The trainee shall also state the frequency for sharpening cutting tools.

**INSTRUCTIONS - procedures for achieving the objective**

Given a hand tool and the appropriate cleaning equipment, you will clean the hand tool and then verbalize the proper technique for inspecting the hand tool for damage and for sharpening cutting tools. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Hand tools

Cleaning supplies

PPE appropriate for the skill

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

HAND TOOLS FFI-1

Cleaning and Inspecting Hand Tools

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| INSTRUCTIONAL SKILLS  |           |   |           |   |
|---|-----------|---|-----------|---|
| HAND TOOLS FFI-1  | ATTEMPT 1 |   | ATTEMPT 2 |   |
|   | S         | U | S         | U |
| The firefighter trainee shall clean hand tools and inspect for damage. The trainee shall also state the frequency for sharpening cutting tools. |           |   |           |   |
| a. Cleans tool with mild soap and water, if appropriate   |           |   |           |   |
| b. Dries tool   |           |   |           |   |
| c. Inspects tool for any damage   |           |   |           |   |
| d. <i>Verbally states that cutting tools should be sharpened after each use</i>   |           |   |           |   |
| e. Performs skill in a safe and proficient manner, per AHJ  |           |   |           |   |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

Comments:

---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**HOSE FFI-1**

**Coupling and Uncoupling Fire Hose**

**Subject: Fireground Operations**

**NFPA 1001 4.3.10**

**REFERENCE**

Attack an interior structure fire operating as a member of a team, given an attack line, ladders when needed, personal protective equipment, tools, and an assignment, so that team integrity is maintained, the attack line is deployed for advancement, ladders are correctly placed when used, access is gained into the fire area, effective water application practices are used, the fire is approached correctly, attack techniques facilitate suppression given the level of the fire, hidden fires are located and controlled, the correct body posture is maintained, hazards are recognized and managed, and the fire is brought under control. (4.3.10)

**OBJECTIVE**

The firefighter trainee shall demonstrate three methods for coupling and uncoupling fire service hose.

**INSTRUCTIONS - procedures for achieving the objective**

You shall demonstrate the proper method of coupling and uncoupling two lengths of fire hose using the following methods: (1) Knee-press, (2) Stiff arm, (3) Spanner wrench. You will have a second person for the stiff arm method. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

2 lengths of 1 ½" or larger hose  
Spanner wrench set  
PPE appropriate for the skill

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

HOSE FFI-1

Coupling and Uncoupling Fire Hose

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| INSTRUCTIONAL SKILLS   |           |   |           |   |
|--|-----------|---|-----------|---|
| HOSE FFI-1   | ATTEMPT 1 |   | ATTEMPT 2 |   |
|  | S         | U | S         | U |
| The firefighter trainee shall demonstrate three methods for coupling and uncoupling fire service hose. |           |   |           |   |
| a. Demonstrates the knee-press method  |           |   |           |   |
| b. Demonstrates the stiff arm (two person) method  |           |   |           |   |
| c. Demonstrates the spanner wrench method  |           |   |           |   |
| d. Performs skill in a safe and proficient manner  |           |   |           |   |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

Comments:

---



---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

# TEXAS COMMISSION ON FIRE PROTECTION

## INSTRUCTIONAL SKILLS

### Basic Structural Fire Suppression

#### HOSE FFI-2

##### Replacing Burst Section of Hose

**Subject: Fireground Operations**

**NFPA 1001 4.3.10**

#### REFERENCE

Attack an interior structure fire operating as a member of a team, given an attack line, ladders when needed, personal protective equipment, tools, and an assignment, so that team integrity is maintained, the attack line is deployed for advancement, ladders are correctly placed when used, access is gained into the fire area, effective water application practices are used, the fire is approached correctly, attack techniques facilitate suppression given the level of the fire, hidden fires are located and controlled, the correct body posture is maintained, hazards are recognized and managed, and the fire is brought under control. (4.3.10)

#### OBJECTIVE

The firefighter trainee shall replace a section of burst hose.

#### INSTRUCTIONS - procedures for achieving the objective

While wearing full protective clothing and a Self-Contained Breathing Apparatus (SCBA), you shall demonstrate the proper method of replacing a burst section of hose line. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

#### PREPARATION & EQUIPMENT

4 lengths of 1 ½" or larger hose  
Appropriate nozzle for hose size  
Hose clamp  
Spanner wrench set  
Hydrant or fire apparatus for water supply  
PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

HOSE FFI-2

Replacing Burst Section of Hose

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| INSTRUCTIONAL SKILLS   |           |   |           |   |
|--|-----------|---|-----------|---|
| HOSE FFI-2   | ATTEMPT 1 |   | ATTEMPT 2 |   |
|  | S         | U | S         | U |
| The firefighter trainee shall replace a section of burst hose.                       |           |   |           |   |
| a. Applies a hose clamp approximately 3 to 5 feet behind coupling of damaged section |           |   |           |   |
| b. Brings two additional sections of hose  |           |   |           |   |
| c. Replaces one defective section with two additional lengths                        |           |   |           |   |
| d. Extends hose, avoiding kinks and damage to coupling                               |           |   |           |   |
| e. Slowly releases hose clamp while standing to the side                             |           |   |           |   |
| f. Performs skill in a safe and proficient manner                                    |           |   |           |   |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

Comments:

---



---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**HOSE FFI-3**

Extend a Hoseline

**Subject: Fireground Operations**

**NFPA 1001 4.3.10**

**REFERENCE**

Attack an interior structure fire operating as a member of a team, given an attack line, ladders when needed, personal protective equipment, tools, and an assignment, so that team integrity is maintained, the attack line is deployed for advancement, ladders are correctly placed when used, access is gained into the fire area, effective water application practices are used, the fire is approached correctly, attack techniques facilitate suppression given the level of the fire, hidden fires are located and controlled, the correct body posture is maintained, hazards are recognized and managed, and the fire is brought under control. (4.3.10)

**OBJECTIVE**

The firefighter trainee shall extend a charged hoseline.

**INSTRUCTIONS - procedures for achieving the objective**

While wearing full protective clothing and a Self-Contained Breathing Apparatus (SCBA), you shall demonstrate the proper method of extending a charged hoseline. You shall demonstrate the open and closed nozzle positions and any stream adjustments that are characteristic of the nozzle. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

4 lengths of 1½" or larger hose  
Appropriate nozzles for hose size  
Hose clamp  
Gated wye or similar appliance  
Spanner wrench set  
Hydrant or fire apparatus for water supply  
PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**HOSE FFI-3**

Extend a Hoseline

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
| <b>HOSE FFI-3</b>  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall extend a charged hoseline.   |                  |          |                  |          |
| a. Locates gated wye or similar appliance  |                  |          |                  |          |
| b. Locates attack nozzle   |                  |          |                  |          |
| c. Brings 50 feet of hose to nozzle  |                  |          |                  |          |
| d. Shuts down water flow by applying hose clamp correctly at approximately 3 – 5 feet behind nozzle and opens nozzle |                  |          |                  |          |
| e. Removes nozzle, attaches appliance, and attaches 50 feet of hose  |                  |          |                  |          |
| f. Extends attack line out and attaches nozzle   |                  |          |                  |          |
| g. When coupling and uncoupling hose, uses an approved method  |                  |          |                  |          |
| h. Slowly releases hose clamp while standing to the side   |                  |          |                  |          |
| i. Slowly opens appliance  |                  |          |                  |          |
| j. Opens nozzle  |                  |          |                  |          |
| k. Demonstrates all stream adjustments characteristic of the nozzle  |                  |          |                  |          |
| l. Slowly closes nozzle  |                  |          |                  |          |
| m. Performs skill in a safe and proficient manner  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**HOSE FFI-4**

Performing Two Types of Hose Carries

**Subject: Fireground Operations**

**NFPA 1001 4.3.10**

**REFERENCE**

Attack an interior structure fire operating as a member of a team, given an attack line, ladders when needed, personal protective equipment, tools, and an assignment, so that team integrity is maintained, the attack line is deployed for advancement, ladders are correctly placed when used, access is gained into the fire area, effective water application practices are used, the fire is approached correctly, attack techniques facilitate suppression given the level of the fire, hidden fires are located and controlled, the correct body posture is maintained, hazards are recognized and managed, and the fire is brought under control. (4.3.10)

**OBJECTIVE**

The firefighter trainee shall demonstrate two methods for carrying fire service hose.

**INSTRUCTIONS - procedures for achieving the objective**

You shall demonstrate the proper method of performing two types of hose carries, the accordion shoulder carry and the single section shoulder loop carry. You shall pick up the entire length of hose, then carry it a minimum of 20 feet. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**INSTRUCTOR NOTE**

The hose shall be laid straight out.

**PREPARATION & EQUIPMENT**

1 - 50 foot section of 2½" or 3" hose  
PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**HOSE FFI-4**

Performing Two Types of Hose Carries

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
|  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
| <b>HOSE FFI-4</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall demonstrate two methods for carrying fire service hose.  |                  |          |                  |          |
| <b>Accordion Shoulder Carry:</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Grasps either of the two couplings and places it over the shoulder with the coupling behind the body at approximately waist height  |                  |          |                  |          |
| b. Holds the hose in front of the body and, while walking slowly forward, forms a loop that hangs approximately at knee height in front of the body  |                  |          |                  |          |
| c. While walking, guides the hose back over the same shoulder to form a loop that hangs at approximately knee height behind the body   |                  |          |                  |          |
| d. Walks slowly down the hose, forming alternate loops in front of and behind the body until the entire hose is picked up  |                  |          |                  |          |
| e. Carries the hose at least 20 feet in a controlled manner  |                  |          |                  |          |
| f. Performs skill in a safe and proficient manner  |                  |          |                  |          |
| <b>Single Section Shoulder Loop Carry:</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Places one end of the hose over the shoulder so that the coupling hangs at approximately waist height   |                  |          |                  |          |
| b. Steps forward to form an approximate 3-foot loop on the ground behind, then picks up the hose at the closest point  |                  |          |                  |          |
| c. Raises the loop and lays it over the shoulder without twisting or turning it over (expect loop to have a half- twist) and adjusts the loop so that the bottom is approximately mid-calf |                  |          |                  |          |
| d. Picks up entire length of hose and carries it at least 20 feet in a controlled manner   |                  |          |                  |          |
| e. Performs skill in a safe and proficient manner  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**HOSE FFI-5**

Advance a Charged Attack Line Up a Ladder

**Subject: Fireground Operations**

**NFPA 1001 4.3.10**

**REFERENCE**

Attack an interior structure fire operating as a member of a team, given an attack line, ladders when needed, personal protective equipment, tools, and an assignment, so that team integrity is maintained, the attack line is deployed for advancement, ladders are correctly placed when used, access is gained into the fire area, effective water application practices are used, the fire is approached correctly, attack techniques facilitate suppression given the level of the fire, hidden fires are located and controlled, the correct body posture is maintained, hazards are recognized and managed, and the fire is brought under control. (4.3.10)

**OBJECTIVE**

The firefighter trainee shall advance a charged hoseline up a ladder.

**INSTRUCTIONS - procedures for achieving the objective**

Given a 24-foot extension ladder in place and working with another team member, you shall advance a charged 1½ inch attack line or larger up the ladder to a minimum height of 14 feet (or 2nd floor landing). You shall operate the nozzle from the ladder only after it is secured in place and you are secured on the ladder with a leg lock. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**SAFETY NOTE**

Additional firefighters shall be utilized to heel the ladder and advance the hose, as necessary.

**PREPARATION & EQUIPMENT**

24 foot extension ladder  
1½" or 2½" hose  
1½" or 2½" nozzle  
Rope or hose strap  
PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**HOSE FFI-5**

Advance a Charged Attack Line Up a Ladder

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
| <b>HOSE FFI-5</b>  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall advance a charged hoseline up a ladder.  |                  |          |                  |          |
| a. Is positioned on the ladder with a leg lock on the opposite side from the nozzle or uses a life safety belt |                  |          |                  |          |
| b. Has the other firefighter push the charged hose line up the ladder  |                  |          |                  |          |
| c. Projects the nozzle through the ladder rungs  |                  |          |                  |          |
| d. Secures the nozzle and hose with a rope or rope hose tool   |                  |          |                  |          |
| e. Opens the nozzle and flows water in a controlled manner   |                  |          |                  |          |
| f. Performs skill in a safe and proficient manner  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**HOSE FFI-6**

Advancing Charged and Uncharged Attack Lines

**Subject: Fireground Operations**

**NFPA 1001 4.3.10**

**REFERENCE**

Attack a passenger vehicle fire operating as a member of a team, given personal protective equipment, attack line, and hand tools, so that hazards are avoided, leaking flammable liquids are identified and controlled, protection from flash fires is maintained, all vehicle compartments are overhauled, and the fire is extinguished. (4.3.7)

Extinguish fires in exterior Class A materials, given fires in stacked or piled and small unattached structures or storage containers that can be fought from the exterior, attack lines, hand tools and master stream devices, and an assignment, so that exposures are protected, the spread of fire is stopped, collapse hazards are avoided, water application is effective, the fire is extinguished, and signs of the origin area(s) and arson are preserved. (4.3.8)

Attack an interior structure fire operating as a member of a team, given an attack line, ladders when needed, personal protective equipment, tools, and an assignment, so that team integrity is maintained, the attack line is deployed for advancement, ladders are correctly placed when used, access is gained into the fire area, effective water application practices are used, the fire is approached correctly, attack techniques facilitate suppression given the level of the fire, hidden fires are located and controlled, the correct body posture is maintained, hazards are recognized and managed, and the fire is brought under control. (4.3.10)

**OBJECTIVE**

The firefighter trainee shall advance charged and uncharged hoselines on grade level and up and down stairs.

**INSTRUCTIONS - procedures for achieving the objective**

You shall demonstrate the proper method of advancing both charged and uncharged attack lines of two different sizes up an outside stairway to a second floor, then down an outside stairway to the lower floor. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Pumper

3 sections of two different hose sizes, both 1½" or larger

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

Rope

Appropriate nozzle(s) for each hose line

PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**HOSE FFI-6**

Advancing Charged and Uncharged Attack Lines

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
|  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
| <b>HOSE FFI-6</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall advance charged and uncharged hoselines on grade level and up and down stairs. |                  |          |                  |          |
| <b>1<sup>st</sup> - 1½ inch or larger charged line:</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Effectively advances hose line with partner to the stairs   |                  |          |                  |          |
| b. Arranges necessary equipment in an organized manner   |                  |          |                  |          |
| c. Safely advances charged line to the second-floor landing  |                  |          |                  |          |
| d. Feels the door with back of hand  |                  |          |                  |          |
| e. Bleeds air out of line before entering door   |                  |          |                  |          |
| f. Sets nozzle pattern before entering door  |                  |          |                  |          |
| g. Stays low while entering the doorway  |                  |          |                  |          |
| h. Advances hose down a stairway while preventing kinks or complications                                     |                  |          |                  |          |
| i. Performs skill in a safe and proficient manner  |                  |          |                  |          |
| <b>2<sup>nd</sup> - 1½ inch or larger charged line:</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Effectively advances hose line with partner to the stairs   |                  |          |                  |          |
| b. Arranges necessary equipment in an organized manner   |                  |          |                  |          |
| c. Safely advances charged line to the second-floor landing  |                  |          |                  |          |
| d. Feels the door with back of hand  |                  |          |                  |          |
| e. Bleeds air out of line before entering door   |                  |          |                  |          |
| f. Sets nozzle pattern before entering door  |                  |          |                  |          |
| g. Stays low while entering the doorway  |                  |          |                  |          |
| h. Advances hose down a stairway while preventing kinks or complications                                     |                  |          |                  |          |
| i. Performs skill in a safe and proficient manner  |                  |          |                  |          |
| <b>1<sup>st</sup> - 1½ inch or larger uncharged line:</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Effectively advances hose line with partner to the stairs   |                  |          |                  |          |
| b. Arranges necessary equipment in an organized manner   |                  |          |                  |          |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

|  |          |          |          |          |
|--|----------|----------|----------|----------|
| c. Safely advances uncharged line to the second-floor landing            |          |          |          |          |
| d. Feels the door with back of hand                                      |          |          |          |          |
| e. Bleeds air out of line before entering door                           |          |          |          |          |
| f. Sets nozzle pattern before entering door                              |          |          |          |          |
| g. Stays low while entering the doorway                                  |          |          |          |          |
| h. Advances hose down a stairway while preventing kinks or complications |          |          |          |          |
| i. Performs skill in a safe and proficient manner                        |          |          |          |          |
| <b>2<sup>nd</sup> - 1½ inch or larger uncharged line:</b>                | <b>S</b> | <b>U</b> | <b>S</b> | <b>U</b> |
| a. Effectively advances hose line with partner to the stairs             |          |          |          |          |
| b. Arranges necessary equipment in an organized manner                   |          |          |          |          |
| c. Safely advances uncharged line to the second-floor landing            |          |          |          |          |
| d. Feels the door with back of hand                                      |          |          |          |          |
| e. Bleeds air out of line before entering door                           |          |          |          |          |
| f. Sets nozzle pattern before entering door                              |          |          |          |          |
| g. Stays low while entering the doorway                                  |          |          |          |          |
| h. Advances hose down a stairway while preventing kinks or complications |          |          |          |          |
| i. Performs skill in a safe and proficient manner                        |          |          |          |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**HOSE FFI-7**

Connecting Hose to a Standpipe

**Subject: Fireground Operations**

**NFPA 1001 4.3.10**

**REFERENCE**

Attack an interior structure fire operating as a member of a team, given an attack line, ladders when needed, personal protective equipment, tools, and an assignment, so that team integrity is maintained, the attack line is deployed for advancement, ladders are correctly placed when used, access is gained into the fire area, effective water application practices are used, the fire is approached correctly, attack techniques facilitate suppression given the level of the fire, hidden fires are located and controlled, the correct body posture is maintained, hazards are recognized and managed, and the fire is brought under control. (4.3.10)

**OBJECTIVE**

The firefighter trainee shall connect hose to a standpipe for fire attack.

**INSTRUCTIONS - procedures for achieving the objective**

While wearing full protective clothing and a SCBA, you shall demonstrate the proper method of carrying hose into a building, connecting it to a standpipe, and advancing the hose to its entire length. You shall complete the mandatory steps while performing this skill. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**INSTRUCTOR NOTE**

The instructor will designate the fire floor.

**PREPARATION & EQUIPMENT**

Appropriate hose adapters  
100 feet of 1½" hose or larger  
Standpipe connection or equivalent  
Spanner wrenches  
Nozzle  
PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

HOSE FFI-7

Connecting Hose to a Standpipe

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| INSTRUCTIONAL SKILLS   |           |   |           |   |
|--|-----------|---|-----------|---|
| HOSE FFI-7   | ATTEMPT 1 |   | ATTEMPT 2 |   |
|  | S         | U | S         | U |
| The firefighter trainee shall connect hose to a standpipe for fire attack. |           |   |           |   |
| a. Arranges hose and nozzle in an effective manner for deployment          |           |   |           |   |
| b. Obtains all necessary equipment (a spanner wrench, adapters, etc.)      |           |   |           |   |
| c. Advances the hose into the structure                                    |           |   |           |   |
| d. Uncaps discharge and hooks hose up to the standpipe                     |           |   |           |   |
| e. Advances the hose line to a designated point                            |           |   |           |   |
| f. Performs skill in a safe and proficient manner                          |           |   |           |   |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

Comments:

---



---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**HOSE FFI-8**

Inspecting for Damage, Cleaning and Maintenance  
of Hose, Couplings and Nozzles

**Subject: Preparedness and Maintenance**

**NFPA 1001 4.5.2**

**REFERENCE**

Clean, inspect and return fire hose to service, given washing equipment, water, detergent, tools, and replacement gaskets, so that damage is noted and corrected, the hose is clean, and the equipment is placed in a ready state for service. (4.5.2)

**OBJECTIVE**

The firefighter trainee shall demonstrate the procedures for cleaning, maintaining, and inspecting for damaged fire hose, couplings, and nozzles.

**INSTRUCTIONS - procedures for achieving the objective**

You shall demonstrate the procedures for cleaning, maintaining, and inspecting for damage on: 1) fire hose, 2) nozzles, 3) hose couplings. You will be required to verbalize key steps while performing this skill. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

1½ inch or larger fire hose  
1½ inch or larger nozzle  
PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**HOSE FFI-8**

Inspecting for Damage, Cleaning and Maintenance  
of Hose, Couplings and Nozzles

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
|  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
| <b>HOSE FFI-8</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall demonstrate the procedures for cleaning, maintaining, and inspecting for damaged fire hose, couplings and nozzles. |                  |          |                  |          |
| <b>Nozzle</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Checks nozzle bale or handle for function by moving it to the "OPEN" and "CLOSED" positions   |                  |          |                  |          |
| b. Checks nozzle gasket for defects, age and ability to return to normal shape by pinching the gasket between the thumb and index fingers        |                  |          |                  |          |
| c. Checks nozzle for external damage   |                  |          |                  |          |
| d. Checks nozzle for internal damage and debris  |                  |          |                  |          |
| e. If applicable, ensures pistol grip is secure  |                  |          |                  |          |
| f. If applicable, ensures fog nozzle operates properly   |                  |          |                  |          |
| g. Performs skill in a safe and proficient manner, per AHJ   |                  |          |                  |          |
| <b>Fire hose</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Checks the expansion ring at both ends of the hose for burrs, looseness or damage   |                  |          |                  |          |
| b. Checks inner liner of hose, at both hose couplings, for signs of cracks, age, or defects and marks defective hose per department SOP          |                  |          |                  |          |
| c. Checks outer hose jacket for signs of damage (thermal, mold, mildew, or chemical)   |                  |          |                  |          |
| d. If hose is defective, marks according to department SOP   |                  |          |                  |          |
| e. <i>Verbalizes how to operate hose washing and drying equipment and that hose should be testing annually</i>                                   |                  |          |                  |          |
| f. Performs skill in a safe and proficient manner, per AHJ   |                  |          |                  |          |
| <b>Couplings</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Checks male coupling for damage (chips, burrs, out-of-roundness)  |                  |          |                  |          |
| b. Checks male coupling for tightness and proper   |                  |          |                  |          |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

|  |  |  |  |  |
|--|--|--|--|--|
| mounting on hose   |  |  |  |  |
| c. Checks female coupling for function and freedom of movement   |  |  |  |  |
| d. Checks female coupling for shape and out-of-roundness   |  |  |  |  |
| e. Checks female coupling for tightness and proper mounting on hose  |  |  |  |  |
| f. Checks female coupling gasket for defects, age and ability to return to normal shape by pinching gasket between thumb and index finger and replaces gaskets as needed |  |  |  |  |
| g. Performs skill in a safe and proficient manner, per AHJ   |  |  |  |  |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---

---

---

---

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**HOSE FFI-9**

Loading Hose

**Subject: Preparedness and Maintenance**

**NFPA 1001 4.5.2**

**REFERENCE**

Clean, inspect and return fire hose to service, given washing equipment, water, detergent, tools, and replacement gaskets, so that damage is noted and corrected, the hose is clean, and the equipment is placed in a ready state for service. (4.5.2)

**OBJECTIVE**

The firefighter trainee, working with another team member, shall demonstrate loading three types of hose loads:

1. Accordion
2. Horseshoe
3. Flat

**INSTRUCTIONS - procedures for achieving the objective**

Working with another team member, you shall properly demonstrate loading three types of hose loads:

1. Accordion
2. Horseshoe
3. Flat

You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

2 sections of 2½" or larger hose

PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**HOSE FFI-9**

Loading Hose

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
|   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
| <b>HOSE FFI-9</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee, working with another team member, shall demonstrate loading three types of hose loads. |                  |          |                  |          |
| <b>Accordion Hose Load</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Lays hose on edge in front-to-back manner  |                  |          |                  |          |
| b. Folds hose back on itself and lays in opposite direction   |                  |          |                  |          |
| c. Staggers folds at the edge of the hose bed   |                  |          |                  |          |
| d. Repeats until hose covers hose bed   |                  |          |                  |          |
| e. Starts second layer, repeats accordion loading   |                  |          |                  |          |
| f. Adds layers until all hose is loaded   |                  |          |                  |          |
| g. Finishes hose load per AHJ procedures  |                  |          |                  |          |
| h. Performs skill in a safe and proficient manner, per AHJ  |                  |          |                  |          |
| <b>Horseshoe Hose Load</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Lays hose on edge around the perimeter of the hose bed   |                  |          |                  |          |
| b. Makes fold and lays hose back inside first section of hose   |                  |          |                  |          |
| c. Lays hose progressively inward until space is filled   |                  |          |                  |          |
| d. Starts second layer, repeats horseshoe loading   |                  |          |                  |          |
| e. Adds layers until all hose is loaded   |                  |          |                  |          |
| f. Finishes hose load per AHJ procedures  |                  |          |                  |          |
| g. Performs skill in a safe and proficient manner, per AHJ  |                  |          |                  |          |
| <b>Flat Hose Load</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Places first coupling in corner of hose bed  |                  |          |                  |          |
| b. Lays hose flat in front-to-back manner   |                  |          |                  |          |
| c. Folds hose back on itself and lays in opposite direction   |                  |          |                  |          |
| d. Repeats until hose covers hose bed   |                  |          |                  |          |
| e. Starts second layer, repeats flat loading  |                  |          |                  |          |
| f. Adds layers until all hose is loaded   |                  |          |                  |          |
| g. Finishes hose load per AHJ procedures  |                  |          |                  |          |
| h. Performs skill in a safe and proficient manner, per AHJ  |                  |          |                  |          |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---

---

---

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**HOSE FFI-10**

Rolling Hose

**Subject: Preparedness and Maintenance**

**NFPA 1001 4.5.2**

**REFERENCE**

Clean, inspect and return fire hose to service, given washing equipment, water, detergent, tools, and replacement gaskets, so that damage is noted and corrected, the hose is clean, and the equipment is placed in a ready state for service. (4.5.2)

**OBJECTIVE**

The firefighter trainee shall demonstrate four methods of hose rolls:

1. Donut
2. Twin Donut
3. Straight
4. Self-Locking Twin Donut

**INSTRUCTIONS - procedures for achieving the objective**

You shall properly demonstrate four methods of hose rolls:

1. Donut
2. Twin Donut
3. Straight
4. Self-Locking Twin Donut

You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Sections of hose, 1½" diameter or larger  
PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**HOSE FFI-10**

Rolling Hose

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
|  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
| <b>HOSE FFI-10</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall demonstrate four methods of hose rolls.              |                  |          |                  |          |
| <b>Donut Roll</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Lays hose flat in a straight line   |                  |          |                  |          |
| b. Starts roll from a point 5 or 6 feet off center toward the male coupling        |                  |          |                  |          |
| c. Rolls hose toward female end  |                  |          |                  |          |
| d. Leaves space at center loop for carrying  |                  |          |                  |          |
| e. Extends short length of hose at female end over the male end to protect threads |                  |          |                  |          |
| f. Performs skill in a safe and proficient manner, per AHJ                         |                  |          |                  |          |
| <b>Twin Donut Roll</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Lays hose flat in two parallel lines  |                  |          |                  |          |
| b. Starts roll by folding loop end   |                  |          |                  |          |
| c. Rolls both sections of hose simultaneously                                      |                  |          |                  |          |
| d. Inserts strap through center for carrying                                       |                  |          |                  |          |
| e. Performs skill in a safe and proficient manner, per AHJ                         |                  |          |                  |          |
| <b>Straight Roll</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Lays hose flat in a straight line   |                  |          |                  |          |
| b. Begins roll by folding over male coupling                                       |                  |          |                  |          |
| c. Rolls hose to the female coupling   |                  |          |                  |          |
| d. Lays completed roll on its side   |                  |          |                  |          |
| e. Tamps down protruding hose  |                  |          |                  |          |
| f. Performs skill in a safe and proficient manner, per AHJ                         |                  |          |                  |          |
| <b>Self-Locking Twin Donut Roll</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Lays hose flat in a straight line   |                  |          |                  |          |
| b. Brings male coupling alongside of female coupling                               |                  |          |                  |          |
| c. Crosses hose at the loop end and creates a carrying shoulder loop               |                  |          |                  |          |
| d. Brings loop back towards the couplings where the hose crosses                   |                  |          |                  |          |
| e. Starts rolling from loop end simultaneously                                     |                  |          |                  |          |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

|  |  |  |  |  |
|--|--|--|--|--|
| f. Upon completion, positions couplings on top of the roll       |  |  |  |  |
| g. Passes large loop over couplings and through the smaller loop |  |  |  |  |
| h. Performs skill in a safe and proficient manner, per AHJ       |  |  |  |  |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---

---

---

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**HOSE FFII-1**

Annual Hose Test

**Subject: Fire and Life Safety Initiatives, Preparedness, and Maintenance**

**NFPA 1001 5.5.5**

**REFERENCE**

Perform an annual service test on fire hose, given a pump, a marking device, pressure gauges, a timer, record sheets, and related equipment, so that procedures are followed, the condition of the hose is evaluated, any damaged hose is removed from service, and the results are recorded. (5.5.5)

**OBJECTIVE**

The firefighter trainee shall perform an annual hose test so that procedures are followed, the condition of the hose is evaluated, any damaged hose is removed from service, and the results are recorded.

**INSTRUCTIONS - procedures for achieving the objective**

You shall properly demonstrate the method of performing an annual hose test. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

300' of 1½" or larger hose  
Spanners (2)  
Nozzle for size hose or gated valve  
Hose test gate valve (1/4" hole drilled in the gate)  
Fire engine or other fire pump  
Hose marking and test recording equipment  
Rope, rope hose tool, or hose strap  
PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**HOSE FFII-1**

Annual Hose Test

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
|  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| <b>HOSE FFII-1</b>   |                  |          |                  |          |
| The firefighter trainee shall perform an annual hose test so that procedures are followed, the condition of the hose is evaluated, any damaged hose is removed from service, and the results are recorded. |                  |          |                  |          |
| a. Visually inspects gaskets before connecting hose  |                  |          |                  |          |
| b. Connects up to 300' of hose to be tested  |                  |          |                  |          |
| c. Connects female end of hose-to-hose test gate valve   |                  |          |                  |          |
| d. Connects male end of hose to nozzle (or other valve)  |                  |          |                  |          |
| e. Uses spanner wrench to tighten connections  |                  |          |                  |          |
| f. Secures hose as required by AHJ   |                  |          |                  |          |
| g. Fills hose with water by opening hose test gate valve   |                  |          |                  |          |
| h. Bleeds air from hose  |                  |          |                  |          |
| i. Ensures no water is leaking, tightens couplings if necessary  |                  |          |                  |          |
| j. Marks hose jacket at each coupling  |                  |          |                  |          |
| k. Closes hose test gate valve to restrict water flow through 1/4" hole  |                  |          |                  |          |
| l. Increases pump pressure to required test pressure   |                  |          |                  |          |
| m. Monitors hose for leaks   |                  |          |                  |          |
| n. Maintains test pressure as required by AHJ  |                  |          |                  |          |
| o. Slowly reduces pressure   |                  |          |                  |          |
| p. Disengages pump   |                  |          |                  |          |
| q. Bleeds pressure and disconnects hoses   |                  |          |                  |          |
| r. Checks markings placed on hose near couplings   |                  |          |                  |          |
| s. Tags hose that failed test as required by AHJ   |                  |          |                  |          |
| t. Records hose test results as required by AHJ  |                  |          |                  |          |
| u. Performs skill in a safe and proficient manner, per AHJ   |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**Comments:**

---

---

---

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

INCIDENT MANAGEMENT SYSTEM FFII-1

Implementing IMS

**Subject: General**

**NFPA 1001 5.1.2, 5.2.2**

**REFERENCE**

Determine the need for command, organize and coordinate the Incident Management System until command is transferred, and function within an assigned role in the Incident Management System. (5.1.2)

Communicate the need for team assistance, given fire department communications equipment, SOPs, and a team, so that the supervisor is consistently informed of team needs, departmental SOPs are followed, and the assignment is accomplished safely. (5.2.2)

**OBJECTIVE**

The firefighter trainee shall determine the need for command, organize and coordinate the Incident Management System until command is transferred, and function within an assigned role in the Incident Management System while using communication equipment, as necessary.

**INSTRUCTIONS - procedures for achieving the objective**

Given a specific scenario, you will determine the need for command, organize and coordinate the Incident Management System until command is transferred, and function within an assigned role in the Incident Management System while using communication equipment, as necessary. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**INSTRUCTOR NOTE**

Whenever possible, integrate the evaluation of this skill within a fire ground/emergency scenario. Here are some examples of scenarios you could use:

- **Scenario #1:** Building fire, two story masonry construction. 30 feet by 50 feet. 50% fire involvement on the first floor with fire extension to the second story. Need to call for a second alarm.
- **Scenario #2:** Large grass fire. Need to request mutual aid from a surrounding department.
- **Scenario #3:** On the scene of an injury accident. Need to request a set of "jaws" or request a second set.

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

## TEXAS COMMISSION ON FIRE PROTECTION

### INSTRUCTIONAL SKILLS

#### Basic Structural Fire Suppression

- **Scenario #4:** On the scene of a long incident. Need to call for a canteen service, such as the Salvation Army or other group.
- **Scenario #5:** On the scene of a hazardous materials incident. Need to call for more personnel and specialized equipment.

#### PREPARATION & EQUIPMENT

SOPs for alarm assignments

Communications equipment and procedures per AHJ

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**INCIDENT MANAGEMENT SYSTEM FFII-1**

Implementing IMS

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
|  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
| <b>INCIDENT MANAGEMENT SYSTEM FFII-1</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall determine the need for command, organize and coordinate the Incident Management System until command is transferred, and function within an assigned role in the Incident Management System while using communication equipment, as necessary. |                  |          |                  |          |
| a. Sizes up the scene  |                  |          |                  |          |
| b. Determines the need to implement IMS  |                  |          |                  |          |
| c. Establishes and transfers command as needed   |                  |          |                  |          |
| d. Organizes and coordinates an IMS  |                  |          |                  |          |
| e. Functions within an assigned role in the IMS  |                  |          |                  |          |
| f. Provides for personnel accountability   |                  |          |                  |          |
| g. Demonstrates the ability to operate fire department communications equipment  |                  |          |                  |          |
| h. Performs skill in a safe and proficient manner  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LADDERS FFI-1**

Inspection and Maintenance Procedures for Ladders

**Subject: Preparedness and Maintenance**

**NFPA 1001 4.5.1**

**REFERENCE**

Clean and check ladders, ventilation equipment, SCBA, ropes, salvage equipment, and hand tools, given cleaning tools, cleaning supplies, and an assignment, so that equipment is clean and maintained according to manufacturer's or departmental guidelines, maintenance is recorded, and equipment is placed in a ready state or reported otherwise. (4.5.1)

**OBJECTIVE**

The firefighter trainee shall inspect ladders, so that the ladders are inspected according to manufacturer's or departmental guidelines and the ladders are placed in a ready state or reported otherwise.

**INSTRUCTIONS - procedures for achieving the objective**

You will explain and demonstrate the proper techniques for the inspection of ladders. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Extension ladder

PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LADDERS FFI-1**

Inspection and Maintenance Procedures for Ladders

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
| <b>LADDERS FFI-1</b>   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall inspect ladders, so that the ladders are inspected according to manufacturer's or departmental guidelines and the ladders are placed in a ready state or reported otherwise. |                  |          |                  |          |
| a. Checks for signs of physical damage (cracks, splintering, warping, discoloration, bending, dents, etc.)   |                  |          |                  |          |
| b. Tests rungs for tightness by twisting them  |                  |          |                  |          |
| c. Checks for bent beams and rungs   |                  |          |                  |          |
| d. Checks halyard for frays, cuts or bunching  |                  |          |                  |          |
| e. Checks halyard for snugness and freedom of movement   |                  |          |                  |          |
| f. Checks for free-turning pulleys   |                  |          |                  |          |
| g. Checks heat sensor for signs of heat exposure   |                  |          |                  |          |
| h. Checks dogs or pawls for freedom of movement and operation  |                  |          |                  |          |
| i. Checks condition of guides and free movement of fly sections  |                  |          |                  |          |
| j. Checks rivets, welds, and bolted connections for tightness and defects  |                  |          |                  |          |
| k. Checks for any unusual wear   |                  |          |                  |          |
| l. Checks ladder for cleanliness   |                  |          |                  |          |
| m. <i>Verbally states that ladders should be inspected monthly and after each use</i>  |                  |          |                  |          |
| n. Performs skill in a safe and proficient manner  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**Comments:**

---

---

---

---

---

---

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LADDERS FFI-2**

**Cleaning Ladders**

**Subject: Preparedness and Maintenance**

**NFPA 1001 4.5.1**

**REFERENCE**

Clean and check ladders, ventilation equipment, SCBA, ropes, salvage equipment, and hand tools, given cleaning tools, cleaning supplies, and an assignment, so that equipment is clean and maintained according to manufacturer's or departmental guidelines, maintenance is recorded, and equipment is placed in a ready state or reported otherwise. (4.5.1)

**OBJECTIVE**

The firefighter trainee shall clean and maintain ladders, so that the ladders are cleaned and maintained according to manufacturer's or departmental guidelines and the ladders are placed in a ready state or reported otherwise.

**INSTRUCTIONS - procedures for achieving the objective**

You will verbally explain and demonstrate the proper technique for cleaning fire service ladders. You shall verbalize each step as it is being performed. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

1- 24 ft. or 35 ft. extension  
ladder Soapy water  
1- brush  
Waterproof grease  
PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LADDERS FFI-2**

Cleaning Ladders

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
|  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| <b>LADDERS FFI-2</b>   |                  |          |                  |          |
| The firefighter trainee shall clean and maintain ladders, so that the ladders are cleaned and maintained according to manufacturer's or departmental guidelines and the ladders are placed in a ready state or reported otherwise. |                  |          |                  |          |
| a. Thoroughly removes dirt from ladder with soapy water and a brush  |                  |          |                  |          |
| b. Examines all braces, slides, stop locks, halyards, rivets, pulleys, and moveable parts  |                  |          |                  |          |
| c. Checks lubrication of moveable parts  |                  |          |                  |          |
| d. Makes notation of any loose parts, cracks, dry rot, or unusual wear.  |                  |          |                  |          |
| e. Thoroughly dries the ladder and lubricates with waterproof grease   |                  |          |                  |          |
| f. Performs skill in a safe and proficient manner, per AHJ   |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LADDERS FFI-3**

Rescuing a Conscious Person

**Subject: Fireground Operations**

**NFPA 1001 4.3.9**

**REFERENCE**

Conduct a search and rescue in a structure operating as a member of a team, given an assignment, obscured vision conditions, personal protective equipment, a flashlight, forcible entry tools, hose lines, and ladders when necessary, so that ladders are correctly placed when used, all assigned areas are searched, all victims are located and removed, team integrity is maintained, and team members' safety, including respiratory protection, is not compromised. (4.3.9)

**OBJECTIVE**

The firefighter trainee shall climb a ladder and rescue a conscious person so that the person is brought safely down the ladder.

**INSTRUCTIONS - procedures for achieving the objective**

Given an above grade rescue scenario, you shall demonstrate the proper climbing technique while assisting a conscious person down the ladder. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

A selection of ground ladders  
Person (for simulated rescue)  
PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LADDERS FFI-3**

Rescuing a Conscious Person

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
| <b>Ladders FFI-3</b>  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall climb a ladder and rescue a conscious person so that the person is brought safely down the ladder.  |                  |          |                  |          |
| a. Firefighter makes verbal contact with person and attempts to calm them down  |                  |          |                  |          |
| b. Sets up appropriate ladder for scenario in a method approved by AHJ  |                  |          |                  |          |
| c. With the ladder in place, checks proper climbing angle and ensures the ladder is secure  |                  |          |                  |          |
| d. Firefighter climbs the ladder to meet the person and instructs the person onto the ladder  |                  |          |                  |          |
| e. As soon as the person is on the ladder, the firefighter's arms are placed under the armpits of the person and a knee is placed between the person's legs for support |                  |          |                  |          |
| f. Firefighter continues to communicate with the person throughout rescue   |                  |          |                  |          |
| g. Performs skill in a safe and proficient manner, per AHJ  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LADDERS FFI-4**

Rescuing an Unconscious Adult

**Subject: Fireground Operations**

**NFPA 1001 4.3.9**

**REFERENCE**

Conduct a search and rescue in a structure operating as a member of a team, given an assignment, obscured vision conditions, personal protective equipment, a flashlight, forcible entry tools, hose lines, and ladders when necessary, so that ladders are correctly placed when used, all assigned areas are searched, all victims are located and removed, team integrity is maintained, and team members' safety, including respiratory protection, is not compromised. (4.3.9)

**OBJECTIVE**

The firefighter trainee shall climb a ladder and rescue an unconscious person so that the person is brought safely down the ladder.

**INSTRUCTIONS - procedures for achieving the objective**

Given an above grade rescue scenario, you shall demonstrate the proper climbing technique while rescuing an unconscious person down the ladder. You will begin on my instruction to start. The skill will end when you state to me that you have completed all of the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

A selection of ground ladders  
Person (for simulated rescue)  
PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LADDERS FFI-4**

Rescuing an Unconscious Adult

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |          |          |          |          |
|---|----------|----------|----------|----------|
| <b>Ladders FFI-4</b>  | <b>S</b> | <b>U</b> | <b>S</b> | <b>U</b> |
| The firefighter trainee shall climb a ladder and rescue an unconscious person so that the person is brought safely down the ladder. |          |          |          |          |
| a. Sets up appropriate ladder for scenario in a method approved by AHJ  |          |          |          |          |
| b. With the ladder in place, checks proper climbing angle and ensures the ladder is secure  |          |          |          |          |
| c. Firefighter 1 climbs the ladder and begins preparing the victim for rescue down the ladder                                       |          |          |          |          |
| d. Firefighter 2 climbs to the top of the ladder  |          |          |          |          |
| e. Firefighter 2 places hands on the rungs and bends a knee at a 90 degree angle on a rung  |          |          |          |          |
| f. Firefighter 1 lifts the victim onto the ladder and into the hold of Firefighter 2 keeping the victims back towards the ladder    |          |          |          |          |
| g. Firefighter 2 brings the victim down, keeping the victim straddled on their knee and the victims arms over the firefighters arms |          |          |          |          |
| h. Firefighter 2 brings the victim down one rung at a time, transferring the victims weight from one leg to the other               |          |          |          |          |
| i. Performs skill in a safe and proficient manner, per AHJ  |          |          |          |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---



---



---

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

---

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LADDERS FFI-5**

Rescuing an Unconscious Child or Small Adult

**Subject: Fireground Operations**

**NFPA 1001 4.3.9**

**REFERENCE**

Conduct a search and rescue in a structure operating as a member of a team, given an assignment, obscured vision conditions, personal protective equipment, a flashlight, forcible entry tools, hose lines, and ladders when necessary, so that ladders are correctly placed when used, all assigned areas are searched, all victims are located and removed, team integrity is maintained, and team members' safety, including respiratory protection, is not compromised. (4.3.9)

**OBJECTIVE**

The firefighter trainee shall climb a ladder and rescue an unconscious child so that the child is brought safely down the ladder.

**INSTRUCTIONS - procedures for achieving the objective**

Given an above grade rescue scenario, you shall demonstrate the proper climbing technique while rescuing an unconscious child or small adult down the ladder. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

A selection of ground ladders

Team member

Person/mannequin per AHJ (for simulated rescue)

PPE appropriate for the skill

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

LADDERS FFI-5

Rescuing an Unconscious Child or Small Adult

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| INSTRUCTIONAL SKILLS  |           |   |           |   |
|---|-----------|---|-----------|---|
| Ladders FFI-5   | ATTEMPT 1 |   | ATTEMPT 2 |   |
|   | S         | U | S         | U |
| The firefighter trainee shall climb a ladder and rescue an unconscious child so that the child is brought safely down the ladder. |           |   |           |   |
| a. Sets up appropriate ladder for scenario in a method approved by AHJ  |           |   |           |   |
| b. With the ladder in place, checks proper climbing angle and ensures the ladder is secure  |           |   |           |   |
| c. Firefighter 1 climbs the ladder and begins preparing the victim for rescue down the ladder                                     |           |   |           |   |
| d. Firefighter 2 climbs to the top of the ladder  |           |   |           |   |
| e. Firefighter 2 places hands on the beams of the ladder  |           |   |           |   |
| f. Firefighter 1 lifts the victim onto the ladder and across the arms of Firefighter 2  |           |   |           |   |
| g. Firefighter 2 brings the victim down, keeping their arms level and sliding their hands down the beams                          |           |   |           |   |
| h. Performs skill in a safe and proficient manner, per AHJ  |           |   |           |   |

S = Satisfactorily completed/performed

U = Unsatisfactorily performed/failed to meet objective or grading step

Comments:

---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LADDERS FFI-6**

**Rescuing an Unconscious Large Adult**

**Subject: Fireground Operations**

**NFPA 1001 4.3.9**

**REFERENCE**

Conduct a search and rescue in a structure operating as a member of a team, given an assignment, obscured vision conditions, personal protective equipment, a flashlight, forcible entry tools, hose lines, and ladders when necessary, so that ladders are correctly placed when used, all assigned areas are searched, all victims are located and removed, team integrity is maintained, and team members' safety, including respiratory protection, is not compromised. (4.3.9)

**OBJECTIVE**

The firefighter trainee shall climb a ladder and rescue an unconscious large adult so that the person is brought safely down the ladder.

**INSTRUCTIONS - procedures for achieving the objective**

Given an above grade rescue scenario, working as a team, you shall demonstrate the proper climbing technique while rescuing an unconscious large adult down ladder. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

A selection of ground ladders  
Person/mannequin per AHJ (for simulated rescue)  
PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LADDERS FFI-6**

Rescuing an Unconscious Large Adult

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
| <b>LADDERS FFI-6</b>   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall climb a ladder and rescue an unconscious large adult so that the person is brought safely down the ladder. |                  |          |                  |          |
| a. Sets up appropriate ladders for scenario in a method approved by AHJ  |                  |          |                  |          |
| b. With the ladders in place, checks proper climbing angle and ensures the ladder is secure  |                  |          |                  |          |
| c. One or more firefighters climbs the ladders and begins preparing the victim for rescue down the ladder                                |                  |          |                  |          |
| d. Two additional Firefighters climb to the top of the ladders and places hands on the beams of the ladders                              |                  |          |                  |          |
| e. Firefighters lift the victim onto the ladders and across the arms of Firefighters   |                  |          |                  |          |
| f. Firefighters on the ladders bring the victim down, keeping their arms level and sliding their hands down the beams                    |                  |          |                  |          |
| g. Performs skill in a safe and proficient manner, per AHJ   |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LADDERS FFI-7**

**Working Off Ground Ladder with Tools**

**Subject: Fireground Operations**

**NFPA 1001 4.3.6**

**REFERENCE**

Set up ground ladders, given single and extension ladders, an assignment, and team members if needed, so that hazards are assessed, the ladder is stable, the angle is correct for climbing, extension ladders are extended to the necessary height with the fly locked, the top is placed against a reliable structural component, and the assignment is accomplished. (4.3.6)

**OBJECTIVE**

The firefighter trainee, without a life safety belt, shall demonstrate the technique of working from a ground ladder with a fire fighting tool.

**INSTRUCTIONS - procedures for achieving the objective**

Given a designated ladder, you shall demonstrate the techniques of working off a ground ladder with a fire fighting tool. You are required to climb to a height of approximately 8 feet. Prior to climbing, you shall check for proper angle of inclination. After reaching the appropriate height, you shall apply a leg lock and demonstrate working by making four (4) simulated motions with the tool. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

1 14 ft. ladder (or greater)

1 fire fighting tool

PPE appropriate for the skill

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

LADDERS FFI-7

Working Off Ground Ladder with Tools

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| INSTRUCTIONAL SKILLS  |           |   |           |   |
|---|-----------|---|-----------|---|
| Ladders FFI-7   | ATTEMPT 1 |   | ATTEMPT 2 |   |
|   | S         | U | S         | U |
| The firefighter trainee, without a life safety belt, shall demonstrate the technique of working from a ground ladder with a fire fighting tool. |           |   |           |   |
| a. Checks the ladder for proper climbing angle  |           |   |           |   |
| b. Climbs the ladder smoothly with a tool in one hand and the other hand sliding underneath the beam  |           |   |           |   |
| c. Secures the body to the ladder utilizing a proper leg lock method  |           |   |           |   |
| d. Appears stable while making at least four simulated motions with the tool  |           |   |           |   |
| e. Performs skill in a safe and proficient manner, per AHJ  |           |   |           |   |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LADDERS FFI-8**

Low Shoulder Carry, Right Angle Raise of a Single Ladder

**Subject: Fireground Operations**

**NFPA 1001 4.3.6**

**REFERENCE**

Set up ground ladders, given single and extension ladders, an assignment, and team members if needed, so that hazards are assessed, the ladder is stable, the angle is correct for climbing, extension ladders are extended to the necessary height with the fly locked, the top is placed against a reliable structural component, and the assignment is accomplished. (4.3.6)

**OBJECTIVE**

The firefighter trainee shall carry, position, and raise a 14-foot single or wall ladder using a low shoulder carry, right angle raise.

**INSTRUCTIONS - procedures for achieving the objective**

Using a low shoulder carry, you will pick up and carry a single ladder 100 feet to a designated structure. Using a right angle raise, you will raise the ladder to a single-story roof or its equivalent. You shall verbalize the mandatory steps while performing this skill. You will begin on my instruction to start. The skill will end when you indicate that the ladder is suitable for climbing. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Single ladder

PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LADDERS FFI-8**

Low Shoulder Carry, Right Angle Raise of a Single Ladder

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
|   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| <b>Ladders FFI-8</b>  |                  |          |                  |          |
| The firefighter trainee shall carry, position, and raise a 14-foot single or wall ladder using a low shoulder carry, right angle raise.   |                  |          |                  |          |
| a. Standing next to the ladder, lifts and carries the ladder to the structure using the low shoulder method with the ladder butt to the front and slightly lowered  |                  |          |                  |          |
| b. Checks for obstructions, <i>verbalizes that the area is clear of overhead obstructions</i> , and then places butt in proper position. (The verbalization must be performed prior to raising the ladder.) |                  |          |                  |          |
| c. Makes a proper right angle raise   |                  |          |                  |          |
| d. While maintaining control of the ladder, pivots the ladder, if necessary, and lowers the ladder into place   |                  |          |                  |          |
| e. Checks for proper angle of inclination and <i>verbally indicates that the ladder is suitable for climbing</i>  |                  |          |                  |          |
| f. Performs skill in a safe and proficient manner, per AHJ  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LADDERS FFI-9**

Two-Firefighter Low Shoulder Carry, Right Angle Flat Raise of a 24 Foot Extension Ladder

**Subject: Fireground Operations**

**NFPA 1001 4.3.6**

**REFERENCE**

Set up ground ladders, given single and extension ladders, an assignment, and team members if needed, so that hazards are assessed, the ladder is stable, the angle is correct for climbing, extension ladders are extended to the necessary height with the fly locked, the top is placed against a reliable structural component, and the assignment is accomplished. (4.3.6)

**OBJECTIVE**

The firefighter trainee, operating as a member of a team, shall carry, position, and raise a 24-foot extension ladder using a low shoulder carry, right angle raise.

**INSTRUCTIONS - procedures for achieving the objective**

Using a two-firefighter low shoulder carry, you and a designated person will pick up and carry a 24 foot extension ladder 100 feet to a designated structure. You will raise the ladder to a two-story window or its equivalent. You will be positioned at the butt end of ladder for this evaluation. You shall verbalize the mandatory steps while performing this skill. When you have reached your destination, you and your team member will raise the ladder using the Right Angle Flat Raise. You will only communicate with the other team member to assure the ladder is properly carried, raised, and extended. You will begin on my instructions to start. The skill will end when you verbally state that the ladder is suitable for climbing. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

24 ft. extension ladder  
Drill tower or equivalent  
PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LADDERS FFI-9**

Two-Firefighter Low Shoulder Carry, Right Angle Flat Raise of a 24 Foot Extension Ladder

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
|   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| <b>Ladders FFI-9</b>  |                  |          |                  |          |
| The firefighter trainee, operating as a member of a team, shall carry, position, and raise a 24-foot extension ladder using a low shoulder carry, right angle raise.  |                  |          |                  |          |
| a. Standing next to the ladder at the butt end, gives a command to shoulder the ladder  |                  |          |                  |          |
| b. Places hand over the butt spur, checks for and <i>verbalizes the area is clear of overhead obstructions</i> on approach to the building, spots the ladder, and places the butt of both beams on the ground. (The verbalization must be performed prior to raising the ladder.)     |                  |          |                  |          |
| c. Utilizes designated raise  |                  |          |                  |          |
| d. Heels the ladder by standing on the bottom rung and <i>verbalizes a command to raise the ladder</i>  |                  |          |                  |          |
| e. Faces the other team member and pivots the ladder, if necessary, to set the fly out (or as stated in manufacturer's recommendation). The trainee extends the fly to the proper distance and engages the pawls  |                  |          |                  |          |
| f. After lowering the ladder into place, the trainee checks for proper climbing angle and fly extension, and adequate structural support at tip   |                  |          |                  |          |
| g. Ties off the halyard to a rung in a manner that will prevent the fly from slipping and that will prevent anyone from tripping while climbing and assists the other team member. The trainee <i>verbalizes that the ladder is suitable for climbing</i> . Time stops at this point. |                  |          |                  |          |
| h. Performs skill in a safe and proficient manner, per AHJ  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**  
**INSTRUCTIONAL SKILLS**  
**Basic Structural Fire Suppression**

**Comments:**

---

---

---

---

---

---

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LADDERS FFI-10**

Two-Firefighter Low Shoulder Carry, Right Angle Beam Raise of a 24 Foot Extension Ladder

**Subject: Fireground Operations**

**NFPA 1001 4.3.6**

**REFERENCE**

Set up ground ladders, given single and extension ladders, an assignment, and team members if needed, so that hazards are assessed, the ladder is stable, the angle is correct for climbing, extension ladders are extended to the necessary height with the fly locked, the top is placed against a reliable structural component, and the assignment is accomplished. (4.3.6)

**OBJECTIVE**

The firefighter trainee, operating as a member of a team, shall carry, position, and raise a 24-foot extension ladder using a low shoulder carry, right angle beam raise.

**INSTRUCTIONS - procedures for achieving the objective**

Using a two-firefighter low shoulder carry, you and a designated person will pick up and carry a 24 foot extension ladder 100 feet to a designated structure. You will raise the ladder to a two-story window or its equivalent. You will be positioned at the butt of the ladder for the evaluation. You shall verbalize the mandatory steps while performing this skill. When you have reached your destination, you and your team member will raise the ladder using a right angle beam raise. You will only communicate with the other team member to assure the ladder is properly carried, raised, and extended. The skill will end when you verbally state that the ladder is suitable for climbing. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

24 ft. extension ladder  
Drill tower or equivalent  
PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2013, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LADDERS FFI-10**

Two-Firefighter Low Shoulder Carry, Right Angle Beam Raise of a 24 Foot Extension Ladder

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
|   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
| <b>LADDERS FFI-10</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee, operating as a member of a team, shall carry, position, and raise a 24 foot extension ladder using a low shoulder carry, right angle beam raise.   |                  |          |                  |          |
| a. Standing next to the ladder at the butt end, gives a command to shoulder the ladder  |                  |          |                  |          |
| b. Places hand over the butt spur, checks for obstructions and <i>verbalizes the area is clear of overhead obstructions</i> . On approach to the building, spots the ladder and places butt of one beam on the ground. (The verbalization must be performed prior to raising the ladder.) |                  |          |                  |          |
| c. Utilizes designated raise  |                  |          |                  |          |
| d. Heels the ladder and <i>gives a command to raise the ladder</i>  |                  |          |                  |          |
| e. Faces the other team member and pivots the ladder to set the fly out (or as stated in the manufacturer's recommendation). The trainee extends the fly to the proper distance and engages the pawls.  |                  |          |                  |          |
| f. After lowering the ladder into place, the trainee checks for proper climbing angle and fly extension, and adequate structural support at tip.  |                  |          |                  |          |
| g. The trainee shall tie off the halyard to a rung in a manner that will prevent the fly from slipping and that will prevent anyone from tripping while climbing. <i>Verbalizes that the ladder is suitable for climbing.</i>   |                  |          |                  |          |
| h. Performs skill in a safe and proficient manner, per AHJ  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2013, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**  
**INSTRUCTIONAL SKILLS**  
**Basic Structural Fire Suppression**

**Comments:**

---

---

---

---

---

---

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2013, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LADDERS FFI-11**

Two-Firefighter Low-shoulder Carry, Flat Parallel Raise of a 24 Foot Extension Ladder

**Subject: Fireground Operations**

**NFPA 1001 4.3.6**

**REFERENCE**

Set up ground ladders, given single and extension ladders, an assignment, and team members if needed, so that hazards are assessed, the ladder is stable, the angle is correct for climbing, extension ladders are extended to the necessary height with the fly locked, the top is placed against a reliable structural component, and the assignment is accomplished. (4.3.6)

**OBJECTIVE**

The firefighter trainee, operating as a member of a team, shall carry, position, and raise a 24-foot extension ladder using a low shoulder carry, flat parallel raise.

**INSTRUCTIONS - procedures for achieving the objective**

Using a two-firefighter low shoulder carry, you and a designated person will pick up and carry a 24-foot extension ladder 100 feet to a designated structure. You will raise the ladder to a two-story window or its equivalent. You will be positioned at the butt end of ladder for this evaluation. You shall verbalize the mandatory steps while performing this skill. When you have reached your destination, you and your team member will raise the ladder using the Right Angle Flat Raise. You will only communicate with the other team member to assure the ladder is properly carried, raised, and extended. You will begin on my instructions to start. The skill will end when you verbally state that the ladder is suitable for climbing. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

24 ft. extension ladder  
Drill tower, ladder wall, or equivalent  
PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LADDERS FFI-11**

Two-Firefighter Low-shoulder Carry, Flat Parallel Raise of a 24 Foot Extension Ladder

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
| <b>LADDERS FFI-11</b>  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee, operating as a member of a team, shall carry, position, and raise a 24 foot extension ladder using a low shoulder carry, flat parallel raise.   |                  |          |                  |          |
| a. Stands next to the ladder at the butt, <i>gives a command to shoulder the ladder</i> . Both individuals, as they stand, will use leg muscles to lift the ladder.  |                  |          |                  |          |
| b. Places hand over butt spur, checks for obstructions and <i>verbalizes that area is clear of obstructions</i> . On approach to building, spots the ladder, places the butt on the ground and turns the ladder flat. (The verbalization must be performed prior to raising the ladder.) |                  |          |                  |          |
| c. Utilizes designated raise   |                  |          |                  |          |
| d. Heels the ladder by standing on the bottom rung, crouches down to grasp a convenient rung or the beams with both hands, leans back and gives a command to raise the ladder  |                  |          |                  |          |
| e. Faces the other member and pivots the ladder to set the fly out (or as stated in the manufacturer's recommendation). The trainee extends the fly to the proper distance and engages pawls   |                  |          |                  |          |
| f. After lowering the ladder into place, the trainee checks for proper climbing angle and fly extension, and adequate structural support at tip  |                  |          |                  |          |
| g. Ties off the halyard to a run in a manner that will prevent the fly from slipping and that will prevent anyone from tripping while climbing and assists the other team member. <i>Verbalizes that the ladder is suitable for climbing</i> .   |                  |          |                  |          |
| h. Performs skill in a safe and proficient manner, per AHJ   |                  |          |                  |          |

**S = Satisfactorily completed/performed**

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---

---

---

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LADDERS FFI-12**

Carry, Hoist, and Secure a Roof Ladder

**Subject: Fireground Operations**

**NFPA 1001 4.3.12**

**REFERENCE**

Perform vertical ventilation on a structure as part of a team, given an assignment, personal protective equipment, ground and roof ladders, and tools, so that ladders are positioned for ventilation, a specified opening is created, all ventilation barriers are removed, structural integrity is not compromised, products of combustion are released from the structure, and the team retreats from the area when ventilation is accomplished. (4.3.12)

**OBJECTIVE**

The firefighter trainee shall carry, hoist, and secure a roof ladder onto a structure with a pitched roof.

**INSTRUCTIONS - procedures for achieving the objective**

Given an existing raised extension ladder, you shall carry, hoist, and secure a roof ladder onto a structure with a pitched roof. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

1 - Roof ladder

1 - Extension ladder

Pitched roof

PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LADDERS FFI-12**

Carry, Hoist, and Secure a Roof Ladder

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
| <b>LADDERS FFI-12</b>   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall carry, hoist and secure a roof ladder onto a structure with a pitched roof. |                  |          |                  |          |
| a. Carries the roof ladder, tip first, to the ladder placed at the structure                              |                  |          |                  |          |
| b. Sets the roof ladder on the ground near the ladder to be ascended and opens the hooks                  |                  |          |                  |          |
| c. Tilts the roof ladder up so that it rests against the other ladder, with the hooks facing outward      |                  |          |                  |          |
| d. Climbs the main ladder until his/her shoulder is about two rungs above midpoint of the roof ladder     |                  |          |                  |          |
| e. Reaches through the rungs of the roof ladder and hoists it onto his/her shoulder                       |                  |          |                  |          |
| f. Climbs to the top of the ladder, and uses a leg lock or life safety harness to lock into the ladder    |                  |          |                  |          |
| g. Takes the roof ladder off the shoulder   |                  |          |                  |          |
| h. Uses a hand over hand method to push the ladder onto the roof with the hooks in the down position      |                  |          |                  |          |
| i. Pushes the roof ladder up the roof until the hooks go over the edge of the peak                        |                  |          |                  |          |
| j. Pulls the ladder back down so the hooks catch solidly over the peak                                    |                  |          |                  |          |
| k. Performs skill in a safe and proficient manner, per AHJ  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**Comments:**

---

---

---

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LADDERS FFI-13**

Three-Firefighter Flat Shoulder Carry, Right Angle Flat Raise of a 35-foot Extension Ladder

**Subject: Fireground Operations**

**NFPA 1001 4.3.6**

**REFERENCE**

Set up ground ladders, given single and extension ladders, an assignment, and team members if needed, so that hazards are assessed, the ladder is stable, the angle is correct for climbing, extension ladders are extended to the necessary height with the fly locked, the top is placed against a reliable structural component, and the assignment is accomplished. (4.3.6)

**OBJECTIVE**

The firefighter trainee, operating as a member of a team, shall carry, position, and raise a 35-foot extension ladder using a flat shoulder carry, right angle raise.

**INSTRUCTIONS - procedures for achieving the objective**

Using a three-firefighter flat shoulder carry, you and designated persons will pick up a 35-foot extension ladder and carry it 100 feet to a designated structure. Using a right-angle flat raise, you will raise the ladder to a three-story window or its equivalent. You will be required to verbalize key steps and complete the mandatory steps while performing this skill. You and your team members will raise the ladder without laying the ladder on the ground. You will be required to set the ladder with at least three rungs inside the third story window or its equivalent. You will be positioned at the butt end of the ladder for this evaluation. You will only communicate with the other team members to assure the ladder is properly carried, raised, and extended. The skill will start on my instructions to start. The skill will end when you state that the ladder is suitable for climbing. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

35 ft. extension ladder

Three or more story structure or equivalent

PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LADDERS FFI-13**

Three-Firefighter Flat Shoulder Carry, Right Angle Flat Raise of a 35-foot Extension

Ladder Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
| <b>LADDERS FFI-13</b>   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee, operating as a member of a team, shall carry, position, and raise a 35-foot extension ladder using a flat shoulder carry, right angle raise.   |                  |          |                  |          |
| a. Positions firefighters: Two kneel on one side of ladder, one at either end, facing tip. The third kneels on opposite side at midpoint, also facing the tip.  |                  |          |                  |          |
| b. Kneeling next to the ladder at the butt end, gives a command to shoulder the ladder. All individuals stand, using leg muscles to lift the ladder. Carries the ladder 100 feet in a controlled manner.  |                  |          |                  |          |
| c. Places hand over butt spur, checks for obstructions on the approach to building, <i>verbalizes the area is clear of overhead obstructions</i> , spots the ladder, places butt of both beams on the ground. The verbalization must be performed prior to raising. |                  |          |                  |          |
| d. Utilizes designated raise.   |                  |          |                  |          |
| e. The trainee being evaluated heels the ladder by standing on the bottom rung and <i>gives a command to raise the ladder</i> , crouches down to grasp either a convenient rung or the beams with both hands and leans back to help raise ladder.                   |                  |          |                  |          |
| f. Faces the other team members and pivots ladder to set fly out (or as manufacturer's recommendation), trainee extends the fly, engages pawls.   |                  |          |                  |          |
| g. The trainee being evaluated ties off the halyard to a rung in a manner that will prevent the fly from slipping and that will prevent anyone from tripping while climbing and assists other team members with lowering ladder into place.                         |                  |          |                  |          |
| h. Checks for proper climbing angle and fly extension. <i>Verbalizes that the ladder is suitable for climbing.</i>  |                  |          |                  |          |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

|  |  |  |  |  |
|--|--|--|--|--|
| i. Performs skill in a safe and proficient manner, per AHJ |  |  |  |  |
|--|--|--|--|--|

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---

---

---

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LADDERS FFI-14**

Carry a Folding/Attic Ladder

**Subject: Fireground Operations**

**NFPA 1001 4.3.6**

**REFERENCE**

Set up ground ladders, given single and extension ladders, an assignment, and team members if needed, so that hazards are assessed, the ladder is stable, the angle is correct for climbing, extension ladders are extended to the necessary height with the fly locked, the top is placed against a reliable structural component, and the assignment is accomplished. (4.3.6)

**OBJECTIVE**

The firefighter trainee shall carry, position, and raise a folding/attic ladder.

**INSTRUCTIONS - procedures for achieving the objective**

You will pick up and carry a folding/attic ladder 100 feet to a designated structure. You will raise the ladder to an interior ceiling opening or its equivalent. You will be required to verbalize and complete mandatory steps while performing this skill. You will begin on my instruction to start. The skill will end when you indicate that the ladder is suitable for climbing. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Folding/attic ladder

PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LADDERS FFI-14**

Carry a Folding/Attic Ladder

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
| <b>LADDERS FFI-14</b>   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall carry, position, and raise a folding/attic ladder.  |                  |          |                  |          |
| a. Standing next to the ladder, lifts and carries the ladder in the closed position, tip forward  |                  |          |                  |          |
| b. Carries the ladder to the interior ceiling opening or its equivalent   |                  |          |                  |          |
| c. Checks for obstructions, <i>verbalizes that the area is clear of overhead obstructions</i> , and then places butt in proper position. (The verbalization must be performed prior to raising the ladder.) |                  |          |                  |          |
| d. While maintaining control of the ladder, pivots the ladder, if necessary, and lowers the ladder into place   |                  |          |                  |          |
| e. Checks for proper angle of inclination and <i>verbally indicates that the ladder is suitable for climbing</i>  |                  |          |                  |          |
| f. Performs skill in a safe and proficient manner, per AHJ  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LADDERS FFI-15**

Securing a Ladder

**Subject: Fireground Operations**

**NFPA 1001 4.3.6**

**REFERENCE**

Set up ground ladders, given single and extension ladders, an assignment, and team members if needed, so that hazards are assessed, the ladder is stable, the angle is correct for climbing, extension ladders are extended to the necessary height with the fly locked, the top is placed against a reliable structural component, and the assignment is accomplished. (4.3.6)

**OBJECTIVE**

The firefighter trainee shall secure a ladder to a stationary object.

**INSTRUCTIONS - procedures for achieving the objective**

While wearing full protective clothing and a Self-Contained Breathing Apparatus (SCBA), you shall select an appropriate securing device and properly secure the ladder, at either the base or tip, to a stationary object. You will begin on my instruction to start.

The skill will end when you indicate that the ladder is suitable for climbing. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Ladder

Rope/webbing

PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LADDERS FFI-15**

Securing a Ladder

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
|   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
| <b>LADDERS FFI-15</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall secure a ladder to a stationary object.   |                  |          |                  |          |
| <b>Secure Tip of Ladder</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Checks proper climbing angle   |                  |          |                  |          |
| b. Secures body to ladder utilizing the proper leg lock method  |                  |          |                  |          |
| c. Secures the rope or webbing to the tip of the ladder   |                  |          |                  |          |
| d. Secures the rope or webbing to a stationary object   |                  |          |                  |          |
| e. Ties appropriate knot on ladder such that when ladder is vibrated, the knot does not loosen or allow the ladder to pull more than approximately six inches (6") from the stationary object |                  |          |                  |          |
| f. Performs skill in safe and proficient manner   |                  |          |                  |          |
| <b>Secure Base of Ladder</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Checks proper climbing angle   |                  |          |                  |          |
| b. Secures the rope or webbing to the base of the ladder  |                  |          |                  |          |
| c. Secures the rope or webbing to a stationary object   |                  |          |                  |          |
| d. Ties appropriate knot on ladder such that when ladder is vibrated, the knot does not loosen or allow the ladder to pull more than approximately six inches (6") from the stationary object |                  |          |                  |          |
| e. Performs skill in safe and proficient manner   |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**Comments:**

---

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LIVE FIRE FFI-1**

Grade Level Structure Fire

**Subject: Fireground Operations**

**NFPA 1001 4.3.10**

**REFERENCE**

Attack an interior structure fire operating as a member of a team, given an attack line, ladders when needed, personal protective equipment, tools, and an assignment, so that team integrity is maintained, the attack line is deployed for advancement, ladders are correctly placed when used, access is gained into the fire area, effective water application practices are used, the fire is approached correctly, attack techniques facilitate suppression given the level of the fire, hidden fires are located and controlled, the correct body posture is maintained, hazards are recognized and managed, and the fire is brought under control. (4.3.10)

**OBJECTIVE**

The firefighter trainee, operating as a member of team, shall attack and suppress a grade level interior structure fire. The trainee shall also replace a burst section of hose.

**INSTRUCTIONS - procedures for achieving the objective**

Operating as a member of a team, you will demonstrate the proper technique for suppressing a grade level interior structure fire using the direct, indirect, or combination attack methods of extinguishment. You will use a 1½" or 1¾" charged attack hose line for this skill. I will indicate to you which section of hose to replace. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**INSTRUCTOR NOTE**

A simulated section of burst hose will be replaced.

**PREPARATION & EQUIPMENT**

Enough 1½" or 1¾" charged attack lines for the scenario

Material for burning (must comply with NFPA 1403)

Multilevel burn facility

All needed support equipment and personnel for the scenario

PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LIVE FIRE FFI-1**

Grade Level Structure Fire

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
|  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| <b>LIVE FIRE FFI-1</b>   |                  |          |                  |          |
| The firefighter trainee, operating as a member of team, shall attack and suppress a grade level interior structure fire. The trainee shall also replace a burst section of hose. |                  |          |                  |          |
| a. Maintains team integrity  |                  |          |                  |          |
| b. Performs a size-up to identify safety hazards   |                  |          |                  |          |
| c. Deploys 1½" or 1¾" attack hose  |                  |          |                  |          |
| d. Checks flow, pattern, and bleeds air from hose  |                  |          |                  |          |
| e. Advances hose for fire attack   |                  |          |                  |          |
| f. Gains access into the fire area   |                  |          |                  |          |
| g. Uses appropriate attack techniques for a grade level fire   |                  |          |                  |          |
| h. Stays low during initial attack   |                  |          |                  |          |
| i. Applies water using appropriate direct, indirect, and/or combination attacks  |                  |          |                  |          |
| j. Uses effective water application practices  |                  |          |                  |          |
| k. Extinguishes fire   |                  |          |                  |          |
| l. Prevents water hammer when shutting down nozzle   |                  |          |                  |          |
| m. Locates and suppresses interior wall and/or subfloor fires  |                  |          |                  |          |
| n. Replaces burst hose section(s) as directed  |                  |          |                  |          |
| o. Carries hose as necessary and couples/uncouples hose connections as necessary   |                  |          |                  |          |
| p. Maintains situational awareness during skill  |                  |          |                  |          |
| q. Performs skill in a safe and proficient manner  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

---

---

---

---

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LIVE FIRE FFI-2**

**Above Grade Level Structure Fire**

**Subject: Fireground Operations**

**NFPA 1001 4.3.10**

**REFERENCE**

Attack an interior structure fire operating as a member of a team, given an attack line, ladders when needed, personal protective equipment, tools, and an assignment, so that team integrity is maintained, the attack line is deployed for advancement, ladders are correctly placed when used, access is gained into the fire area, effective water application practices are used, the fire is approached correctly, attack techniques facilitate suppression given the level of the fire, hidden fires are located and controlled, the correct body posture is maintained, hazards are recognized and managed, and the fire is brought under control. (4.3.10)

**OBJECTIVE**

The firefighter trainee, operating as a member of team, shall advance a hose line up a ladder, attack and suppress an above grade level interior structure fire.

**INSTRUCTIONS - procedures for achieving the objective**

Operating as a member of a team, you will demonstrate the proper technique for suppressing an above grade level interior structure fire using the direct, indirect, or combination attack methods of extinguishment. You will use a 1½" or 1¾" charged attack hose line for this skill. You must advance the hose line up a ladder for fire attack. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**INSTRUCTOR NOTE**

The fire attack must be made after advancing a hose line up a ladder.

**PREPARATION & EQUIPMENT**

Enough 1½" or 1¾" charged attack lines for the scenario

Material for burning (must comply with NFPA 1403)

Multilevel burn facility

All needed support equipment and personnel for the scenario

PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LIVE FIRE FFI-2**

Above Grade Level Structure Fire

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
|  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| <b>LIVE FIRE FFI-2</b>   |                  |          |                  |          |
| The firefighter trainee, operating as a member of team, shall advance a hose line up a ladder, attack and suppress an above grade level interior structure fire. |                  |          |                  |          |
| a. Maintains team integrity  |                  |          |                  |          |
| b. Performs a size-up to identify safety hazards   |                  |          |                  |          |
| c. Deploys 1½" or 1¾" attack hose  |                  |          |                  |          |
| d. Checks flow, pattern, and bleeds air from hose  |                  |          |                  |          |
| e. Advances hose up a ladder for fire attack   |                  |          |                  |          |
| f. Gains access into the fire area   |                  |          |                  |          |
| g. Uses appropriate attack techniques for an above grade level fire  |                  |          |                  |          |
| h. Stays low during initial attack   |                  |          |                  |          |
| i. Applies water using appropriate direct, indirect, and/or combination attacks  |                  |          |                  |          |
| j. Uses effective water application practices  |                  |          |                  |          |
| k. Extinguishes fire   |                  |          |                  |          |
| l. Prevents water hammer when shutting down nozzle   |                  |          |                  |          |
| m. Locates and suppresses interior wall and/or subfloor fires  |                  |          |                  |          |
| n. Maintains situational awareness during skill  |                  |          |                  |          |
| o. Performs skill in a safe and proficient manner  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---



---



---

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**  
**INSTRUCTIONAL SKILLS**  
**Basic Structural Fire Suppression**

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LIVE FIRE FFI-3**

Below Grade Level Structure Fire

**Subject: Fireground Operations**

**NFPA 1001 4.3.10**

**REFERENCE**

Attack an interior structure fire operating as a member of a team, given an attack line, ladders when needed, personal protective equipment, tools, and an assignment, so that team integrity is maintained, the attack line is deployed for advancement, ladders are correctly placed when used, access is gained into the fire area, effective water application practices are used, the fire is approached correctly, attack techniques facilitate suppression given the level of the fire, hidden fires are located and controlled, the correct body posture is maintained, hazards are recognized and managed, and the fire is brought under control. (4.3.10)

**OBJECTIVE**

The firefighter trainee, operating as a member of team, shall attack and suppress a below grade level interior structure fire. The trainee shall also extend a hose line.

**INSTRUCTIONS - procedures for achieving the objective**

Operating as a member of a team, you will demonstrate the proper technique for suppressing a below grade level interior structure fire using the direct, indirect, or combination attack methods of extinguishment. You will use a 1½" or 1¾" charged attack hose line for this skill. I will indicate to you which hose line to extend. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**INSTRUCTOR NOTE**

A hose line must be extended.

**PREPARATION & EQUIPMENT**

Enough 1½" or 1¾" charged attack lines for the scenario

Material for burning (must comply with NFPA 1403)

Multilevel burn facility

All needed support equipment and personnel for the scenario

PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LIVE FIRE FFI-3**

Below Grade Level Structure Fire

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
|   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| <b>LIVE FIRE FFI-3</b>  |                  |          |                  |          |
| The firefighter trainee, operating as a member of team, shall attack and suppress a below grade level interior structure fire. The trainee shall also extend a hose line. |                  |          |                  |          |
| a. Maintains team integrity   |                  |          |                  |          |
| b. Performs a size-up to identify safety hazards  |                  |          |                  |          |
| c. Deploys 1½" or 1¾" attack hose   |                  |          |                  |          |
| d. Checks flow, pattern, and bleeds air from hose   |                  |          |                  |          |
| e. Advances hose down interior stairs for fire attack   |                  |          |                  |          |
| f. Gains access into the fire area  |                  |          |                  |          |
| g. Uses appropriate attack techniques for a below grade level fire  |                  |          |                  |          |
| h. Stays low during initial attack  |                  |          |                  |          |
| i. Applies water using appropriate direct, indirect, and/or combination attacks   |                  |          |                  |          |
| j. Uses effective water application practices   |                  |          |                  |          |
| k. Extinguishes fire  |                  |          |                  |          |
| l. Prevents water hammer when shutting down nozzle  |                  |          |                  |          |
| m. Locates and suppresses interior wall and/or subfloor fires   |                  |          |                  |          |
| n. Extends hose line as directed  |                  |          |                  |          |
| o. Carries hose as necessary and couples/uncouples hose connections as necessary  |                  |          |                  |          |
| p. Maintains situational awareness during skill   |                  |          |                  |          |
| q. Performs skill in a safe and proficient manner   |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

---

---

---

---

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

# TEXAS COMMISSION ON FIRE PROTECTION

## INSTRUCTIONAL SKILLS

### Basic Structural Fire Suppression

#### LIVE FIRE FFI-4

##### Storage Container Fire

**Subject: Fireground Operations**

**NFPA 1001 4.3.8**

#### REFERENCE

Extinguish fires in exterior Class A materials, given fires in stacked or piled and small unattached structures or storage containers that can be fought from the exterior, attack lines, hand tools and master stream devices, and an assignment, so that exposures are protected, the spread of fire is stopped, collapse hazards are avoided, water application is effective, the fire is extinguished, and signs of the origin area(s) and arson are preserved. (4.3.8)

#### OBJECTIVE

The firefighter trainee, operating as a member of team, shall extinguish a fire in a storage container.

#### INSTRUCTIONS - procedures for achieving the objective

Given the appropriate equipment and assistance, you shall demonstrate the proper technique for extinguishing a fire in a storage container. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

#### PREPARATION & EQUIPMENT

Pumper apparatus

Attack hoses and nozzles

Storage container (exterior dumpster or trash bin)

Material for burning (must comply with NFPA 1403)

All needed support equipment and personnel for the scenario

PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LIVE FIRE FFI-4**

Storage Container Fire

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
|  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| <b>LIVE FIRE FFI-4</b>   |                  |          |                  |          |
| The firefighter trainee, operating as a member of team, shall extinguish a fire in a storage container.    |                  |          |                  |          |
| a. Performs a size-up to identify safety hazards   |                  |          |                  |          |
| b. Verbally explains how and when a master stream could be used on a container fire                        |                  |          |                  |          |
| c. Deploys 1½" or 1¾" attack hose  |                  |          |                  |          |
| d. Checks flow, pattern, and bleeds air from hose  |                  |          |                  |          |
| e. Advances hose for fire attack   |                  |          |                  |          |
| f. Recognizes inherent hazards related to the material's configuration including avoiding collapse hazards |                  |          |                  |          |
| g. Protects exposures  |                  |          |                  |          |
| h. Stops the spread of fire  |                  |          |                  |          |
| i. Operates hose line to apply water effectively   |                  |          |                  |          |
| j. Evaluates and modifies water application for maximum penetration  |                  |          |                  |          |
| k. Breaks up material using hand tools and water streams   |                  |          |                  |          |
| l. Extinguishes fire   |                  |          |                  |          |
| m. Prevents water hammer when shutting down nozzle   |                  |          |                  |          |
| n. Searches for and exposes hidden fires   |                  |          |                  |          |
| o. Evaluates for complete extinguishment   |                  |          |                  |          |
| p. Assesses patterns for origin determination  |                  |          |                  |          |
| q. Preserves signs of the origin areas and arson   |                  |          |                  |          |
| r. Maintains situational awareness during skill  |                  |          |                  |          |
| s. Performs the skill in a safe and proficient manner  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

---

---

---

---

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LIVE FIRE FFI-5**

Vehicle Fire

**Subject: Fireground Operations**

**NFPA 1001 4.3.7**

**REFERENCE**

Attack a passenger vehicle fire operating as a member of a team, given personal protective equipment, attack line, and hand tools, so that hazards are avoided, leaking flammable liquids are identified and controlled, protection from flash fires is maintained, all vehicle compartments are overhauled, and the fire is extinguished. (4.3.7)

**OBJECTIVE**

The firefighter trainee shall extinguish a vehicle fire.

**INSTRUCTIONS - procedures for achieving the objective**

Given the appropriate equipment and assistance, you shall demonstrate the proper technique for extinguishing a vehicle fire. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Pumper apparatus

Attack hoses and nozzles

Vehicle for fire (must comply with NFPA 1403)

PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LIVE FIRE FFI-5**

Vehicle Fire

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
|  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| <b>LIVE FIRE FFI-5</b>   |                  |          |                  |          |
| The firefighter trainee shall extinguish a vehicle fire.                           |                  |          |                  |          |
| a. Verbally identifies possible fuel types   |                  |          |                  |          |
| b. Performs a size-up to identify safety hazards                                   |                  |          |                  |          |
| c. Ensures vehicle is stable, chocks wheels if necessary                           |                  |          |                  |          |
| d. Deploys 1½" or 1¾" attack hose  |                  |          |                  |          |
| e. Checks flow, pattern, and bleeds air from hose                                  |                  |          |                  |          |
| f. Advances hose for fire attack safely avoiding hazards                           |                  |          |                  |          |
| g. Applies water for maximum effectiveness while maintaining flash fire protection |                  |          |                  |          |
| h. Prevents water hammer when shutting down nozzle                                 |                  |          |                  |          |
| i. Exposes hidden fires by opening all compartments                                |                  |          |                  |          |
| j. Extinguishes fire in all compartments   |                  |          |                  |          |
| k. Assesses and controls fuel leaks as required                                    |                  |          |                  |          |
| l. Maintains situational awareness during skill                                    |                  |          |                  |          |
| m. Performs skill in a safe and proficient manner                                  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LIVE FIRE FFI-6**

Ground Cover Fire

**Subject: Fireground Operations**

**NFPA 1001 4.3.19**

**REFERENCE**

Combat a ground cover fire operating as a member of a team, given protective clothing, SCBA if needed, hose lines, extinguishers or hand tools, and an assignment, so that threats to property are reported, threats to personal safety are recognized, retreat is quickly accomplished when warranted, and the assignment is completed. (4.3.19)

**OBJECTIVE**

The firefighter trainee, operating as a member of a team, shall combat a ground cover fire.

**INSTRUCTIONS - procedures for achieving the objective**

Operating as a member of a team, you shall demonstrate and describe the proper techniques for combating a ground cover fire, so that threats to property are reported, threats to personal safety are recognized, retreat is quickly accomplished when warranted, and the assignment is completed. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**INSTRUCTOR NOTE**

This is a simulation. The examinee is to demonstrate and describe proper *techniques*. It is NOT necessary to actually construct the fire line and it is NOT necessary to attack an actual fire.

**PREPARATION & EQUIPMENT**

Task appropriate protective clothing (according to the SOP of the authority having jurisdiction)

Hose lines

Extinguishers and/or hand tools

Assignments for combating a ground fire

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LIVE FIRE FFI-6**

Ground Cover Fire

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
|   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| <b>LIVE FIRE FFI-6</b>  |                  |          |                  |          |
| The firefighter trainee, operating as a member of a team, shall combat a ground cover fire. |                  |          |                  |          |
| a. Maintains team integrity   |                  |          |                  |          |
| b. Confirms assignment  |                  |          |                  |          |
| c. Performs a size-up   |                  |          |                  |          |
| d. Recognizes threats to personal safety  |                  |          |                  |          |
| e. Identifies safety zones and escape routes  |                  |          |                  |          |
| f. Determines exposure threats based on fire spread potential                               |                  |          |                  |          |
| g. Reports threats to property  |                  |          |                  |          |
| h. Protects exposures   |                  |          |                  |          |
| i. Constructs a fire line with hand tools   |                  |          |                  |          |
| j. Maintains integrity of established fire lines (if required)                              |                  |          |                  |          |
| k. Suppresses ground cover fires using water  |                  |          |                  |          |
| l. Extinguishes fire  |                  |          |                  |          |
| m. Mops up hot spots  |                  |          |                  |          |
| n. Retreats quickly if warranted  |                  |          |                  |          |
| o. Completes assignment   |                  |          |                  |          |
| p. Maintains situational awareness during skill   |                  |          |                  |          |
| q. Performs the skill in a safe and proficient manner                                       |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

# TEXAS COMMISSION ON FIRE PROTECTION

## INSTRUCTIONAL SKILLS

### Basic Structural Fire Suppression

#### LIVE FIRE FFII-1

##### Ignitable Liquid Fire

**Subject: Fireground Operations**

**NFPA 1001 5.3.1**

#### REFERENCE

Extinguish an ignitable liquid fire, operating as a member of a team, given an assignment, an attack line, personal protective equipment, a foam proportioning device, a nozzle, foam concentrates and a water supply, so that the correct type of foam concentrate is selected for the given fuel and conditions, a properly proportioned foam stream is applied to the surface of the fuel to create and maintain a foam blanket, fire is extinguished, reignition is prevented, team protection is maintained with a foam stream, and the hazard is faced until retreat to safe haven is reached. (5.3.1)

#### OBJECTIVE

The firefighter trainee, operating as a member of a team, shall extinguish an ignitable liquid fire.

#### INSTRUCTIONS - procedures for achieving the objective

Operating as a member of a team, you will demonstrate the proper technique for extinguishing an ignitable liquid fire. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

#### INSTRUCTOR NOTE

102-A.5.3.1 The Fire Fighter II should be able to accomplish this task with each type of foam concentrate used by the jurisdiction. This could include the use of both Class A and B foam concentrates on appropriate fires. When using Class B foams to attack flammable or combustible liquid fires, the Fire Fighter II should extinguish a fire of at least 100 ft<sup>2</sup> (9 m<sup>2</sup>). The Fire Fighter II is not expected to calculate application rates and densities. The intent of this JPR can be met in training through the use of training foam concentrates or gas-fired training props.

#### PREPARATION & EQUIPMENT

Pumper apparatus with attack hose and nozzles for two lines

Firefighting foam and foam equipment

Ignitable liquid fire (must comply with NFPA 1403)

PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LIVE FIRE FFII-1**

Ignitable Liquid Fire

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
|  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
| <b>LIVE FIRE FFII-2</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee, operating as a member of a team, shall extinguish an ignitable liquid fire. |                  |          |                  |          |
| a. Maintains team integrity  |                  |          |                  |          |
| b. Performs a size-up to identify fuel type and safety hazards                                       |                  |          |                  |          |
| c. Verifies foam type and concentration are appropriate for fuel and fire conditions                 |                  |          |                  |          |
| d. Prepares a foam concentrate supply for use  |                  |          |                  |          |
| e. Ensures the amount of foam concentrate available is adequate for complete fire extinguishment     |                  |          |                  |          |
| f. Deploys 1½" or 1¾" attack hose  |                  |          |                  |          |
| g. Assembles foam stream components  |                  |          |                  |          |
| h. Checks flow, pattern, and bleeds air from hose  |                  |          |                  |          |
| i. Verifies foam production from nozzle  |                  |          |                  |          |
| j. Advances hose for fire attack   |                  |          |                  |          |
| k. Approaches fire as part of a coordinated team   |                  |          |                  |          |
| l. Uses effective foam application techniques  |                  |          |                  |          |
| m. Extinguishes fire   |                  |          |                  |          |
| n. Prevents water hammer when shutting down nozzle   |                  |          |                  |          |
| o. Retreats from fire as part of a coordinated team  |                  |          |                  |          |
| p. Maintains situational awareness during skill  |                  |          |                  |          |
| q. Performs skill in a safe and proficient manner  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---



---

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LIVE FIRE FFII-2**

**Flammable Gas Cylinder Fire**

**Subject: Fireground Operations**

**NFPA 1001 5.3.3**

**REFERENCE**

Control a flammable gas cylinder fire, operating as a member of a team, given an assignment, a cylinder outside of a structure, an attack line, personal protective equipment, and tools, so that crew integrity is maintained, contents are identified, safe havens are identified prior to advancing, open valves are closed, flames are not extinguished unless the leaking gas is eliminated, the cylinder is cooled, cylinder integrity is evaluated, hazardous conditions are recognized and acted upon, and the cylinder is faced during approach and retreat. (5.3.3)

**OBJECTIVE**

The firefighter trainee, operating as a member of a team, shall extinguish a flammable gas cylinder fire.

**INSTRUCTIONS - procedures for achieving the objective**

Operating as a member of a team, you will demonstrate the proper technique for extinguishing a simulated fire involving a flammable gas cylinder. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**EXAMINERS NOTE**

This skill may be performed as a simulation.

102-A.5.3.3 Controlling flammable gas cylinder fires can be a very dangerous operation. The Fire Fighter II should act as a team member, under the direct supervision of an officer, during these operations.

**PREPARATION & EQUIPMENT**

Pumper apparatus

Attack hose and nozzles for two lines

Flammable gas cylinder (may be simulated)

PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LIVE FIRE FFII-2**

Flammable Gas Cylinder Fire

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
|   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| <b>LIVE FIRE FFII-2</b>   |                  |          |                  |          |
| The firefighter trainee, operating as a member of a team, shall extinguish a flammable gas cylinder fire. |                  |          |                  |          |
| a. Maintains team integrity   |                  |          |                  |          |
| b. Performs a size-up to identify fuel type, a safe haven and safety hazards                              |                  |          |                  |          |
| c. Verbally states that cylinder integrity and changing cylinder conditions are assessed as needed        |                  |          |                  |          |
| d. Deploys 1½" or 1¾" attack hose   |                  |          |                  |          |
| e. Checks flow, pattern, and bleeds air from hose   |                  |          |                  |          |
| f. Facing cylinder, approaches fire as part of a coordinated team   |                  |          |                  |          |
| g. Advances hose for fire attack  |                  |          |                  |          |
| h. Applies water to cool the cylinder   |                  |          |                  |          |
| i. Applies water to isolate control valve   |                  |          |                  |          |
| j. Chooses effective procedures if conditions change  |                  |          |                  |          |
| k. Does not extinguish the fire with water application  |                  |          |                  |          |
| l. Closes control valve   |                  |          |                  |          |
| m. Allows flame to burn out   |                  |          |                  |          |
| n. Facing cylinder, retreats from fire as part of a coordinated team                                      |                  |          |                  |          |
| o. Prevents water hammer when shutting down nozzle  |                  |          |                  |          |
| p. Maintains situational awareness during skill   |                  |          |                  |          |
| q. Performs skill in a safe and proficient manner   |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

\_\_\_\_\_

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

# TEXAS COMMISSION ON FIRE PROTECTION

## INSTRUCTIONAL SKILLS

### Basic Structural Fire Suppression

#### LIVE FIRE FFII-3

Coordinate an Interior Attack

**Subject: Fireground Operations**

**NFPA 1001 5.3.2**

#### REFERENCE

Coordinate an interior attack line for team's accomplishment of an assignment in a structure fire, given attack lines, personnel, personal protective equipment, and tools, so that crew integrity is established; attack techniques are selected for the given level of the fire (for example, attic, grade level, upper levels or basement); attack techniques are communicated to the attack team; constant team coordination is maintained; fire growth and development is continuously evaluated; search, rescue, and ventilation requirements are communicated or managed; hazards are reported to the attack team; and incident command is apprised of changing conditions. (5.3.2)

#### OBJECTIVE

The firefighter trainee, operating as a member of a team, shall coordinate an attack on an interior structure fire.

#### INSTRUCTIONS - procedures for achieving the objective

Operating as a member of a team, you will demonstrate the proper technique for coordinating an interior attack on a structure fire. You shall communicate attack techniques, fire growth and development, search, rescue and ventilation requirements, and report hazards to incident command. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

#### INSTRUCTOR NOTE

(A.5.3.2) The fire fighter II should be able to coordinate the actions of the interior attack line team at common residential fires and small business fires in the department's district. Complex or large interior fire management should be left to officers: however, this JPR will facilitate the development of the fire fighter II towards effectively handling specific assignments within large fires.

#### PREPARATION & EQUIPMENT

Pumper apparatus

Attack hose and nozzles for two lines

Multiple story structure or burn facility suitable for interior fire attack

Material for burning (must comply with NFPA 1403)

All needed support equipment and personnel for the scenario

PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**LIVE FIRE FFII-3**

Coordinate an Interior Attack

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
|   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| <b>LIVE FIRE FFII-3</b>   |                  |          |                  |          |
| The firefighter trainee, operating as a member of a team, shall coordinate an attack on an interior structure fire. |                  |          |                  |          |
| a. Assembles team   |                  |          |                  |          |
| b. Performs a size-up to identify safety hazards  |                  |          |                  |          |
| c. Identifies developing hazardous building or fire conditions  |                  |          |                  |          |
| d. Evaluates and forecasts fire growth and development  |                  |          |                  |          |
| e. Chooses proper attack techniques based on level of fire (attic, grade level, upper levels or basement)           |                  |          |                  |          |
| f. Communicates identified hazards and attack techniques to team members  |                  |          |                  |          |
| g. Deploys attack hose(s)   |                  |          |                  |          |
| h. Selects forcible entry tools   |                  |          |                  |          |
| i. Gains access into the fire area  |                  |          |                  |          |
| j. Incorporates ventilation procedures in coordination with fire attack   |                  |          |                  |          |
| k. Advances hose for fire attack  |                  |          |                  |          |
| l. Extinguishes fire  |                  |          |                  |          |
| m. Performs a search in the immediate fire area   |                  |          |                  |          |
| n. Provides CAN (conditions, actions, needs) reports to the Incident Commander during skill                         |                  |          |                  |          |
| o. Maintains team integrity and coordination during skill   |                  |          |                  |          |
| p. Maintains situational awareness during skill   |                  |          |                  |          |
| q. Performs skill in a safe and proficient manner   |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**Comments:**

---

---

---

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**MAINTENANCE FFII-1**

**Power Equipment Maintenance**

**Subject: Fire and Life Safety Initiatives, Preparedness, and Maintenance**

**NFPA 1001 5.5.4**

**REFERENCE**

Maintain power plants, power tools, and lighting equipment, given tools and manufacturers' instructions, so that equipment is clean and maintained according to manufacturer and departmental guidelines, maintenance is recorded and equipment is placed in a ready state or reported otherwise. (5.5.4)

**OBJECTIVE**

The firefighter trainee shall maintain power plants, power tools, and lighting equipment.

**INSTRUCTIONS - procedures for achieving the objective**

Given a power plant, electrical cords, and lighting equipment, you will demonstrate and verbalize when the proper procedures are necessary for servicing and maintaining a power plant and lighting equipment. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**SAFETY NOTE**

The instructor shall stop the firefighter trainee if any safety hazard exists.

**PREPARATION & EQUIPMENT**

Power plant

Electrical cords

Lighting equipment

Gloves

Cloth

PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**MAINTENANCE FFII-1**

Power Equipment Maintenance

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
|   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| <b>MAINTENANCE FFII-1</b>   |                  |          |                  |          |
| The firefighter trainee shall maintain power plants, power tools, and lighting equipment. |                  |          |                  |          |
| a. Reviews manufacturer's service manual  |                  |          |                  |          |
| b. Dons appropriate PPE   |                  |          |                  |          |
| c. Inspects for wear and tear on the equipment  |                  |          |                  |          |
| d. Checks all fluid levels and refills as needed  |                  |          |                  |          |
| e. Checks for leaks   |                  |          |                  |          |
| f. Ensures all safety devices are in place  |                  |          |                  |          |
| g. Removes all debris   |                  |          |                  |          |
| h. Cleans and dries   |                  |          |                  |          |
| i. Operates equipment   |                  |          |                  |          |
| j. Ensures equipment functions properly   |                  |          |                  |          |
| k. Returns equipment to a ready state   |                  |          |                  |          |
| l. Documents maintenance per AHJ  |                  |          |                  |          |
| m. Performs skill in a safe and proficient manner   |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

# TEXAS COMMISSION ON FIRE PROTECTION

## INSTRUCTIONAL SKILLS

### Basic Structural Fire Suppression

#### OVERHAUL FFI-1

##### Exposure of Hidden Fires

**Subject: Fireground Operations**

**NFPA 1001 4.3.13**

#### REFERENCE

Overhaul a fire scene, given personal protective equipment, attack line, hand tools, a flashlight, and an assignment, so that structural integrity is not compromised, all hidden fires are discovered, fire cause evidence is preserved, and the fire is extinguished. (4.3.13)

#### OBJECTIVE

The firefighter trainee shall overhaul a fire scene and preserve fire cause evidence.

#### INSTRUCTIONS - procedures for achieving the objective

You will overhaul a fire scene, given personal protective equipment, attack line, hand tools, a flashlight, and an assignment, so that structural integrity is not compromised, all hidden fires are discovered, fire cause evidence is preserved, and the fire is extinguished. You will begin on my instruction to start. The skill will end when you state to me that you have completed all of the identified steps. Do you understand these instructions?

#### PREPARATION & EQUIPMENT

Attack line

Hand tools

A flashlight

Thermal imaging device

PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**OVERHAUL FFI-1**

Exposure of Hidden Fires

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
|   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| <b>OVERHAUL FFI-1</b>   |                  |          |                  |          |
| The firefighter trainee shall overhaul a fire scene and preserve fire cause evidence.                             |                  |          |                  |          |
| a. Deploys and operates an attack line that is most effective for overhaul  |                  |          |                  |          |
| b. Observes fire area to observe smoking or smoldering material   |                  |          |                  |          |
| c. Detects hot spots; uses thermal imaging device if available  |                  |          |                  |          |
| d. Removes flooring, ceiling, and wall components to expose void spaces without compromising structural integrity |                  |          |                  |          |
| e. Exposes and extinguishes hidden fires in walls, ceilings, and subfloor spaces                                  |                  |          |                  |          |
| f. Applies water for maximum effectiveness and limits water damage as much as possible                            |                  |          |                  |          |
| g. Minimizes damage when possible   |                  |          |                  |          |
| h. Recognizes and preserves fire cause evidence   |                  |          |                  |          |
| i. Evaluates for complete extinguishment  |                  |          |                  |          |
| j. Performs skill in a safe and proficient manner, per AHJ  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---



---



---



---

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**  
**INSTRUCTIONAL SKILLS**  
**Basic Structural Fire Suppression**

---

---

Instructor's Signature

---

Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**OVERHAUL FFII-1**

Protecting Evidence of Fire Cause and Origin

**Subject: Fireground Operations**

**NFPA 1001 5.3.4**

**REFERENCE**

Protect evidence of fire cause and origin, given a flashlight and overhaul tools, so that the evidence is noted and protected from further disturbance until investigators can arrive on the scene. (5.3.4)

**OBJECTIVE**

The firefighter trainee shall protect evidence of fire cause and origin.

**INSTRUCTIONS - procedures for achieving the objective**

You will identify the area of origin of a fire, recognize possible causes and protect potential evidence. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**INSTRUCTOR NOTE**

The examiner shall provide suitable evidence of area of origin.

NFPA 1001, A.5.3.4 - The Fire Fighter II should be able to recognize important evidence as to a fire's cause and maintain the evidence so that further testing can be done without contamination or chain-of-custody problems. Evidence should be left in place (when possible; otherwise, chain of custody must be established), not altered by improper handling, walking, and so forth, and not destroyed. Possible means to protect evidence is to avoid touching, protect with salvage covers during overhaul, or rope off the area where the evidence lies. The Fire Fighter II is not intended to be highly proficient at origin and cause determination.

**PREPARATION & EQUIPMENT**

Various overhaul tools  
Flashlight  
Evidence of fire origin  
Equipment for noting and protecting evidence  
PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**OVERHAUL FFII-1**

Protecting Evidence of Fire Cause and Origin

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
|   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| <b>OVERHAUL FFII-1</b>  |                  |          |                  |          |
| The firefighter trainee shall protect evidence of fire cause and origin.                  |                  |          |                  |          |
| a. Selects appropriate overhaul tools   |                  |          |                  |          |
| b. Locates the fire's origin area   |                  |          |                  |          |
| c. Covers with a salvage cover or some type of protection                                 |                  |          |                  |          |
| d. Uses barrier tape to keep others from accidentally walking through                     |                  |          |                  |          |
| e. Avoids touching or disturbing evidence   |                  |          |                  |          |
| f. Avoids excessive water usage   |                  |          |                  |          |
| g. If necessary, to move evidence, document location and initiate chain of custody record |                  |          |                  |          |
| h. Recognizes possible causes   |                  |          |                  |          |
| i. Performs skill in a safe and proficient manner, per AHJ                                |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

# TEXAS COMMISSION ON FIRE PROTECTION

## INSTRUCTIONAL SKILLS

### Basic Structural Fire Suppression

#### PPE FFI-1

##### Inspection of PPE

**Subject: General**

**NFPA 1001 4.1.2**

#### REFERENCE

Don personal protective clothing, doff personal protective clothing and prepare for reuse, hoist tools and equipment using ropes and the correct knot, and locate information in departmental documents and standards or code material. (4.1.2)

#### OBJECTIVE

The firefighter trainee shall inspect personal protective clothing and recommend cleaning, repair, or replacement as needed.

#### INSTRUCTIONS - procedures for achieving the objective

You will be given a complete set of personal protective equipment. You shall perform an inspection of the personal protective clothing in a proficient manner. You will recommend cleaning, repair or replacement based on Standard Operating Procedures. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

#### PREPARATION & EQUIPMENT

Helmet  
Turnout coat  
Turnout pants  
Boots  
Gloves  
Protective hood

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**PPE FFI-1**

Inspection of PPE

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
|  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
| <b>PPE FFI-1</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall inspect personal protective clothing and recommend cleaning, repair, or replacement as needed. |                  |          |                  |          |
| <b>Clothing – Coat and Pants</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Checks label for conformance with standard and care instructions  |                  |          |                  |          |
| b. Checks to ensure buckles and snaps function properly  |                  |          |                  |          |
| c. Checks to ensure that all liners are secure and in place  |                  |          |                  |          |
| d. Inspects Drag Rescue Device (DRD) (if applicable)   |                  |          |                  |          |
| e. Checks for tears  |                  |          |                  |          |
| f. Checks for worn areas   |                  |          |                  |          |
| g. Checks for cleanliness  |                  |          |                  |          |
| h. Checks wristlets  |                  |          |                  |          |
| i. Checks reflective trim  |                  |          |                  |          |
| j. Checks suspenders (if applicable)   |                  |          |                  |          |
| k. <i>Verbally states whether clothing should be repaired, cleaned, or replaced based on Standard Operating Procedure</i>    |                  |          |                  |          |
| <b>Helmet</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Checks label for conformance with standard and care instructions  |                  |          |                  |          |
| b. Checks shell for excessive wear or damage   |                  |          |                  |          |
| c. Checks components of impact system  |                  |          |                  |          |
| d. Checks chin strap for excessive wear or damage  |                  |          |                  |          |
| e. Checks eye protection for excessive wear or damage  |                  |          |                  |          |
| f. Checks ear flaps for excessive wear or damage   |                  |          |                  |          |
| g. <i>Verbally states whether helmet should be repaired, cleaned, or replaced based on Standard Operating Procedure</i>      |                  |          |                  |          |
| <b>Gloves</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Checks label for conformance with standard and care   |                  |          |                  |          |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

|  |          |          |          |          |
|--|----------|----------|----------|----------|
| instructions   |          |          |          |          |
| b. Checks for excessive wear or damage   |          |          |          |          |
| c. Checks for flexibility and fit based on agency SOPs   |          |          |          |          |
| d. <i>Verbally states whether gloves should be cleaned or replaced based on Standard Operating Procedure</i> |          |          |          |          |
| <b>Hood</b>  | <b>S</b> | <b>U</b> | <b>S</b> | <b>U</b> |
| a. Checks label for conformance with standard and care instructions  |          |          |          |          |
| b. Checks for excessive wear or damage   |          |          |          |          |
| c. Checks for proper fit based on agency SOPs  |          |          |          |          |
| d. <i>Verbally states whether hood should be cleaned or replaced based on Standard Operating Procedure</i>   |          |          |          |          |
| <b>Boots</b>   | <b>S</b> | <b>U</b> | <b>S</b> | <b>U</b> |
| a. Checks label for conformance with standard and care instructions  |          |          |          |          |
| b. Checks for excessive wear or damage   |          |          |          |          |
| c. Checks for cleanliness based on agency SOPs   |          |          |          |          |
| d. Checks for proper fit based on agency SOPs  |          |          |          |          |
| e. <i>Verbally states whether boots should be cleaned or replaced based on Standard Operating Procedure</i>  |          |          |          |          |
| <b>Inspection Frequency</b>  | <b>S</b> | <b>U</b> | <b>S</b> | <b>U</b> |
| a. Verbally states when inspections should be performed  |          |          |          |          |
| b. Performs skill in a safe and proficient manner, per AHJ   |          |          |          |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**PPE FFI-2**

Donning and Doffing of PPE

**Subject: General**

**NFPA 1001 4.1.2**

**REFERENCE**

The ability to don personal protective clothing, doff personal protective clothing and prepare for reuse, hoist tools and equipment using ropes and the correct knot, and locate information in departmental documents and standards or code material. (4.1.2)

**OBJECTIVE**

The firefighter trainee shall don personal protective clothing, doff personal protective clothing, and prepare for reuse.

**INSTRUCTIONS - procedures for achieving the objective**

You will be given a complete set of protective clothing (turnout coat, turnout pants, hood, gloves, helmet, and boots). You will be required to properly don the protective clothing. After you have donned the clothing, reverse the procedure to doff and place in ready state. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Turnout coat  
Turnout pants  
Hood  
Helmet  
Gloves  
Boots

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**PPE FFI-2**

Donning and Doffing of PPE

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
|   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
| <b>PPE FFI-2</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall don personal protective clothing, doff personal protective clothing, and prepare for reuse. |                  |          |                  |          |
| <b>Turnout pants and boots</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Removes safety shoes   |                  |          |                  |          |
| b. Steps into turnout pants and boots one foot at a time  |                  |          |                  |          |
| c. Pulls pants up by waistband (not suspenders)   |                  |          |                  |          |
| d. Adjusts suspenders (if applicable)   |                  |          |                  |          |
| e. Fastens all snaps and buckles and secures Velcro (if present)  |                  |          |                  |          |
| <b>Turnout coat and protective hood</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Dons protective hood properly  |                  |          |                  |          |
| b. Dons turnout coat  |                  |          |                  |          |
| c. Fastens all snaps and buckles and secures Velcro (if present)  |                  |          |                  |          |
| d. Turns up collar  |                  |          |                  |          |
| <b>Helmet and gloves</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Dons helmet with earflaps down (adjusts chinstrap)   |                  |          |                  |          |
| b. Dons gloves  |                  |          |                  |          |
| <b>Doffing</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Doffs personal protective clothing and place in ready state  |                  |          |                  |          |
| <b>Overall</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Performs skill in a safe and proficient manner, per AHJ  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**Comments:**

---

---

---

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**PREFIRE PLAN FFII-1**

**Prepare a Pre-incident Survey**

**Subject: Fire and Life Safety Initiatives, Preparedness, and Maintenance**

**NFPA 1001 5.5.3**

**REFERENCE**

Prepare a pre-incident survey, given forms, necessary tools, and an assignment, so that all required occupancy information is recorded, items of concern are noted, and accurate sketches or diagrams are prepared. (5.5.3)

**OBJECTIVE**

The firefighter trainee shall prepare a pre-incident survey.

**INSTRUCTIONS - procedures for achieving the objective**

You will prepare a pre-incident survey, given forms, necessary tools, and an assignment, so that all required occupancy information is recorded, items of concern are noted, and accurate sketches or diagrams are prepared. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Building to prefire plan

Instrument(s) for diagramming sketches

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

PREFIRE PLAN FFII-1

Prepare a Pre-incident Survey

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| INSTRUCTIONAL SKILLS   |           |   |           |   |
|--|-----------|---|-----------|---|
| PREFIRE PLAN FFII-1  | ATTEMPT 1 |   | ATTEMPT 2 |   |
|  | S         | U | S         | U |
| The firefighter trainee shall prepare a pre-incident survey.                 |           |   |           |   |
| a. Schedules survey in advance   |           |   |           |   |
| b. Contacts responsible person   |           |   |           |   |
| c. Obtains information necessary to complete preincident survey form per AHJ |           |   |           |   |
| d. Identifies the components and locations of fire protection systems        |           |   |           |   |
| e. Completes the preincident survey form including sketches and/or photos    |           |   |           |   |
| f. Files the preincident survey form   |           |   |           |   |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

Comments:

---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**REPORTS FFII-1**

Complete an Incident Report Form

**Subject: Fire Department Communications**

**NFPA 1001 5.2.1**

**REFERENCE**

Complete a basic incident report, given the report forms, guidelines, and information, so that all pertinent information is recorded, the information is accurate, and the report is complete. (5.2.1)

**OBJECTIVE**

The firefighter trainee shall complete a basic incident report.

**INSTRUCTIONS - procedures for achieving the objective**

You will complete a basic incident report given information from a fire incident. You will be required to complete and proof the report using the provided information. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Blank report forms or activity sheets  
Scenarios of different types of fire incidents  
PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**REPORTS FFII-1**

Complete an Incident Report Form

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
| <b>INCIDENT REPORT FORM FFII-1</b>   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall complete a basic incident report.                        |                  |          |                  |          |
| a. Gathers incident information  |                  |          |                  |          |
| b. Determines necessary codes  |                  |          |                  |          |
| c. Correctly records information in report   |                  |          |                  |          |
| d. Proofs reports (checks spelling)  |                  |          |                  |          |
| e. Operates fire department computers or other equipment necessary to complete reports |                  |          |                  |          |
| f. Indicates report writer's name on report  |                  |          |                  |          |
| g. Files or forwards as appropriate  |                  |          |                  |          |
| h. Backs up report as needed   |                  |          |                  |          |
| i. Performs skill in a safe and proficient manner, per AHJ                             |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

# TEXAS COMMISSION ON FIRE PROTECTION

## INSTRUCTIONAL SKILLS

### Basic Structural Fire Suppression

#### RESCUE FFII-1

##### Manage Vehicle Extrication Hazards

**Subject: Rescue Operations**

**NFPA 1001 5.4.1**

#### REFERENCE

Extricate a victim entrapped in a motor vehicle as part of a team, given stabilization and extrication tools, so that the vehicle is stabilized, the victim disentangled without further injury, and hazards are managed. (5.4.1)

#### OBJECTIVE

The firefighter trainee, operating as part of a team, shall manage the hazards found on a vehicle extrication scene.

#### INSTRUCTIONS - procedures for achieving the objective

Operating as a team, you will demonstrate the following technique for extricating a victim entrapped in a motor vehicle; managing vehicle extrication hazards. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

#### INSTRUCTOR NOTE

NFPA 1001 A.5.4.1 In the context of this standard, the term *extricate* refers to those activities required to allow emergency medical personnel access to the victim, stabilization of the vehicle, the displacement or removal of vehicle components obstructing victim removal, and the protection of the victim and response personnel from hazards associated with motor vehicle accidents and the use of hand and power tools on a motor vehicle.

#### PREPARATION & EQUIPMENT

Vehicle for extrication evolution

Hazards - battery, spilled fluid, leaks, etc. (may be simulated)

PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**RESCUE FFII-1**

Manage Vehicle Extrication Hazards

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
| <b>RESCUE FFII-1</b>   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee, operating as part of a team, shall manage the hazards found on a vehicle extrication scene. |                  |          |                  |          |
| a. Maintains team integrity  |                  |          |                  |          |
| b. Performs a size-up to identify safety hazards   |                  |          |                  |          |
| c. Determines the need for additional resources  |                  |          |                  |          |
| d. Identifies and controls traffic hazards   |                  |          |                  |          |
| e. Deploys 1½" or 1¾" hose for protection  |                  |          |                  |          |
| f. Identifies vehicle fuel type  |                  |          |                  |          |
| g. Chocks wheels to prevent vehicle movement   |                  |          |                  |          |
| h. Identifies air bag locations  |                  |          |                  |          |
| i. Ensures vehicle's gear selector is in "PARK" if possible  |                  |          |                  |          |
| j. Ensures vehicle ignition is turned off, if possible   |                  |          |                  |          |
| k. Disconnects battery, if possible  |                  |          |                  |          |
| l. Identifies other possible power sources (phone chargers, second battery, etc.)                                    |                  |          |                  |          |
| m. Identifies leaks and, if possible, controls leaks   |                  |          |                  |          |
| n. Manages spilled fluids creating extrication hazard  |                  |          |                  |          |
| o. Communicates identified hazards to team members   |                  |          |                  |          |
| p. Maintains situational awareness during skill  |                  |          |                  |          |
| q. Performs skill in a safe and proficient manner  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---



---



---

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

# TEXAS COMMISSION ON FIRE PROTECTION

## INSTRUCTIONAL SKILLS

### Basic Structural Fire Suppression

#### RESCUE FFII-2

##### Stabilize a Vehicle

**Subject: Rescue Operations**

**NFPA 1001 5.4.1**

#### REFERENCE

Extricate a victim entrapped in a motor vehicle as part of a team, given stabilization and extrication tools, so that the vehicle is stabilized, the victim disentangled without further injury, and hazards are managed. (5.4.1)

#### OBJECTIVE

The firefighter trainee, operating as a member of a team, shall stabilize the vehicle at a vehicle extrication scene.

#### INSTRUCTIONS - procedures for achieving the objective

Operating as a team, you will demonstrate the following technique for extricating a victim entrapped in a motor vehicle: vehicle stabilization. The extrication hazards have already been managed. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

#### INSTRUCTOR NOTE

NFPA 1001, A.5.4.1 – In the context of this standard, the term *extricate* refers to those activities required to allow emergency medical personnel access to the victim, stabilization of the vehicle, the displacement or removal of vehicle components obstructing victim removal, and the protection of the victim and response personnel from hazards associated with motor vehicle accidents and the use of hand and power tools on a motor vehicle.

#### PREPARATION & EQUIPMENT

Cribbing and shoring materials  
Vehicle for extrication evolution  
PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**RESCUE FFII-2**

Stabilize a Vehicle

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
| <b>RESCUE FFII-2</b>  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee, operating as a member of a team, shall stabilize the vehicle at a vehicle extrication scene. |                  |          |                  |          |
| a. Maintains team integrity   |                  |          |                  |          |
| b. Performs a size-up and determines need for stabilization   |                  |          |                  |          |
| c. Evaluates vehicle's orientation and condition  |                  |          |                  |          |
| d. Chocks wheels to prevent wheel movement  |                  |          |                  |          |
| e. Identifies support locations under vehicle   |                  |          |                  |          |
| f. Positions cribbing under support location  |                  |          |                  |          |
| g. Builds layers of cribbing, as needed   |                  |          |                  |          |
| h. Uses wedges or shims, as needed  |                  |          |                  |          |
| i. Deflates vehicle tires, if appropriate   |                  |          |                  |          |
| j. Stabilizes vehicle with four points of ground contact  |                  |          |                  |          |
| k. Evaluates and maintains cribbing integrity   |                  |          |                  |          |
| l. Maintains situational awareness during skill   |                  |          |                  |          |
| m. Performs skill in a safe and proficient manner   |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

# TEXAS COMMISSION ON FIRE PROTECTION

## INSTRUCTIONAL SKILLS

### Basic Structural Fire Suppression

#### RESCUE FFII-3

##### Disentangle a Victim

**Subject: Rescue Operations**

**NFPA 1001 5.4.1**

#### REFERENCE

Extricate a victim entrapped in a motor vehicle as part of a team, given stabilization and extrication tools, so that the vehicle is stabilized, the victim disentangled without further injury, and hazards are managed. (5.4.1)

#### OBJECTIVE

The firefighter trainee, operating as a member of a team, shall extricate a victim entrapped in a motor vehicle.

#### INSTRUCTIONS - procedures for achieving the objective

Operating as a team, you will demonstrate the following technique for extricating a victim entrapped in a motor vehicle; victim disentanglement. The extrication hazards have already been managed and the vehicle is stabilized. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

#### INSTRUCTOR NOTE

NFPA 1001, A.5.4.1 – In the context of this standard, the term *extricate* refers to those activities required to allow emergency medical personnel access to the victim, stabilization of the vehicle, the displacement or removal of vehicle components obstructing victim removal, and the protection of the victim and response personnel from hazards associated with motor vehicle accidents and the use of hand and power tools on a motor vehicle.

#### PREPARATION & EQUIPMENT

Cribbing and shoring materials

Hydraulic devices

Pneumatic devices

Ratchet devices

Vehicle for extrication evolution

PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**RESCUE FFII-3**

Disentangle a Victim

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
| <b>RESCUE FFII-3</b>  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| Extricate a victim entrapped in a motor vehicle as part of a team, given stabilization and extrication tools, so that the vehicle is stabilized, the victim disentangled without further injury, and hazards are managed. |                  |          |                  |          |
| a. Maintains team integrity   |                  |          |                  |          |
| b. Initiates patient contact  |                  |          |                  |          |
| c. Protects patient, as needed  |                  |          |                  |          |
| d. Determines appropriate extrication technique for disentanglement   |                  |          |                  |          |
| e. Selects correct tool(s) for extrication technique  |                  |          |                  |          |
| f. Removes vehicle window(s), windshield, fender(s), roof, door(s), pillar(s), places relief cuts or displaces the dashboard, as needed to disentangle victim   |                  |          |                  |          |
| g. Operates hand and power tool(s), as designed   |                  |          |                  |          |
| h. Performs proper extrication technique without further injury to the patient  |                  |          |                  |          |
| i. Maintains situational awareness during skill   |                  |          |                  |          |
| j. Performs skill in a safe and proficient manner   |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---



---



---



---

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

---

---

Instructor's Signature

---

Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**RESCUE FFII-4**

Assist Rescue Operations Teams

**Subject: Rescue Operations**

**NFPA 1001 5.4.2**

**REFERENCE**

Assist rescue operation teams, given standard operating procedures, necessary rescue equipment, and an assignment, so that procedures are followed, rescue items are recognized and retrieved in the time as prescribed by the AHJ, and the assignment is completed. (5.4.2)

**OBJECTIVE**

The firefighter trainee shall assist rescue operation teams by recognizing and retrieving rescue items.

**INSTRUCTIONS - procedures for achieving the objective**

You will assist a rescue operation team, following standard operating procedures (SOP), by retrieving necessary rescue equipment. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**INSTRUCTOR NOTE**

NFPA 1001, A.5.4.2 – The Fire Fighter II is not expected to be proficient in technical rescue skills. The Fire Fighter II should be able to help technical rescue teams in their efforts to safely manage structural collapses, trench collapses, cave and tunnel emergencies, water and ice emergencies, elevator and escalator emergencies, energized electrical line emergencies, and industrial accidents.

**PREPARATION & EQUIPMENT**

Department rescue SOPs or recognized safety practices of the AHJ  
Various rescue equipment used by AHJ  
Scenarios based on equipment and SOPs used by AHJ  
PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**RESCUE FFII-4**

Assist Rescue Operations Teams

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
|   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| <b>RESCUE FFII-4</b>  |                  |          |                  |          |
| The firefighter trainee shall assist rescue operation teams by recognizing and retrieving rescue items. |                  |          |                  |          |
| a. Maintains team integrity   |                  |          |                  |          |
| b. Sizes up the scene   |                  |          |                  |          |
| c. Identifies the hazards   |                  |          |                  |          |
| d. Identifies the need for special rescue operations  |                  |          |                  |          |
| e. Establishes public barriers  |                  |          |                  |          |
| f. Initiates patient contact, if possible   |                  |          |                  |          |
| g. Assists rescue teams as a member of the team when assigned   |                  |          |                  |          |
| h. Identifies and retrieves correct types of rescue tools for situation                                 |                  |          |                  |          |
| i. Maintains situational awareness during skill   |                  |          |                  |          |
| j. Performs skill in a safe and proficient manner   |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**ROPES FFI-1**

Rope Inspection and Maintenance

**Subject: Preparedness and Maintenance**

**NFPA 1001 4.5.1**

**REFERENCE**

Clean and check ladders, ventilation equipment, SCBA, ropes, salvage equipment, and hand tools, given cleaning tools, cleaning supplies, and an assignment, so that equipment is clean and maintained according to manufacturer's or departmental guidelines, maintenance is recorded, and equipment is placed in a ready state or reported otherwise. (4.5.1)

**OBJECTIVE**

The firefighter trainee shall inspect fire service rope, identify damage and describe the proper procedures for cleaning and storage.

**INSTRUCTIONS - procedures for achieving the objective**

You shall demonstrate the proper technique of inspecting fire service rope and verbalizing at least five (5) indicators of damage that are characteristic for the type of rope selected. You shall describe the proper cleaning and storage procedures of the selected rope. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

10-25 feet of rope (synthetic/natural)

PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**ROPES FFI-1**

Rope Inspection and Maintenance

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
| <b>ROPES FFI-1</b>   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall inspect fire service rope, identify damage, and describe the proper procedures for cleaning and storage.   |                  |          |                  |          |
| a. Inspects rope for damage and <i>verbalizes at least 5 elements of rope degradation</i> (Elements could include: softness, crusty spots, stiffness, brittleness, nicks, cuts, dirt, mildew, heat sears or discoloration, fuzziness, mushy spots, sheath sliding, lumps and/or depressions) |                  |          |                  |          |
| b. Examines the inner component by twisting the rope or feeling for bunching and thinness  |                  |          |                  |          |
| c. <i>Verbally explains that he/she would tag and remove from service any that does not pass inspection</i>  |                  |          |                  |          |
| d. <i>Verbally explains cleaning procedures</i>  |                  |          |                  |          |
| e. <i>Verbally states that rope needs time to air dry completely</i>   |                  |          |                  |          |
| f. <i>Verbally states an additional inspection is necessary after drying</i>   |                  |          |                  |          |
| g. <i>Verbally states proper storage of rope</i>   |                  |          |                  |          |
| h. Performs skill in a safe and proficient manner, per AHJ   |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**ROPES FFI-2**

Tying a Bowline Knot to Hoist a Smoke Ejector or Chain Saw

**Subject: Fireground Operations**

**NFPA 1001 4.3.20**

**REFERENCE**

Tie a knot appropriate for hoisting tool, given personnel protective equipment, tools, ropes, and assignment, so that the knots used are appropriate for hoisting tools securely and as directed. (4.3.20)

**OBJECTIVE**

The firefighter trainee shall tie a bowline knot with a safety on a smoke ejector and chain saw in preparation for hoisting. The trainee shall also describe five (5) potential elements of rope degradation and identify the working, standing, and running sections of the rope.

**INSTRUCTIONS - procedures for achieving the objective**

You will select the type and length of rope which will be adequate to meet this skill. You will verbalize five (5) potential elements of rope degradation. You shall demonstrate tying a bowline knot with safety on a smoke ejector or chain saw. I will primarily evaluate the finished product for accuracy by comparing the knot to reference materials. You will also verbally identify the working, standing, and running sections of the rope. The skill will begin on my instruction to start. The skill will end when you state you have completed all the steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Adequate length of rope (synthetic/natural)

Smoke ejector

Chain saw

PPE appropriate for the skill.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**ROPES FFI-2**

Tying a Bowline Knot to Hoist a Smoke Ejector or Chain Saw

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
|   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| <b>ROPES FFI-2</b>  |                  |          |                  |          |
| The firefighter trainee shall tie a bowline knot with a safety on a smoke ejector and chain saw in preparation for hoisting. The trainee shall also describe five (5) potential elements of rope degradation and identify the working, standing, and running sections of the rope.          |                  |          |                  |          |
| <b>Smoke Ejector</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Inspects rope for damage and <i>verbalizes at least 5 elements of rope degradation</i> (elements could include softness, crusty spots, stiffness, brittleness, nicks, cuts, dirt, mildew, heat sears or discoloration, fuzziness, mushy spots, sheath sliding, lumps and/or depressions) |                  |          |                  |          |
| b. Correctly measures rope for desired size   |                  |          |                  |          |
| c. Ties bowline on a smoke ejector in preparation for hoisting  |                  |          |                  |          |
| d. Ties safety to loop  |                  |          |                  |          |
| e. <i>Verbally identifies the working, standing, and running sections</i>   |                  |          |                  |          |
| f. Performs skill in a safe and proficient manner, per AHJ  |                  |          |                  |          |
| <b>Chain Saw</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Inspects rope for damage and <i>verbalizes at least 5 elements of rope degradation</i>   |                  |          |                  |          |
| b. Correctly measures rope for desired size   |                  |          |                  |          |
| c. Ties bowline on a chain saw in preparation for hoisting  |                  |          |                  |          |
| d. Ties safety to loop  |                  |          |                  |          |
| e. <i>Verbally identifies the working, standing, and running sections</i>   |                  |          |                  |          |
| f. Performs skill in a safe and proficient manner, per AHJ  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**Comments:**

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**ROPES FFI-3**

Tying a Figure Eight on a Bight, Ends Alike to Hoist a Ladder

**Subject: Fireground Operations**

**NFPA 1001 4.3.20**

**REFERENCE**

Tie a knot appropriate for hoisting tool, given personnel protective equipment, tools, ropes, and assignment, so that the knots used are appropriate for hoisting tools securely and as directed. (4.3.20)

**OBJECTIVE**

The firefighter trainee shall tie a figure eight on a bight in preparation for hoisting a ladder. The trainee shall also describe five (5) potential elements of rope degradation and identify the working, standing, and running sections of the rope.

**INSTRUCTIONS - procedures for achieving the objective**

You will select the type and length of rope which will be adequate to meet this skill. You will verbalize five (5) potential elements of rope degradation. You shall demonstrate tying a figure eight on a bight, with a safety knot, in preparation for hoisting a ladder. You will verbally identify the working, standing, and running sections of the rope. The skill will begin on my instruction to start. The skill will end when you state you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

1 single section of ladder  
An adequate length of rope  
PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**ROPES FFI-3**

Tying a Figure Eight on a Bight, Ends Alike to Hoist a Ladder

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
| <b>ROPES FFI-3</b>  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall tie a figure eight on a bight in preparation for hoisting a ladder. The trainee shall also describe five (5) potential elements of rope degradation and identify the working, standing, and running sections of the rope.                                       |                  |          |                  |          |
| a. Inspects the rope for damage and <i>verbalizes at least 5 elements of rope damage.</i> (Elements could include: softness, crusty spots, stiffness, brittleness, nicks, cuts, dirt, mildew, heat sears or discoloration, fuzziness, mushy spots, sheath sliding, lumps and/or depressions.) |                  |          |                  |          |
| b. Correctly measures the rope for desired size   |                  |          |                  |          |
| c. Ties a figure eight on a bight and applies to a ladder   |                  |          |                  |          |
| d. Ties safety knot to standing part  |                  |          |                  |          |
| e. <i>Verbally identifies the working, standing, and running sections</i>   |                  |          |                  |          |
| f. Performs skill in a safe and proficient manner, per AHJ  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**ROPES FFI-4**

Tying a Clove Hitch to Hoist a Charged and Uncharged Hose Line

**Subject: Fireground Operations**

**NFPA 1001 4.3.20**

**REFERENCE**

Tie a knot appropriate for hoisting tool, given personnel protective equipment, tools, ropes, and assignment, so that the knots used are appropriate for hoisting tools securely and as directed. (4.3.20)

**OBJECTIVE**

The firefighter trainee shall tie a clove hitch and a half hitch to hoist a charged and uncharged hose line. The trainee shall also describe five (5) potential elements of rope degradation and identify the working, standing, and running sections of the rope.

**INSTRUCTIONS - procedures for achieving the objective**

You will select the type and length of rope which will be adequate to meet this skill. You will verbalize five (5) potential elements of rope degradation. You shall demonstrate tying a clove hitch and half hitches on a charged or uncharged hose line. I will primarily evaluate the finished product for accuracy by comparing the knot to reference materials. You will also verbally identify the working, standing, and running sections of the rope. The skill will begin on my instruction to start. The skill will end when you state you have completed the skill. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Adequate length of rope (synthetic/natural)

Charged hose line with nozzle

Uncharged hose line with nozzle

PPE appropriate for the skill.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**ROPES FFI-4**

Using a Clove Hitch to Hoist a Charged and Uncharged Hose Line

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
|  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
| <b>ROPES FFI-4</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall tie a clove hitch and a half hitch to hoist a charged and uncharged hose line. The trainee shall also describe five (5) potential elements of rope degradation and identify the working, standing, and running sections of the rope.                           |                  |          |                  |          |
| <b>Uncharged Hose Line</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Inspects rope for damage and <i>verbalizes at least 5 elements of rope degradation</i> (elements could include softness, crusty spots, stiffness, brittleness, nicks, cuts, dirt, mildew, heat sears or discoloration, fuzziness, mushy spots, sheath sliding, lumps and/or depressions.) |                  |          |                  |          |
| b. Correctly measures rope for desired size  |                  |          |                  |          |
| c. Folds the nozzle end back over the hose line creating a 4'-5' bight   |                  |          |                  |          |
| d. Ties a clove hitch around the tip of the nozzle and hose it is folded against   |                  |          |                  |          |
| e. Ties an overhand safety   |                  |          |                  |          |
| f. Ties a half hitch on the doubled hose about 1' from the loop end  |                  |          |                  |          |
| g. <i>Verbally identifies the working, standing, and running sections</i>  |                  |          |                  |          |
| h. Performs skill in a safe and proficient manner, per AHJ   |                  |          |                  |          |
| <b>Charged Hose Line</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Inspects rope for damage and <i>verbalizes at least 5 elements of rope degradation</i> (elements could include softness, crusty spots, stiffness, brittleness, nicks, cuts, dirt, mildew, heat sears or discoloration, fuzziness, mushy spots, sheath sliding, lumps and/or depressions.) |                  |          |                  |          |
| b. Correctly measures rope for desired size  |                  |          |                  |          |
| c. Ties a clove hitch on the hose about 1' below the nozzle  |                  |          |                  |          |
| d. Ties an overhand safety   |                  |          |                  |          |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

|   |  |  |  |  |
|---|--|--|--|--|
| e. Passes a bight through the bail and around the handle                  |  |  |  |  |
| f. Ties a half hitch around the nozzle tip                                |  |  |  |  |
| g. <i>Verbally identifies the working, standing, and running sections</i> |  |  |  |  |
| h. Performs skill in a safe and proficient manner, per AHJ                |  |  |  |  |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS


Basic Structural Fire Suppression

**ROPES FFI-5**

Tying Clove Hitch to Hoist a Pike Pole or Axe

**Subject: Fireground Operations**

**NFPA 1001 4.3.20**



**REFERENCE**

Tie a knot appropriate for hoisting tool, given personnel protective equipment, tools, ropes, and assignment, so that the knots used are appropriate for hoisting tools securely and as directed. (4.3.20)

**OBJECTIVE**

The firefighter trainee shall tie a clove hitch and a half hitch on a pike pole and axe in preparation for hoisting. The trainee shall also describe five (5) potential elements of rope degradation and identify the working, standing, and running sections of the rope.

**INSTRUCTIONS - procedures for achieving the objective**

You will select the type and length of rope which will be adequate to meet this skill. You will verbalize five (5) potential elements of rope degradation. You shall demonstrate tying a clove hitch and half hitches on a pike pole or axe. I will primarily evaluate the finished product for accuracy by comparing the knot to reference materials. You will also verbally identify the working, standing, and running sections of the rope. The skill will begin on my instruction to start. The skill will end when you state that you have completed the skill. Do you understand these instructions?

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**PREPARATION & EQUIPMENT**

Adequate length of rope (synthetic/natural)

Pike Pole

Axe

PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**ROPES FFI-5**

Tying Clove Hitch to Hoist a Pike Pole or Axe

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
|  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| <b>ROPES FFI-5</b>   |                  |          |                  |          |
| The firefighter trainee shall tie a clove hitch and a half hitch on a pike pole and axe in preparation for hoisting. The trainee shall also describe five (5) potential elements of rope degradation and identify the working, standing, and running sections of the rope.                   |                  |          |                  |          |
| <b>Pike Pole</b>   |                  |          |                  |          |
| a. Inspects rope for damage and <i>verbalizes at least 5 elements of rope degradation</i> (elements could include softness, crusty spots, stiffness, brittleness, nicks, cuts, dirt, mildew, heat sears or discoloration, fuzziness, mushy spots, sheath sliding, lumps and/or depressions.) |                  |          |                  |          |
| b. Correctly measures rope for desired size  |                  |          |                  |          |
| c. Ties a clove hitch on the handle of the pike pole leaving enough excess running end to be used as a tagline   |                  |          |                  |          |
| d. Ties two more half hitches working towards the pike hook  |                  |          |                  |          |
| e. <i>Verbally identifies the working, standing, and running sections</i>  |                  |          |                  |          |
| f. Performs skill in a safe and proficient manner, per AHJ   |                  |          |                  |          |
| <b>Axe</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Inspects rope for damage and <i>verbalizes at least 5 elements of rope degradation</i> (elements could include softness, crusty spots, stiffness, brittleness, nicks, cuts, dirt, mildew, heat sears or discoloration, fuzziness, mushy spots, sheath sliding, lumps and/or depressions.) |                  |          |                  |          |
| b. Correctly measures rope for desired size  |                  |          |                  |          |
| c. Ties a clove hitch on the handle of the axe near the axe head leaving enough excess running end to be used as a tagline   |                  |          |                  |          |
| d. Wraps the rope around the axe head and ties two half hitches working away from the axe head   |                  |          |                  |          |
| e. <i>Verbally identifies the working, standing, and running</i>   |                  |          |                  |          |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

|  |  |  |  |  |
|--|--|--|--|--|
| <i>sections</i>  |  |  |  |  |
| f. Performs skill in a safe and proficient manner, per AHJ |  |  |  |  |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**Search and Rescue FFI-1**

Rescue of a Firefighter with Functioning Respiratory Protection

**Subject: Fireground Operations**

**NFPA 1001 4.3.9**

**REFERENCE**

Conduct a search and rescue in a structure operating as a member of a team, given an assignment, obscured vision conditions, personal protective equipment, a flashlight, forcible entry tools, hose lines, and ladders when necessary, so that ladders are correctly placed when used, all assigned areas are searched, all victims are located and removed, team integrity is maintained, and team members' safety, including respiratory protection, is not compromised. (4.3.9)

**OBJECTIVE**

The firefighter trainee, with a team member, shall rescue a downed firefighter with functioning respiratory protection.

**INSTRUCTIONS -- procedures for achieving the objective**

You and a designated team member shall enter a perceived IDLH atmosphere and conduct search and rescue for a downed firefighter with functioning respiratory protection. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Self-Contained Breathing Apparatus  
PPE appropriate for the skill

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

Search and Rescue FFI-1

Rescue of Firefighter with Functioning Respiratory Protection

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| INSTRUCTIONAL SKILLS  |           |   |           |   |
|---|-----------|---|-----------|---|
| Search and Rescue FFI-1   | ATTEMPT 1 |   | ATTEMPT 2 |   |
|   | S         | U | S         | U |
| The firefighter trainee, with a team member, shall rescue a downed firefighter with functioning respiratory protection. |           |   |           |   |
| a. Verbalizes that all areas will be assessed to determine tenability   |           |   |           |   |
| b. Searches for downed fire fighter   |           |   |           |   |
| c. Locates downed fire fighter  |           |   |           |   |
| d. Rescues a fire fighter with functioning respiratory protection   |           |   |           |   |
| e. Respiratory protection is not compromised  |           |   |           |   |
| f. Communicates effectively with team member(s)   |           |   |           |   |
| g. Performs skill in a safe and proficient manner, per AHJ  |           |   |           |   |

S = Satisfactorily completed/performed

U = Unsatisfactorily performed/failed to meet objective or grading step

Comments:

---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, Standard for Fire Fighter Professional Qualifications Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SEARCH AND RESCUE FFI-2**

Rescue of a Firefighter with Non-Functioning Respiratory Protection

**Subject: Fireground Operations**

**NFPA 1001 4.3.9**

**REFERENCE**

Conduct a search and rescue in a structure operating as a member of a team, given an assignment, obscured vision conditions, personal protective equipment, a flashlight, forcible entry tools, hose lines, and ladders when necessary, so that ladders are correctly placed when used, all assigned areas are searched, all victims are located and removed, team integrity is maintained, and team members' safety, including respiratory protection, is not compromised. (4.3.9)

**OBJECTIVE**

The firefighter trainee, with a team member, shall rescue a downed firefighter with non-functioning respiratory protection.

**INSTRUCTIONS -- procedures for achieving the objective**

You and a designated team member shall enter a perceived IDLH atmosphere and conduct search and rescue for a downed firefighter with non-functioning respiratory protection. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these Instructions?

**PREPARATION & EQUIPMENT**

Self-Contained Breathing Apparatus  
PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

SEARCH AND RESCUE FFI-2

Rescue of Firefighter with Non-Functioning Respiratory Protection

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| INSTRUCTIONAL SKILLS  |           |   |           |   |
|---|-----------|---|-----------|---|
| SEARCH AND RESCUE FFI-2   | ATTEMPT 1 |   | ATTEMPT 2 |   |
|   | S         | U | S         | U |
| The firefighter trainee, with a team member, shall rescue a downed firefighter with non-functioning respiratory protection. |           |   |           |   |
| a. Verbalizes that all areas will be assessed to determine tenability   |           |   |           |   |
| b. Searches for downed fire fighter   |           |   |           |   |
| c. Locates downed fire fighter  |           |   |           |   |
| d. Rescues a fire fighter with non-functioning respiratory protection   |           |   |           |   |
| e. Communicates effectively with team member(s)   |           |   |           |   |
| f. Performs skill in a safe and proficient manner, per AHJ  |           |   |           |   |

S = Satisfactorily completed/performed

U = Unsatisfactorily performed/failed to meet objective or grading step

Comments:

---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, Standard for Fire Fighter Professional Qualifications Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SEARCH AND RESCUE FFI-3**

Conduct a Primary and Secondary Search

**Subject: Fireground Operations**

**NFPA 1001 4.3.9**

**REFERENCE**

Conduct a search and rescue in a structure operating as a member of a team, given an assignment, obscured vision conditions, personal protective equipment, a flashlight, forcible entry tools, hose lines, and ladders when necessary, so that ladders are correctly placed when used, all assigned areas are searched, all victims are located and removed, team integrity is maintained, and team members' safety, including respiratory protection, is not compromised. (4.3.9)

**OBJECTIVE**

The firefighter trainee and a designated team member shall enter a hostile environment and conduct a primary and secondary search for victim(s).

**INSTRUCTIONS - procedures for achieving the objective**

You and a designated team member shall enter a hostile environment and conduct a primary and secondary search for victim(s), both with and without a rope or hoseline. You will be required to both verbalize key steps and complete mandatory steps while performing this skill. You will begin on my instruction to start. The skill will end when you state to me that you have completed all of the identified steps. Do you understand these instructions?

**INSTRUCTOR NOTE**

The hostile atmosphere may be simulated with smoke or the mask may be blackened out.

**PREPARATION & EQUIPMENT**

1 - 50 ft. section of 1½" or 1¾" fire hose

1 - 50 ft. rope

Various forcible entry hand tools

Various objects to resemble furniture (or actual furniture)

PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SEARCH AND RESCUE FFI-3**

Conduct a Primary and Secondary Search

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILL</b>   |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
|  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
| <b>SEARCH AND RESCUE FFI-3</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee and a designated team member shall enter a hostile environment and conduct a primary and secondary search for victim(s). |                  |          |                  |          |
| <b>With a rope or hose line:</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Feels the door and verbalizes that the door must be checked for heat before entering  |                  |          |                  |          |
| b. Remains on hands or knees   |                  |          |                  |          |
| c. Starts search on outside wall and performs consistent turns (always to right or left)   |                  |          |                  |          |
| d. Completely searches one room before moving on to the next room  |                  |          |                  |          |
| e. Moves and/or searches behind, on, under all furniture   |                  |          |                  |          |
| f. Searches all closets and small crawl spaces   |                  |          |                  |          |
| g. After completing room search, marks door or leaves a sign that room has been searched   |                  |          |                  |          |
| h. Communicates well with partner  |                  |          |                  |          |
| i. Verbalizes that he or she should stop periodically to listen for sounds   |                  |          |                  |          |
| <b>Without a rope or hoseline:</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Feels the door and verbalizes that the door must be checked for heat before entering  |                  |          |                  |          |
| b. Remains on hands or knees   |                  |          |                  |          |
| c. Starts search on outside wall and performs consistent turns (always to right or left)   |                  |          |                  |          |
| d. Completely searches one room before moving on to the next room  |                  |          |                  |          |
| e. Moves and/or searches behind, on, under all furniture   |                  |          |                  |          |
| f. Searches all closets and small crawl spaces   |                  |          |                  |          |
| g. After completing room search, marks door or leaves a sign that room has been searched   |                  |          |                  |          |
| h. Communicates well with partner  |                  |          |                  |          |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

|  |  |  |  |  |
|--|--|--|--|--|
| i. Verbalizes that he or she should stop periodically to listen for sounds |  |  |  |  |
|--|--|--|--|--|

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SEARCH AND RESCUE FFI-4**

Removing Victims from Hazardous Environments

**Subject: Fireground Operations**

**NFPA 1001 4.3.9**

**REFERENCE**

Conduct a search and rescue in a structure operating as a member of a team, given an assignment, obscured vision conditions, personal protective equipment, a flashlight, forcible entry tools, hose lines, and ladders when necessary, so that ladders are correctly placed when used, all assigned areas are searched, all victims are located and removed, team integrity is maintained, and team members' safety, including respiratory protection, is not compromised. (4.3.9)

**OBJECTIVE**

The firefighter trainee shall demonstrate the techniques for removal of an injured person from a hazardous environment.

**INSTRUCTIONS - procedures for achieving the objective**

Given the proper equipment, and wearing full protective clothing, you shall demonstrate each of the carries, drags, and the use of a stretcher using approved procedures for removing an injured person from a hazardous atmosphere. You will begin on my instruction to start. Each skill will end when you have moved the victim 20 feet from the initial site, and you state to me that you have completed all the identified steps. For skills that require more than one-person, extra personnel will be provided. The extra team members cannot discuss or provide any information to the trainee. You will give all directions when the skills require more than one person. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Blanket

Bunker coat

Stretcher or backboard

Individual or rescue mannequin

SCBA, ladders, forcible entry tools, hose lines, flashlight

PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SEARCH AND RESCUE FFI-4**

Removing Victims from Hazardous Environments

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILL</b>  |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
|   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
| <b>SEARCH AND RESCUE FFI-4</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall demonstrate the techniques for removal of an injured person from a hazardous environment. |                  |          |                  |          |
| <b>Carry</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Stands at the patient's head and directs the other rescuer to patient's feet   |                  |          |                  |          |
| b. Slips his/her arms under the victim's arms and around the chest, grasping the wrists                                 |                  |          |                  |          |
| c. Directs the other rescuer to kneel between patient's legs and grasps under the knees                                 |                  |          |                  |          |
| d. Stands with other rescuer and carries the patient a minimum of 20 feet. (Trainee gives commands to stand)            |                  |          |                  |          |
| <b>Drag</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Kneels at the patient's head and grasps the patient's clothing near the shoulders                                    |                  |          |                  |          |
| b. Supports the patient's head between his/her arms   |                  |          |                  |          |
| c. Drags the patient a minimum of 20 feet from the initial site   |                  |          |                  |          |
| <b>Stretcher</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Takes control of patient care and gives clear, concise orders when moving the patient                                |                  |          |                  |          |
| b. Properly moves patient to stretcher  |                  |          |                  |          |
| c. Lifts and directs others to lift with leg muscles only (not bent over)   |                  |          |                  |          |
| d. Carries the patient successfully a minimum of 20 feet  |                  |          |                  |          |
| e. Completes skill in allotted time   |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

# TEXAS COMMISSION ON FIRE PROTECTION

## INSTRUCTIONAL SKILLS

### Basic Structural Fire Suppression

#### SAFETY FFI-1

##### Reporting a Mayday

**Subject: Fire Department Communications**

#### NFPA 1001 4.2.4

#### REFERENCE

Activate an emergency call for assistance, given vision-obscured conditions, PPE, and department SOPs, so that the fire fighter can be located and rescued. (4.2.4)

#### OBJECTIVE

The firefighter trainee shall activate an emergency call for assistance so that the fire fighter can be located and rescued.

#### INSTRUCTIONS - procedures for achieving the objective

Given a hazardous environment in which you are trapped, lost or disoriented, you will demonstrate the technique for reporting a “Mayday” and activating your PASS alarm while wearing full protective clothing and with your vision obscured. The skill will end when you state to me that you have completed all of the identified steps. Do you understand these instructions?

#### PREPARATION & EQUIPMENT

- Fire department radio
- SCBA with PASS alarm
- Department SOPs
- Flashlight
- PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SAFETY FFI-1**

Reporting a Mayday

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
| <b>SAFETY FFI-1</b>  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall activate an emergency call for assistance so that the fire fighter can be located and rescued. |                  |          |                  |          |
| a. Recognizes situation that would necessitate a Mayday call   |                  |          |                  |          |
| b. Remains calm  |                  |          |                  |          |
| c. Follows AHJ radio procedure for reporting a Mayday  |                  |          |                  |          |
| d. Manually activates PASS alarm   |                  |          |                  |          |
| e. Conserves breathing air while waiting for rescue  |                  |          |                  |          |
| f. Evaluates area for hazards  |                  |          |                  |          |
| g. Uses tools to make additional noises for rescuers to follow   |                  |          |                  |          |
| h. Points flashlight toward ceiling if applicable  |                  |          |                  |          |
| i. Performs skill in a safe and proficient manner, per AHJ   |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SAFETY FFI-2**

Following a Hoseline to Safety

**Subject: Fireground Operations**

**NFPA 1001 4.3.5**

**REFERENCE**

Exit a hazardous area as a team, given vision-obscured conditions, so that a safe haven is found before exhausting the air supply, others are not endangered, and the team integrity is maintained. (4.3.5)

**OBJECTIVE**

The firefighter trainee, operating as a team member, shall exit a hazardous area by following a hoseline to a safe haven before exhausting the air supply.

**INSTRUCTIONS - procedures for achieving the objective**

Given a hazardous environment in which your vision is obscured and you are trapped, lost or disoriented, you will follow a hoseline to locate a safe haven while wearing full protective clothing. The skill will end when you state to me that you have completed all of the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Charged hoseline

PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

SAFETY FFI-2

Following a Hoseline to Safety

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| INSTRUCTIONAL SKILLS   |           |   |           |   |
|--|-----------|---|-----------|---|
| SAFETY FFI-2   | ATTEMPT 1 |   | ATTEMPT 2 |   |
|  | S         | U | S         | U |
| The firefighter trainee, operating as a team member, shall exit a hazardous area by following a hoseline to a safe haven before exhausting the air supply. |           |   |           |   |
| a. Remains calm  |           |   |           |   |
| b. Locates hoseline  |           |   |           |   |
| c. Locates a coupling on the hoseline  |           |   |           |   |
| d. Feels coupling to determine direction away from the fire  |           |   |           |   |
| e. Locates a safe haven  |           |   |           |   |
| f. Performs skill in a safe and proficient manner, per AHJ   |           |   |           |   |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

Comments:

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SAFETY FFI-3**

Following a Wall to Safety

**Subject: Fireground Operations**

**NFPA 1001 4.3.5**

**REFERENCE**

Exit a hazardous area as a team, given vision-obscured conditions, so that a safe haven is found before exhausting the air supply, others are not endangered, and the team integrity is maintained. (4.3.5)

**OBJECTIVE**

The firefighter trainee, operating as a team member, shall exit a hazardous area by following a wall to a safe haven before exhausting the air supply.

**INSTRUCTIONS - procedures for achieving the objective**

Given a hazardous environment in which your vision is obscured and you are trapped, lost or disoriented, you will follow a wall to locate a safe haven while wearing full protective clothing. The skill will end when you state to me that you have completed all of the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

SAFETY FFI-3

Following a Wall to Safety

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| INSTRUCTIONAL SKILLS   |           |   |           |   |
|--|-----------|---|-----------|---|
| SAFETY FFI-3   | ATTEMPT 1 |   | ATTEMPT 2 |   |
|  | S         | U | S         | U |
| The firefighter trainee, operating as a team member, shall exit a hazardous area by following a wall to a safe haven before exhausting the air supply. |           |   |           |   |
| a. Remains calm  |           |   |           |   |
| b. Locates wall  |           |   |           |   |
| c. Follows wall and makes all turns in same direction  |           |   |           |   |
| d. Sweeps wall for opening (windows and doors)   |           |   |           |   |
| e. Locates a safe haven  |           |   |           |   |
| f. Performs skill in a safe and proficient manner, per AHJ   |           |   |           |   |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

Comments:

---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SAFETY FFI-4**

Terminating Utility Service

**Subject: Fireground Operations**

**NFPA 1001 4.3.18**

**REFERENCE**

Turn off building utilities, given tools and an assignment, so that the assignment is safely completed. (4.3.18)

**OBJECTIVE**

The firefighter trainee shall safely turn off building utilities including water, electricity, natural gas and propane.

**INSTRUCTIONS - procedures for achieving the objective**

You will be given a choice of required tools. Utilizing these tools, demonstrate locating the proper shutoff locations and shut off the valves or control devices for gas, water, and electric service to a building. You will begin on my instruction to start. The skill will end when you state to me that you have completed all of the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Building utility props  
Water meter key  
Gas meter key  
Spanner wrench  
Adjustable wrench  
PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SAFETY FFI-4**

Terminating Utility Service

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
|   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
| <b>SAFETY FFI-4</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall safely turn off building utilities including water, electricity, natural gas and propane. |                  |          |                  |          |
| <b>Water</b>  |                  |          |                  |          |
| a. Chooses the correct tool(s)  |                  |          |                  |          |
| b. Completely turns off the water meter using required safety equipment   |                  |          |                  |          |
| c. Confirms that the valve is shut off  |                  |          |                  |          |
| d. Performs the skill in a safe and proficient manner   |                  |          |                  |          |
| <b>Electricity</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Indicates that power should be disconnected by a utility company   |                  |          |                  |          |
| b. Shuts off main breakers using required safety equipment  |                  |          |                  |          |
| c. <i>States that meter should not be pulled</i>  |                  |          |                  |          |
| d. <i>States that utilities should not be restored by the fire department, uses utility company</i>                     |                  |          |                  |          |
| e. Performs the skill in a safe and proficient manner   |                  |          |                  |          |
| <b>Gas meter</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. <i>States that if gas is burning, the fire should not be extinguished</i>  |                  |          |                  |          |
| b. Chooses correct tool(s)  |                  |          |                  |          |
| c. Completely turns off meter using required safety equipment   |                  |          |                  |          |
| d. Confirms that valve is shut off  |                  |          |                  |          |
| e. Performs the skill in a safe and proficient manner   |                  |          |                  |          |
| <b>Propane Tank</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. <i>States that if gas is burning, the fire should not be extinguished</i>  |                  |          |                  |          |
| b. <i>States that a handline should be advanced to center of tank around valve area if exposed to fire</i>              |                  |          |                  |          |
| c. Completely turns off valve using required safety   |                  |          |                  |          |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

|   |  |  |  |  |
|---|--|--|--|--|
| equipment   |  |  |  |  |
| d. Performs the skill in a safe and proficient manner |  |  |  |  |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SAFETY FFI-5**

Set Up Emergency Lighting for Fire Ground Operation

**Subject: Fireground Operations**

**NFPA 1001 4.3.17**

**REFERENCE**

Illuminate the emergency scene, given fire service electrical equipment and an assignment, so that designated areas are illuminated and all equipment is operated within the manufacturer's listed safety precautions. (4.3.17)

**OBJECTIVE**

The firefighter trainee shall set up emergency lighting to illuminate the emergency scene.

**INSTRUCTIONS - procedures for achieving the objective**

Given a portable power or mounted power plant with lights, cords, and connectors, you shall set up and operate lighting equipment to illuminate a simulated fireground. You will identify and verbally describe the safety procedures to be observed when using fire service lighting equipment. You will identify at least three potential safety hazards when working with electricity on the fireground. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Portable or mounted power supply  
Lights  
Electrical cords  
Connectors  
Ground-fault interrupter (GFI)  
PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SAFETY FFI-5**

Set Up Emergency Lighting for Fire Ground Operation

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
|  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| <b>SAFETY FFI-5</b>  |                  |          |                  |          |
| The firefighter trainee shall set up emergency lighting to illuminate the emergency scene. |                  |          |                  |          |
| a. Inspects equipment for damage   |                  |          |                  |          |
| b. Operates department power supply and lighting equipment                                 |                  |          |                  |          |
| c. Deploys cords and connectors  |                  |          |                  |          |
| d. Identifies three possible hazards when setting up equipment                             |                  |          |                  |          |
| e. Resets ground-fault interrupter devices   |                  |          |                  |          |
| f. Locates lights for best effect  |                  |          |                  |          |
| g. Performs skill in a safe and proficient manner  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SAFETY FFI-6**

Use of Safety Equipment While Riding on Fire Apparatus

**Subject: Fireground Operations**

**NFPA 1001 4.3.2**

**REFERENCE**

Respond on apparatus to an emergency scene, given personal protective clothing and other necessary personal protective equipment, so that the apparatus is correctly mounted and dismounted, seat belts are used while the vehicle is in motion, and other personal protective equipment is correctly used. (4.3.2)

**OBJECTIVE**

The firefighter trainee shall properly use safety equipment while responding on apparatus to an emergency scene.

**INSTRUCTIONS - procedures for achieving the objective**

You shall don personal protective equipment, mount the apparatus and properly use all safety devices as required by the procedures or rules according to AHJ. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Firefighter protective clothing  
Fire apparatus  
Hearing protection  
Seat mounted SCBA (if applicable, according to AHJ)  
PPE appropriate for the skill

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

SAFETY FFI-6

Use of Safety Equipment While Riding on Fire Apparatus

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| INSTRUCTIONAL SKILLS   |           |   |           |   |
|--|-----------|---|-----------|---|
| SAFETY FFI-6   | ATTEMPT 1 |   | ATTEMPT 2 |   |
|  | S         | U | S         | U |
| The firefighter trainee shall properly use safety equipment while responding on apparatus to an emergency scene. |           |   |           |   |
| a. Dons personal protective equipment*   |           |   |           |   |
| b. Uses proper safety devices when mounting apparatus  |           |   |           |   |
| c. Is properly seated with seat belt fastened  |           |   |           |   |
| d. Secures all safety bars, door, and/or chains  |           |   |           |   |
| e. Wears hearing protection  |           |   |           |   |
| f. Uses proper safety devices when dismounting apparatus   |           |   |           |   |
| g. Performs the skill in a safe and proficient manner  |           |   |           |   |

\*May include donning SCBA using seat mounted method, if applicable, according to AHJ.

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

Comments:

---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SAFETY FFI-7**

**Safely Working in Protected Areas**

**Subject: Fireground Operations**

**NFPA 1001 4.3.3**

**REFERENCE**

Establish and operate in work areas at emergency scenes, given protective equipment, traffic and scene control devices, structure fire and roadway emergency scenes, traffic hazards and downed electrical wires, and assignment, and SOPs, so that procedures are followed, protective equipment is worn, protected work areas are established as directed using traffic and scene control devices, and the fire fighter performs assigned tasks only in established, protected work areas. (4.3.3)

**OBJECTIVE**

The firefighter trainee shall safely dismount an apparatus, then establish and work in a protected area.

**INSTRUCTIONS - procedures for achieving the objective**

Given a fire apparatus, dismount and remove equipment from the compartments of the apparatus at a simulated emergency scene. You will establish a protected work area per AHJ. You will verbally describe and follow all safety procedures. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Fire apparatus

Traffic and scene control devices

Miscellaneous tools and equipment

PPE appropriate for the skill

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

SAFETY FFI-7

Safely Working in Protected Areas

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| INSTRUCTIONAL SKILLS   |           |   |           |   |
|--|-----------|---|-----------|---|
| SAFETY FFI-7   | ATTEMPT 1 |   | ATTEMPT 2 |   |
|  | S         | U | S         | U |
| The firefighter trainee shall safety dismount an apparatus, then establish and work in a protected area. |           |   |           |   |
| a. Uses personal protective equipment  |           |   |           |   |
| b. Dismounts apparatus   |           |   |           |   |
| c. Deploys traffic and scene control devices per AHJ   |           |   |           |   |
| d. Operates in the protected work areas per AHJ  |           |   |           |   |
| e. Removes traffic and scene control devices per AHJ   |           |   |           |   |
| f. Performs the skill in a safe and proficient manner  |           |   |           |   |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

Comments:

---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

# TEXAS COMMISSION ON FIRE PROTECTION

## INSTRUCTIONAL SKILLS

### Basic Structural Fire Suppression

#### SAFETY FFI-8

##### Operating an Air-Monitoring Instrument

**Subject: Fireground Operations**

**NFPA 1001 4.3.21**

#### REFERENCE

Operate an air-monitoring instrument, given an air monitor and an assignment or task, so that the device is operated and the fire fighter recognizes the high- or low-level alarms of the air monitor and takes action to mitigate the hazard. (4.3.21)

#### OBJECTIVE

The firefighter trainee shall operate an air-monitoring instrument and recognize the high- or low- level alarms of the air monitor and take action to mitigate the hazard.

#### INSTRUCTIONS - procedures for achieving the objective

Given either single gas or multi-gas air monitoring instrument(s), you will demonstrate the procedures for placing the instrument(s) into service and verifying their calibration. You will also demonstrate how to use each air monitoring instrument provided. You will identify any high or low-level alarm that may activate and report their meaning and identify the appropriate mitigation actions that is required to the Skills Examiner. You will begin on my instructions to start. The skill will end when you state or indicate to me that you have completed all the identified steps. Do you understand these instructions?

#### PREPARATION & EQUIPMENT

1. Air monitoring instruments/equipment provided by the AHJ\* that may include:
  - a. Carbon monoxide monitor\*\*
  - b. Combustible gas indicator – Lower Explosive Limit (LEL Monitor) \*\*
  - c. Oxygen monitor\*\*
  - d. Gas specific monitor\*\*
  - e. Photoionization detector (PID)\*\*
2. Other instruments/equipment provided by AHJ

\*This skill may be performed with either actual air monitoring instruments/equipment or by the use of air monitoring training simulators.

\*\*These may be single gas air monitoring instrument(s) or a component of a multi-gas air monitoring instrument/device.

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

## TEXAS COMMISSION ON FIRE PROTECTION

### INSTRUCTIONAL SKILLS

#### Basic Structural Fire Suppression

Note: the two (2) most common air monitoring devices used in the fire service today are four (4) gas multi-gas monitors and five (5) gas multi-gas monitors that include a photoionization detector (PID) to measure volatile organic chemicals (VOC).

Four (4) gas multi-gas monitors typically include sensors that detect:

1. Oxygen (O<sub>2</sub>)
2. Carbon Monoxide (CO)
3. A specific chemical hazard of importance to the AHJ (i.e. Hydrogen Sulfide (H<sub>2</sub>S) or Sulfur Dioxide (SO<sub>2</sub>))
4. Combustible Gas/LEL Monitor

Five (5) gas multi-gas monitors typically include sensors that detect:

1. Oxygen (O<sub>2</sub>)
2. Carbon Monoxide (CO)
3. A specific chemical hazard of importance to the AHJ (i.e. Hydrogen Sulfide (H<sub>2</sub>S) or Sulfur Dioxide (SO<sub>2</sub>))
4. Combustible Gas/LEL Monitor
  - a. Volatile Organic Chemicals (VOC).

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SAFETY FFI-8**

Operating an Air-Monitoring Instrument

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b><u>INSTRUCTIONAL SKILLS</u></b>   |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
|  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
| <b>SAFETY FFI-8</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| Operate an air-monitoring instrument, given an air monitor and an assignment or task, so that the device is operated and the fire fighter recognizes the high- or low-level alarms of the air monitor and takes action to mitigate the hazard. |                  |          |                  |          |
| a. Places the instrument(s) into service.  |                  |          |                  |          |
| b. Verifies the calibration of the instrument(s).  |                  |          |                  |          |
| c. Demonstrate how to use the air monitoring instrument provided.  |                  |          |                  |          |
| d. Identifies and records instrument readings.   |                  |          |                  |          |
| e. Identifies any high or low level alarm that activate.   |                  |          |                  |          |
| f. Correctly reports the meaning of any alarms.  |                  |          |                  |          |
| g. Identifies the appropriate mitigation actions required.   |                  |          |                  |          |
| h. Performs skill in a safe and proficient manner, per AHJ.  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**FIRE SAFETY SURVEY FFII-1**

Fire Safety Survey in an Occupied Structure

**Subject: Fire and Life Safety Initiatives, Preparedness, and Maintenance**

**NFPA 1001 5.5.1**

**REFERENCE**

Perform a fire safety survey in an occupied structure, given survey forms and procedures, so that fire and life safety hazards are identified, recommendations for their correction are made to the occupant, and unresolved issues are referred to the proper authority. (5.5.1)

**OBJECTIVE**

The firefighter trainee shall perform a fire safety survey in an occupied structure, so that fire and life safety hazards are identified, recommendations for their correction are made to the occupant, and unresolved issues are referred to the proper authority.

**INSTRUCTIONS - procedures for achieving the objective**

Given an occupied structure, survey forms and the appropriate procedures, you shall demonstrate how to conduct a home safety survey. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**INSTRUCTOR NOTE**

The space to be surveyed must have a minimum of two life safety hazards for the firefighter trainee to identify.

**PREPARATION & EQUIPMENT**

Occupied structure suitable for survey  
Simulated fire department SOPs  
Survey forms

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**FIRE SAFETY SURVEY FFII-1**

Fire Safety Survey in an Occupied Structure

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILL</b>   |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
|  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
| <b>SAFETY SURVEY FFII-1</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall perform a fire safety survey in an occupied structure, so that fire and life safety hazards are identified, recommendations for their correction are made to the occupant, and unresolved issues are referred to the proper authority. |                  |          |                  |          |
| a. Gathers equipment and informational materials needed to conduct the survey  |                  |          |                  |          |
| b. Contacts resident   |                  |          |                  |          |
| c. Explains purpose and benefits of the survey to the resident   |                  |          |                  |          |
| d. Conducts the survey   |                  |          |                  |          |
| e. Identifies hazards  |                  |          |                  |          |
| f. Recommends appropriate solutions  |                  |          |                  |          |
| g. Discusses general fire safety information with the resident   |                  |          |                  |          |
| h. Concludes survey by thanking resident for cooperation   |                  |          |                  |          |
| i. Records or reports survey results as required by AHJ  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SALVAGE FFI-1**

Cleaning and Inspecting Salvage Covers

**Subject: Preparedness and Maintenance**

**NFPA 1001 4.5.1**

**REFERENCE**

Clean and check ladders, ventilation equipment, SCBA, ropes, salvage equipment, and hand tools, given cleaning tools, cleaning supplies, and an assignment, so that equipment is clean and maintained according to manufacturer's or departmental guidelines, maintenance is recorded, and equipment is placed in a ready state or reported otherwise. (4.5.1)

**OBJECTIVE**

The firefighter trainee shall inspect and clean a salvage cover.

**INSTRUCTIONS - procedures for achieving the objective**

Given a salvage cover and the appropriate cleaning equipment, you will demonstrate the proper technique for inspecting the cover for damage and for cleaning the cover. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Salvage cover

PPE appropriate for the skill

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

SALVAGE FFI-1

Cleaning and Inspecting Salvage Covers

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| INSTRUCTIONAL SKILLS  |           |   |           |   |
|---|-----------|---|-----------|---|
| SALVAGE FFI-1   | ATTEMPT 1 |   | ATTEMPT 2 |   |
|   | S         | U | S         | U |
| The firefighter trainee shall inspect and clean a salvage cover.  |           |   |           |   |
| a. Spreads the salvage cover flat for cleaning  |           |   |           |   |
| b. Scrubs salvage cover with a detergent solution and a brush   |           |   |           |   |
| c. Thoroughly rinses salvage cover  |           |   |           |   |
| d. <i>Verbalizes that the cover should be thoroughly dried before returning it to service</i>                             |           |   |           |   |
| e. Inspects the cover thoroughly for damage by having assistants hold the cover above their heads while looking for holes |           |   |           |   |
| f. Performs skill in a safe and proficient manner   |           |   |           |   |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SALVAGE FFI-2**

Construction of a Water Chute

**Subject: Fireground Operations**

**NFPA 1001 4.3.14**

**REFERENCE**

Conserve property as a member of a team, given salvage tools and equipment and an assignment, so that the building and its contents are protected from further damage. (4.3.14)

**OBJECTIVE**

The firefighter trainee shall construct a water chute.

**INSTRUCTIONS - procedures for achieving the objective**

Given a salvage cover and two pike poles, you will demonstrate the construction of a water chute to remove water. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Salvage cover

Pike poles

Ladder

PPE appropriate for the skill

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

SALVAGE FFI-2

Construction of a Water Chute

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| INSTRUCTIONAL SKILL  |           |   |           |   |
|--|-----------|---|-----------|---|
| SALVAGE FFI-2  | ATTEMPT 1 |   | ATTEMPT 2 |   |
|  | S         | U | S         | U |
| The firefighter trainee shall construct a water chute.   |           |   |           |   |
| a. Fully spreads the cover out on a flat surface, removing most creases and wrinkles   |           |   |           |   |
| b. Places pike poles at opposite edges of the salvage cover with the pike extending off the end of the cover                         |           |   |           |   |
| c. Rolls the edges of the cover over the pike poles towards the middle until there is approximately a 3-foot width between the rolls |           |   |           |   |
| d. Flips cover over, keeping folds in place  |           |   |           |   |
| e. Places the pike ends of the chute on an elevated, secure surface (ladder)   |           |   |           |   |
| f. Extends the other end out of the area being protected   |           |   |           |   |
| g. Performs skill in a safe and proficient manner, per AHJ   |           |   |           |   |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SALVAGE FFI-3**

**One-Firefighter Salvage Cover Roll Deployment**

**Subject: Fireground Operations**

**NFPA 1001 4.3.14**

**REFERENCE**

Conserve property as a member of a team, given salvage tools and equipment and an assignment, so that the building and its contents are protected from further damage. (4.3.14)

**OBJECTIVE**

The firefighter trainee shall perform a one-firefighter salvage cover roll.

**INSTRUCTIONS - procedures for achieving the objective**

Given a salvage cover, you will demonstrate a "one-firefighter salvage cover roll." You will begin on my instruction to start. The skill will end when you state to me that you have completed the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Salvage cover

Furniture or similar items

PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SALVAGE FFI-3**

One-Firefighter Salvage Cover Roll Deployment

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
| <b>SALVAGE FFI-3</b>  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall perform a one-firefighter salvage cover roll.   |                  |          |                  |          |
| a. Clusters furniture together, then starts at one end of the cluster and unrolls a sufficient amount to cover the end  |                  |          |                  |          |
| b. Lays the roll on the object and continues to unroll toward the opposite end  |                  |          |                  |          |
| c. Covers the opposite end adequately   |                  |          |                  |          |
| d. Stands at one end, grasps the open edges, and opens the sides by snapping hands up and out                           |                  |          |                  |          |
| e. Opens the other end of the cover over the object in the same manner and straightens the cover and tucks in the edges |                  |          |                  |          |
| f. Performs skill in a safe and proficient manner, per AHJ  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SALVAGE FFI-4**

Salvage Cover Fold

**Subject: Fireground Operations**

**NFPA 1001 4.3.14**

**REFERENCE**

Conserve property as a member of a team, given salvage tools and equipment and an assignment, so that the building and its contents are protected from further damage. (4.3.14)

**OBJECTIVE**

The firefighter trainee, with a team member, shall fold a salvage cover to be used for the "one-firefighter spread" method.

**INSTRUCTIONS - procedures for achieving the objective**

Given a salvage cover that is fully opened on a flat surface, you and a designated partner shall demonstrate the proper method for folding a salvage cover to be used for the "one-firefighter spread" method. You will begin on my instruction to start. The skill will end when you state to me that you have completed the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Salvage cover

PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SALVAGE FFI-4**

Salvage Cover Fold

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
|  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| <b>Salvage FFI-4</b>   |                  |          |                  |          |
| The firefighter training, with a team member, shall fold a salvage cover to be used for the "one-firefighter spread" method.   |                  |          |                  |          |
| a. Grasps the cover with the outside hand midway between the center and the edge to be folded, places the other hand as a pivot point midway between the outside hand and the center, and brings the fold over to the center |                  |          |                  |          |
| b. Brings the outside edge over to the center and places it on top of and in line with the previously placed first fold  |                  |          |                  |          |
| c. Folds other half of the cover in the same manner as steps a and b   |                  |          |                  |          |
| d. Folds ends until folds are just short of the center   |                  |          |                  |          |
| e. Places one fold on top of the other fold to finish  |                  |          |                  |          |
| f. Performs skill in a safe and proficient manner, per AHJ   |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SALVAGE FFI-5**

Salvage Cover Roll

**Subject: Fireground Operations**

**NFPA 1001 4.3.14**

**REFERENCE**

Conserve property as a member of a team, given salvage tools and equipment and an assignment, so that the building and its contents are protected from further damage. (4.3.14)

**OBJECTIVE**

The firefighter trainee, with a team member, shall roll a salvage cover.

**INSTRUCTIONS - procedures for achieving the objective**

Given a salvage cover that is fully open on a flat surface, you and a partner shall demonstrate the proper method for rolling a salvage cover. You will begin on my instruction to start. The skill will end when you state to me that you have completed the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Salvage cover

PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SALVAGE FFI-5**

Salvage Cover Roll

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
| <b>SALVAGE FFI-5</b>   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee, with a team member, shall roll a salvage cover.   |                  |          |                  |          |
| a. Grasps the cover with the outside hand midway between the center and the edge to be folded, places the other hand as a pivot point midway between the outside hand and the center, and brings the fold over to the center |                  |          |                  |          |
| b. Brings the outside edge over to the center and places it on top of and in line with the previously placed first fold  |                  |          |                  |          |
| c. Folds other half of the cover in the same manner as steps a and b   |                  |          |                  |          |
| d. Folds over about 12 inches at each end  |                  |          |                  |          |
| e. Rolls and compresses one end to complete a tight compact roll   |                  |          |                  |          |
| f. Performs skill in a safe and proficient manner, per AHJ   |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SALVAGE FFI-6**

**One-Firefighter Salvage Cover Spread**

**Subject: Fireground Operations**

**NFPA 1001 4.3.14**

**REFERENCE**

Conserve property as a member of a team, given salvage tools and equipment and an assignment, so that the building and its contents are protected from further damage. (4.3.14)

**OBJECTIVE**

The firefighter trainee shall perform a "one-firefighter spread" with a salvage cover.

**INSTRUCTIONS - procedures for achieving the objective**

Given a salvage cover, you will demonstrate a "one-firefighter spread." You will begin on my instruction to start. The skill will end when you state to me that you have completed the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Salvage cover

Furniture or similar items

PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SALVAGE FFI-6**

One-Firefighter Salvage Cover Spread

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
| <b>Salvage FFI-6</b>  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall perform a "one-firefighter spread" with a salvage cover.  |                  |          |                  |          |
| a. Clusters furniture together, then starts in the middle of the cluster and unfolds one side of the cover over the objects to be covered |                  |          |                  |          |
| b. Stands at the unfolded end, grasps the open edges, and opens the sides by snapping hands up and out                                    |                  |          |                  |          |
| c. Opens the other end of the cover over the object in the same manner and straightens the cover  |                  |          |                  |          |
| d. Tucks in the loose edges at the bottom   |                  |          |                  |          |
| e. Performs skill in a safe and proficient manner, per AHJ  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SALVAGE FFI-7**

**Two-Firefighter Salvage Cover Spread**

**Subject: Fireground Operations**

**NFPA 1001 4.3.14**

**REFERENCE**

Conserve property as a member of a team, given salvage tools and equipment and an assignment, so that the building and its contents are protected from further damage. (4.3.14)

**OBJECTIVE**

The firefighter trainee, with a team member, shall perform a “two-firefighter spread” with a salvage cover.

**INSTRUCTIONS - procedures for achieving the objective**

Given a salvage cover, you will demonstrate a "two-firefighter spread." You will begin on my instruction to start. The skill will end when you state to me that you have completed the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Salvage cover

Furniture or similar items

PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SALVAGE FFI-7**

Two-Firefighter Salvage Cover Spread

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
|   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| <b>Salvage FFI-7</b>  |                  |          |                  |          |
| The firefighter trainee, with a team member, shall perform a "two-firefighter spread" with a salvage cover. |                  |          |                  |          |
| a. Clusters furniture together  |                  |          |                  |          |
| b. Stretches the cover along one side of the object(s) and separates the last half fold                     |                  |          |                  |          |
| c. Firefighters pull the cover tight between them   |                  |          |                  |          |
| d. Prepares to swing folded part up and out, creating a pocket of air under the cover                       |                  |          |                  |          |
| e. Reaches high with the folded end and pitches it up and over the object                                   |                  |          |                  |          |
| f. Guides the cover into position as it floats over the object  |                  |          |                  |          |
| g. Straightens the cover and tucks in the edges   |                  |          |                  |          |
| h. Performs skill in a safe and proficient manner   |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SALVAGE FFI-8**

Debris Removal

**Subject: Fireground Operations**

**NFPA 1001 4.3.14**

**REFERENCE**

Conserve property as a member of a team, given salvage tools and equipment and an assignment, so that the building and its contents are protected from further damage. (4.3.14)

**OBJECTIVE**

The firefighter trainee shall remove debris and charred material.

**INSTRUCTIONS - procedures for achieving the objective**

Given a simulated fire situation, you will demonstrate the procedures for debris removal. You will be required to verbalize key steps while performing this skill. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Pumper apparatus

Salvage covers

Assorted hand tools

PPE appropriate for the skill

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

SALVAGE FFI-8

Debris Removal

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| INSTRUCTIONAL SKILLS  |           |   |           |   |
|---|-----------|---|-----------|---|
| SALVAGE FFI-8   | ATTEMPT 1 |   | ATTEMPT 2 |   |
|   | S         | U | S         | U |
| The firefighter trainee shall remove debris and charred material.                                 |           |   |           |   |
| a. Locates necessary equipment for debris removal   |           |   |           |   |
| b. Has a charged hoseline ready to extinguish any burning debris                                  |           |   |           |   |
| c. Removes debris or charred material   |           |   |           |   |
| d. After debris is removed from the building, locates material in a suitable location and fashion |           |   |           |   |
| e. <i>Verbally states that caution should be exercised in moving debris in a suspicious fire</i>  |           |   |           |   |
| f. Performs skill in a safe and proficient manner, per AHJ  |           |   |           |   |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SALVAGE FFI-9**

Covering an Opening in a Structure

**Subject: Fireground Operations**

**NFPA 1001 4.3.14**

**REFERENCE**

Conserve property as a member of a team, given salvage tools and equipment and an assignment, so that the building and its contents are protected from further damage. (4.3.14)

**OBJECTIVE**

The firefighter trainee shall cover an opening to secure a structure.

**INSTRUCTIONS - procedures for achieving the objective**

You will select the appropriate material(s) from an assortment of materials provided and properly cover the openings to secure the identified structure. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Hammer

Nails, assortment

Plywood

Heavy plastic

Roofing/tar paper

PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
|   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
| <b>SALVAGE FFI-9</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall cover an opening to secure a structure.                             |                  |          |                  |          |
| <b>Door or window</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Selects plywood, heavy plastic, or similar material to keep rain out                           |                  |          |                  |          |
| b. Uses a sufficient amount of material to cover the opening completely to keep out the elements  |                  |          |                  |          |
| c. Tacks the edges down to close the opening completely   |                  |          |                  |          |
| d. Performs skill in a safe and proficient manner   |                  |          |                  |          |
| <b>Roof</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Selects plywood, roofing/tarpaper, or heavy plastic  |                  |          |                  |          |
| b. Uses a sufficient amount of material to cover the opening completely to keep out the elements  |                  |          |                  |          |
| c. Uses appropriate nails to secure material  |                  |          |                  |          |
| d. Performs skill in a safe and proficient manner   |                  |          |                  |          |
| <b>Floor</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Selects plywood  |                  |          |                  |          |
| b. Uses a sufficient amount of material to cover the opening completely, to keep out the elements |                  |          |                  |          |
| c. Uses appropriate nails   |                  |          |                  |          |
| d. Performs skill in a safe and proficient manner   |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---



---



---

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

---

---

Instructor's Signature

---

Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SALVAGE FFI-10**

Construction of a Catch All

**Subject: Fireground Operations**

**NFPA 1001 4.3.14**

**REFERENCE**

Conserve property as a member of a team, given salvage tools and equipment and an assignment, so that the building and its contents are protected from further damage. (4.3.14)

**OBJECTIVE**

The firefighter trainee, working with a team member, shall construct a catch all.

**INSTRUCTIONS - procedures for achieving the objective**

Given a salvage cover, you and a partner will demonstrate the construction of a catch all. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Salvage cover

PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SALVAGE FFI-10**

Construction of a Catch All

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILL</b>   |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
| <b>SALVAGE FFI-10</b>  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee, working with a team member, shall construct a catch all.  |                  |          |                  |          |
| a. Fully spreads the cover out, removing most creases and wrinkles   |                  |          |                  |          |
| b. Rolls one long edge or side inwards about three (3) feet  |                  |          |                  |          |
| c. Rolls the opposite long edge or side inwards about three (3) feet   |                  |          |                  |          |
| d. Lays the ends (the four corners) of each "side roll" over at a 90 degree angle to form the basin corners                |                  |          |                  |          |
| e. Rolls one end into a tight roll down to and on top of the side rolls, forming a projected flap at each corner           |                  |          |                  |          |
| f. Tucks the projected flap up, into, and under the side rolls, locking the corners  |                  |          |                  |          |
| g. Rolls the remaining end into a tight roll down to and on top of the side rolls, forming a projected flap at each corner |                  |          |                  |          |
| h. Tucks the projected flaps up, into, and under the side rolls, locking the corners                                       |                  |          |                  |          |
| i. Performs skill in a safe and proficient manner, per AHJ   |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

\_\_\_\_\_  
 \_\_\_\_\_

\_\_\_\_\_  
 Instructor's Signature

\_\_\_\_\_  
 Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SCBA FFI-1**

Replacing a Spent SCBA Cylinder

**Subject: Fireground Operations**

**NFPA 1001 4.3.1, 4.5.1**

**REFERENCE**

Use self-contained breathing apparatus (SCBA) during emergency operations, given SCBA and other personal protective equipment, so that the SCBA is correctly donned, the SCBA is correctly worn, controlled breathing techniques are used, emergency procedures are enacted if the SCBA fails, all low-air warnings are recognized, respiratory protection is not intentionally compromised, and hazardous areas are exited prior to air depletion. (4.3.1)

Clean and check ladders, ventilation equipment, SCBA, ropes, salvage equipment, and hand tools, given cleaning tools, cleaning supplies, and an assignment, so that equipment is clean and maintained according to manufacturer's or departmental guidelines, maintenance is recorded, and equipment is placed in a ready state or reported otherwise. (4.5.1)

**OBJECTIVE**

The firefighter trainee shall replace a spent SCBA cylinder.

**INSTRUCTIONS - procedures for achieving the objective**

You will be given an SCBA with a spent cylinder and will be required to demonstrate the proper procedure for replacing it. You shall verbalize the PSI. The skill will begin on my instruction to start. This skill will end when you state to me that you are finished with this skill. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Self-Contained Breathing Apparatus

Extra cylinder

PPE appropriate for the skill

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

SCBA FFI-1

Replacing a Spent SCBA Cylinder

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| INSTRUCTIONAL SKILLS   |           |   |           |   |
|--|-----------|---|-----------|---|
| SCBA FFI-1   | ATTEMPT 1 |   | ATTEMPT 2 |   |
|  | S         | U | S         | U |
| The firefighter trainee shall replace a spent SCBA cylinder.                           |           |   |           |   |
| a. Places SCBA on a flat surface   |           |   |           |   |
| b. Turns off cylinder valve  |           |   |           |   |
| c. Opens purge valve to bleed off the air pressure                                     |           |   |           |   |
| d. Disconnects the high pressure hose from cylinder                                    |           |   |           |   |
| e. Releases cylinder from backpack and removes cylinder                                |           |   |           |   |
| f. Places and secures a full cylinder into the backpack                                |           |   |           |   |
| g. Inspects the "O" ring in the high pressure hose connection                          |           |   |           |   |
| h. Connects high pressure hose to the cylinder   |           |   |           |   |
| i. Opens the cylinder valve and checks remote gauge reading ( <i>verbalizes PSI</i> ). |           |   |           |   |
| j. Performs skill in a safe and proficient manner, per AHJ                             |           |   |           |   |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

Comments:

---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SCBA FFI-2**

Operational Inspection of SCBA and PASS Device

**Subject: Preparedness and Maintenance**

**NFPA 1001 4.5.1**

**REFERENCE**

Clean and check ladders, ventilation equipment, SCBA, ropes, salvage equipment, and hand tools, given cleaning tools, cleaning supplies, and an assignment, so that equipment is clean and maintained according to manufacturer's or departmental guidelines, maintenance is recorded, and equipment is placed in a ready state or reported otherwise. (4.5.1)

**OBJECTIVE**

The firefighter trainee shall inspect an SCBA and PASS device.

**INSTRUCTIONS - procedures for achieving the objective**

Given an SCBA with PASS device, you will demonstrate the operational inspection of the SCBA unit and PASS device. You shall verbalize the mandatory steps while performing this skill. The skill will begin on my instruction to start. This skill will end when you state that you are finished with this skill. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Self-Contained Breathing Apparatus

PASS Device

PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SCBA FFI-2**

Operational Inspection of SCBA and PASS Device

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
| <b>SCBA FFI-2</b>   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall inspect an SCBA and PASS device.                        |                  |          |                  |          |
| a. Inspects the backpack's harness straps for cleanliness and damage                  |                  |          |                  |          |
| b. Inspects the cylinder for cleanliness and damage                                   |                  |          |                  |          |
| c. Opens the cylinder and checks for air leaks  |                  |          |                  |          |
| d. Compares the cylinder gauge pressure to remote pressure gauge                      |                  |          |                  |          |
| e. <i>Verbalizes all pressure gauge reading in PSI (should be within 100 PSI)</i>     |                  |          |                  |          |
| f. Operates PASS device in all modes  |                  |          |                  |          |
| g. Inspects the face piece for damage   |                  |          |                  |          |
| h. Inspects operation of all face piece accessories present                           |                  |          |                  |          |
| i. Purges the face piece, then dons or holds face piece to face and breathes air      |                  |          |                  |          |
| j. Operates purge/bypass valve  |                  |          |                  |          |
| k. Closes cylinder valve and relieves pressure and properly checks low pressure alarm |                  |          |                  |          |
| l. <i>Verbalizes recording and reporting procedures, as per AHJ</i>                   |                  |          |                  |          |
| m. Performs skill in a safe and proficient manner, per AHJ                            |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---



---

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**  
**INSTRUCTIONAL SKILLS**  
**Basic Structural Fire Suppression**

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SCBA FFI-3**

Cleaning and Sanitizing SCBA

**Subject: Preparedness and Maintenance**

**NFPA 1001 4.5.1**

**REFERENCE**

Clean and check ladders, ventilation equipment, SCBA, ropes, salvage equipment, and hand tools, given cleaning tools, cleaning supplies, and an assignment, so that equipment is clean and maintained according to manufacturer's or departmental guidelines, maintenance is recorded, and equipment is placed in a ready state or reported otherwise. (4.5.1)

**OBJECTIVE**

The firefighter trainee shall clean and sanitize an SCBA.

**INSTRUCTIONS - procedures for achieving the objective**

You will be given an SCBA to clean and sanitize. The skill will begin on my instruction to start. This skill will end when you state that you are finished with this skill. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Self-Contained Breathing Apparatus  
PPE appropriate for the skill

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

SCBA FFI-3

Clean and Sanitizing SCBA

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| INSTRUCTIONAL SKILLS  |           |   |           |   |
|---|-----------|---|-----------|---|
| SCBA FFI-3  | ATTEMPT 1 |   | ATTEMPT 2 |   |
|   | S         | U | S         | U |
| The firefighter trainee shall clean and sanitize an SCBA.                             |           |   |           |   |
| a. Cleans unit with soap and water per manufacturer's recommendations                 |           |   |           |   |
| b. Does not allow water to get into regulator assembly or electronics                 |           |   |           |   |
| c. Disinfects face piece with cleaner/sanitizer per manufacturer's recommendations    |           |   |           |   |
| d. Cleans and dries unit using proper procedures                                      |           |   |           |   |
| e. Closes cylinder valve and relieves pressure and properly checks low pressure alarm |           |   |           |   |
| f. Performs skill in a safe and proficient manner, per AHJ                            |           |   |           |   |

S = Satisfactorily completed/performed

U = Unsatisfactorily performed/failed to meet objective or grading step

Comments:

---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SCBA FFI-4**

**Donning Breathing Apparatus Using the Coat Method**

**Subject: Fireground Operations**

**NFPA 1001 4.3.1**

**REFERENCE**

Use self-contained breathing apparatus (SCBA) during emergency operations, given SCBA and other personal protective equipment, so that the SCBA is correctly donned, the SCBA is correctly worn, controlled breathing techniques are used, emergency procedures are enacted if the SCBA fails, all low-air warnings are recognized, respiratory protection is not intentionally compromised, and hazardous areas are exited prior to air depletion. (4.3.1)

**OBJECTIVE**

The firefighter trainee shall don an SCBA using the Coat Method.

**INSTRUCTIONS - procedures for achieving the objective**

With the Self-Contained Breathing Apparatus (SCBA) lying on the ground, back plate up, you shall don the breathing apparatus using the coat method. You shall verbalize the mandatory steps while performing this skill. You will begin on my instruction to start. The skill will stop when all identified steps have been accomplished and you put your hands in the air to signal that you are finished with this skill. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Self-Contained Breathing Apparatus

Personal Alert Safety System

PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SCBA FFI-4**

Donning Breathing Apparatus Using the Coat Method

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
| <b>SCBA FFI-4</b>   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall don an SCBA using the Coat Method.  |                  |          |                  |          |
| a. Begins procedure with protective ensemble properly donned  |                  |          |                  |          |
| b. Checks cylinder gauge, verbalizes PSI  |                  |          |                  |          |
| c. Turns the cylinder valve on fully and listens for alarm  |                  |          |                  |          |
| d. Properly positions SCBA unit on his/her back using the coat method   |                  |          |                  |          |
| e. Fastens and adjusts straps   |                  |          |                  |          |
| f. Dons face piece and checks for proper seal   |                  |          |                  |          |
| g. Protective ensemble properly dons, no skin exposed and collar fastened with helmet chin strap securely fastened under chin |                  |          |                  |          |
| h. Breathes from the SCBA unit  |                  |          |                  |          |
| i. Confirms and verbalizes that PASS device is on   |                  |          |                  |          |
| j. Performs skill in a safe and proficient manner, per AHJ  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SCBA FFI-5**

Donning Breathing Apparatus Using the Over the Head Method

**Subject: Fireground Operations**

**NFPA 1001 4.3.1**

**REFERENCE**

Use self-contained breathing apparatus (SCBA) during emergency operations, given SCBA and other personal protective equipment, so that the SCBA is correctly donned, the SCBA is correctly worn, controlled breathing techniques are used, emergency procedures are enacted if the SCBA fails, all low-air warnings are recognized, respiratory protection is not intentionally compromised, and hazardous areas are exited prior to air depletion. (4.3.1)

**OBJECTIVE**

The firefighter trainee shall don an SCBA using the Over the Head Method.

**INSTRUCTIONS - procedures for achieving the objective**

With the Self-Contained Breathing Apparatus (SCBA) laying on the ground, back plate up, you shall don the breathing apparatus using the over the head method. You will begin on my instruction to start. The skill will end when all identified steps have been accomplished and you put your hands in the air to signal that you are finished with this skill. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Self-Contained Breathing Apparatus

Personal Alert Safety System

PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SCBA FFI-5**

Donning Breathing Apparatus Using the Over the Head Method

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
| <b>SCBA FFI-5</b>  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall don an SCBA using the Over the Head Method.  |                  |          |                  |          |
| a. Begins procedure with protective ensemble properly donned   |                  |          |                  |          |
| b. Checks cylinder gauge, verbalizes PSI   |                  |          |                  |          |
| c. Turns the cylinder valve on fully and listens for alarm   |                  |          |                  |          |
| d. Properly positions the SCBA unit on back using the over the head method   |                  |          |                  |          |
| e. Fastens and adjusts straps  |                  |          |                  |          |
| f. Dons face piece and checks for proper seal  |                  |          |                  |          |
| g. Protective ensemble properly donned, no skin exposed and collar fastened with helmet chin strap fastened under chin |                  |          |                  |          |
| h. Breathes from the SCBA unit   |                  |          |                  |          |
| i. Confirms and verbalizes that PASS device is on  |                  |          |                  |          |
| j. Performs skill in a safe and proficient manner, per AHJ   |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SCBA FFI-6**

Skip-Breathing

**Subject: Fireground Operations**

**NFPA 1001 4.3.1, 4.3.5**

**REFERENCE**

Use self-contained breathing apparatus (SCBA) during emergency operations, given SCBA and other personal protective equipment, so that the SCBA is correctly donned, the SCBA is correctly worn, controlled breathing techniques are used, emergency procedures are enacted if the SCBA fails, all low-air warnings are recognized, respiratory protection is not intentionally compromised, and hazardous areas are exited prior to air depletion. (4.3.1)

Exit a hazardous area as a team, given vision-obscured conditions, so that a safe haven is found before exhausting the air supply, others are not endangered, and the team integrity is maintained. (4.3.5)

**OBJECTIVE**

The firefighter trainee shall demonstrate emergency procedures for conserving air by using the technique known as skip-breathing.

**INSTRUCTIONS - procedures for achieving the objective**

While wearing full protective clothing and a Self-Contained Breathing Apparatus (SCBA), you will demonstrate emergency procedures for conserving air by using the technique known as skip-breathing. You will begin on my instruction to start. The evaluation will end when all identified steps have been accomplished and you put your hands in the air to signal that you are finished with this skill. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Self-Contained Breathing Apparatus

PPE appropriate for the skill

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SCBA FFI-6**

Skip-Breathing

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
|   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| <b>SCBA FFI-6</b>   |                  |          |                  |          |
| The firefighter trainee shall demonstrate emergency procedures for conserving air by using the technique known as skip-breathing. |                  |          |                  |          |
| a. Takes a regular breath ( <b>safety point</b> : inhales normally)   |                  |          |                  |          |
| b. Holds breath for about as long as it would normally take to exhale it  |                  |          |                  |          |
| c. Takes a second breath  |                  |          |                  |          |
| d. Exhales slowly   |                  |          |                  |          |
| e. Performs skill in a safe and proficient manner, per AHJ  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

# TEXAS COMMISSION ON FIRE PROTECTION

## INSTRUCTIONAL SKILLS

### Basic Structural Fire Suppression

#### SCBA FFI-7

Donning Breathing Apparatus Using the Compartment Mounted Method

**Subject: Fireground Operations**

**NFPA 1001 4.3.1**

#### REFERENCE

Use self-contained breathing apparatus (SCBA) during emergency operations, given SCBA and other personal protective equipment, so that the SCBA is correctly donned, the SCBA is correctly worn, controlled breathing techniques are used, emergency procedures are enacted if the SCBA fails, all low-air warnings are recognized, respiratory protection is not intentionally compromised, and hazardous areas are exited prior to air depletion. (4.3.1)

#### OBJECTIVE

The firefighter trainee shall don an SCBA using the Compartment Mounted Method.

#### INSTRUCTIONS - procedures for achieving the objective

You will demonstrate the procedure for donning the Self-Contained Breathing Apparatus using the Compartment Mounted Method. You shall verbalize the steps printed in italics. You will begin on my instruction to start. The skill will stop when all identified steps have been accomplished and you put your hands in the air and signal that you are finished with this skill. Do you understand these instructions?

#### PREPARATION & EQUIPMENT

Apparatus with SCBA compartment mount  
Self-Contained Breathing Apparatus  
PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SCBA FFI-7**

Donning Breathing Apparatus Using the Compartment Mounted Method

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
| <b>SCBA FFI-7</b>  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall don an SCBA using the Compartment Mounted Method.  |                  |          |                  |          |
| a. Begins procedure with protective ensemble properly donned   |                  |          |                  |          |
| b. Checks cylinder gauge, <i>verbalizes PSI</i>  |                  |          |                  |          |
| c. Turns the cylinder valve on fully and <i>verbally indicates listening for alarm</i>   |                  |          |                  |          |
| d. Properly positions SCBA unit on his/her back  |                  |          |                  |          |
| e. Fastens and adjusts straps  |                  |          |                  |          |
| f. Dons and secures face piece   |                  |          |                  |          |
| g. Checks face piece for proper seal   |                  |          |                  |          |
| h. Protective ensemble is properly donned, no skin exposed and collar fastened with helmet chin strap securely fastened under chin |                  |          |                  |          |
| i. Breathes air from the SCBA  |                  |          |                  |          |
| j. Confirms and <i>verbalizes that PASS device is activated</i>  |                  |          |                  |          |
| k. Performs skill in a safe and proficient manner, per AHJ   |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SCBA FFI-8**

Donning Breathing Apparatus Using the Seat Mounted Method

**Subject: Fireground Operations**

**NFPA 1001 4.3.1**

**REFERENCE**

Use self-contained breathing apparatus (SCBA) during emergency operations, given SCBA and other personal protective equipment, so that the SCBA is correctly donned, the SCBA is correctly worn, controlled breathing techniques are used, emergency procedures are enacted if the SCBA fails, all low-air warnings are recognized, respiratory protection is not intentionally compromised, and hazardous areas are exited prior to air depletion. (4.3.1)

**OBJECTIVE**

The firefighter trainee shall don an SCBA using the Seat Mounted Method.

**INSTRUCTIONS - procedures for achieving the objective**

While wearing full firefighter protective clothing, you will demonstrate the procedure for donning the Self-Contained Breathing Apparatus using the Seat Mounted Method. You shall verbalize the steps printed in italics. You will begin on my instruction to start. The skill will end when all identified steps have been accomplished and you put your hands in the air and signal that you are finished with this skill. Do you understand these instructions?

**SAFETY NOTE**

Apparatus should not be in motion during the skill.

**PREPARATION & EQUIPMENT**

Apparatus with SCBA seat mount  
Self-Contained Breathing Apparatus  
PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SCBA FFI-8**

Donning Breathing Apparatus Using the Seat Mounted Method

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
| <b>SCBA FFI-8</b>  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee shall don an SCBA using the Seat Mounted Method.   |                  |          |                  |          |
| a. Begins procedure with protective ensemble properly donned   |                  |          |                  |          |
| b. Firefighter is properly seated  |                  |          |                  |          |
| c. Places arms through SCBA shoulder straps and partially tightens straps  |                  |          |                  |          |
| d. Carefully exits the apparatus to ground level or safely completes task inside apparatus                                   |                  |          |                  |          |
| e. Fastens and adjusts straps  |                  |          |                  |          |
| f. Turns cylinder valve on fully and verbally indicates listening for alarm  |                  |          |                  |          |
| g. Checks shoulder harness gauge, <i>verbalizes PSI</i>  |                  |          |                  |          |
| h. Requests cylinder gauge reading verification  |                  |          |                  |          |
| i. Confirms and <i>verbalizes that the PASS device is on</i>   |                  |          |                  |          |
| j. Dons and secures face piece and checks for proper seal  |                  |          |                  |          |
| k. Protective ensemble properly donned, no skin exposed, collar fastened, and helmet chin strap securely fastened under chin |                  |          |                  |          |
| l. Breathes air from the SCBA unit   |                  |          |                  |          |
| m. Performs skill in a safe and proficient manner, per AHJ   |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---



---

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SCBA FFI-9**

Restricted Passage

**Subject: Fireground Operations**

**NFPA 1001 4.3.1**

**REFERENCE**

Use self-contained breathing apparatus (SCBA) during emergency operations, given SCBA and other personal protective equipment, so that the SCBA is correctly donned, the SCBA is correctly worn, controlled breathing techniques are used, emergency procedures are enacted if the SCBA fails, all low-air warnings are recognized, respiratory protection is not intentionally compromised, and hazardous areas are exited prior to air depletion. (4.3.1)

**OBJECTIVE**

The firefighter trainee shall maneuver through a restricted passage while wearing full personal protective equipment including SCBA.

**INSTRUCTIONS - procedures for achieving the objective**

You will be presented with a restricted passage. While wearing full personal protective equipment including SCBA, you shall safely maneuver through the passage. You will begin on my instruction to start. Put your hands in the air to signal that you are finished with this skill. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Self-Contained Breathing Apparatus

Restricted passage training prop

PPE appropriate for the skill

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

SCBA FFI-9

Restricted Passage

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| INSTRUCTIONAL SKILLS   |           |  |           |  |
|--|-----------|--|-----------|--|
|  | ATTEMPT 1 |  | ATTEMPT 2 |  |
| <b>SCBA FFI-9</b>  |           |  |           |  |
| The firefighter trainee shall maneuver through a restricted passage while wearing full personal protective equipment including SCBA. |           |  |           |  |
| a. Loosens straps or removes SCBA unit to reduce profile   |           |  |           |  |
| b. Maneuvers through restricted passage  |           |  |           |  |
| c. Maintains face piece seal or adjusts, if necessary  |           |  |           |  |
| d. Maintains continuous contact with SCBA unit   |           |  |           |  |
| e. Once through restricted passage, readjusts SCBA unit and straps   |           |  |           |  |
| f. Performs skill in a safe and proficient manner, per AHJ   |           |  |           |  |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**SCBA FFI-10**

Controlled Breathing

**Subject: Fireground Operations**

**NFPA 1001 4.3.1, 4.3.5**

**REFERENCE**

Use self-contained breathing apparatus (SCBA) during emergency operations, given SCBA and other personal protective equipment, so that the SCBA is correctly donned, the SCBA is correctly worn, controlled breathing techniques are used, emergency procedures are enacted if the SCBA fails, all low-air warnings are recognized, respiratory protection is not intentionally compromised, and hazardous areas are exited prior to air depletion. (4.3.1)

Exit a hazardous area as a team, given vision-obscured conditions, so that a safe haven is found before exhausting the air supply, others are not endangered, and the team integrity is maintained. (4.3.5)

**OBJECTIVE**

The firefighter trainee shall control breathing while wearing an SCBA.

**INSTRUCTIONS -- procedures for achieving the objective**

While wearing full personal protective clothing, you shall be given a Self-Contained Breathing Apparatus in full operation. You will be provided with a fire ground operation to perform. You shall demonstrate controlled breathing. You will begin on my instruction to start. The skill will end when all identified steps have been accomplished and you put your hands in the air and signal that you are finished with this skill. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Self-Contained Breathing Apparatus  
PPE appropriate for the skill

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

SCBA FFI-10

Controlled Breathing

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| INSTRUCTIONAL SKILLS   |      |   |        |   |
|--|------|---|--------|---|
| SCBA FFI-10  | TEST |   | RETEST |   |
|  | S    | U | S      | U |
| The firefighter trainee shall control breathing while wearing an SCBA. |      |   |        |   |
| a. Exhales through the mouth   |      |   |        |   |
| b. Inhales through the nose  |      |   |        |   |
| c. Performs steps a and b for four (4) more cycles                     |      |   |        |   |
| d. Performs skill in a safe and proficient manner, per AHJ             |      |   |        |   |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

Comments:

---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**VENTILATION FFI-1**

Vertical Ventilation

**Subject: Fireground Operations**

**NFPA 1001 4.3.12**

**REFERENCE**

Perform vertical ventilation on a structure as part of a team, given an assignment, personal protective equipment, ground and roof ladders, and tools, so that ladders are positioned for ventilation, a specified opening is created, all ventilation barriers are removed, structural integrity is not compromised, products of combustion are released from the structure, and the team retreats from the area when ventilation is accomplished. (4.3.12)

**OBJECTIVE**

The firefighter trainee, operating as a team member, shall perform vertical ventilation.

**INSTRUCTIONS: Procedures for achieving the objectives**

You will perform vertical ventilation on a structure as part of a team, given personal protective equipment, ground and roof ladders, and tools, so that ladders are positioned for ventilation, a specified opening is created, all ventilation barriers are removed, structural integrity is not compromised, products of combustion are released from the structure, and the team retreats from the area when ventilation is accomplished. You will perform this skill in a safe and proficient manner. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Ventilation scenario

Ventilation prop

PPV or smoke ejector

Appropriate length and size of hose with nozzle

Tools as needed for the scenario (chain saw, axe, pike pole, etc.)

Roof ladder

Extension ladder

PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
|  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| <b>VENTILATION FFI-1</b>   |                  |          |                  |          |
| The firefighter trainee, operating as a team member, shall perform vertical ventilation.                         |                  |          |                  |          |
| a. Transports and operates ventilation tools and equipment   |                  |          |                  |          |
| b. Selects, carries, deploys, and secures ground ladders for ventilation activities                              |                  |          |                  |          |
| c. Deploys roof ladders on pitched roofs while secured to a ground ladder  |                  |          |                  |          |
| d. Sounds roof for integrity   |                  |          |                  |          |
| e. Hoists or carries ventilation tools to a roof as required for scenario  |                  |          |                  |          |
| f. Cuts roofing and flooring materials to vent flat roofs, pitched roofs, and basements as required for scenario |                  |          |                  |          |
| g. Assures a clear opening with hand tools   |                  |          |                  |          |
| h. Uses tools as designed  |                  |          |                  |          |
| i. Retreats from area when ventilation is accomplished   |                  |          |                  |          |
| j. Performs skill in a safe and proficient manner  |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

# TEXAS COMMISSION ON FIRE PROTECTION

## INSTRUCTIONAL SKILLS

### Basic Structural Fire Suppression

#### VENTILATION FFI-2

##### Horizontal Ventilation

**Subject: Fireground Operations**

**NFPA 1001 4.3.11**

#### REFERENCE

Perform horizontal ventilation on a structure operating as part of a team, given an assignment, personal protective equipment, ventilation tools, equipment, and ladders, so that the ventilation openings are free of obstructions, tools are used as designed, ladders are correctly placed, ventilation devices are correctly placed, and the structure is cleared of smoke. (4.3.11)

#### OBJECTIVE

The firefighter trainee, operating as a team member, shall perform horizontal ventilation.

#### INSTRUCTIONS: Procedures for achieving the objectives

You will perform horizontal ventilation on a structure as part of a team, given personal protective equipment, ground and roof ladders, and tools, so that ladders are positioned for ventilation, a specified opening is created, all ventilation barriers are removed, structural integrity is not compromised, products of combustion are released from the structure, and the team retreats from the area when ventilation is accomplished. You will perform this skill in a safe and proficient manner. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

#### PREPARATION & EQUIPMENT

Ventilation prop

PPV or smoke ejector

Appropriate length and size of hose with nozzle

Tools as needed for the scenario (chain saw, axe, pike pole, etc.)

Roof ladder

Extension ladder

PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**VENTILATION FFI-2**

Horizontal Ventilation

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
| <b>VENTILATION FFI-2</b>  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
|   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee, operating as a team member, shall perform horizontal ventilation.                    |                  |          |                  |          |
| a. Transports ventilation tools and equipment and ladders as required for scenario                            |                  |          |                  |          |
| b. Operates ventilation tools and equipment safely  |                  |          |                  |          |
| c. Places ladders correctly as required for scenario  |                  |          |                  |          |
| d. Uses safe procedures for breaking window and door glass and removing obstructions as required for scenario |                  |          |                  |          |
| e. Places ventilation devices correctly as required for scenario  |                  |          |                  |          |
| f. Ensures ventilation openings are free of obstructions  |                  |          |                  |          |
| g. Uses tools as designed   |                  |          |                  |          |
| h. Ensures structure is clear of smoke  |                  |          |                  |          |
| i. Performs skill in a safe and proficient manner   |                  |          |                  |          |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**VENTILATION FFI-3**

Cleaning and Inspecting Ventilation Equipment

**Subject: Preparedness and Maintenance**

**NFPA 1001 4.5.1**

**REFERENCE**

Clean and check ladders, ventilation equipment, SCBA, ropes, salvage equipment, and hand tools, given cleaning tools, cleaning supplies, and an assignment, so that equipment is clean and maintained according to manufacturer's or departmental guidelines, maintenance is recorded, and equipment is placed in a ready state or reported otherwise. (4.5.1)

**OBJECTIVE**

The firefighter trainee shall inspect, clean and check ventilation equipment so that equipment is cleaned and maintained according to manufacturer's or departmental guidelines, maintenance is recorded, and equipment is placed in a ready state or reported otherwise.

**INSTRUCTIONS: Procedures for achieving the objectives**

Given a tool used for ventilation and the appropriate cleaning equipment, you will verbalize the proper technique for inspecting and cleaning the ventilation tool. Actual cleaning does not need to occur for this skill. You will begin on my instruction to start. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

PPV Fan  
Negative Pressure Fan  
Power Saws  
Cleaning supplies  
PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

VENTILATION FFI-3

Cleaning and Inspecting Ventilation Equipment

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| INSTRUCTIONAL SKILLS  |           |   |           |   |
|---|-----------|---|-----------|---|
| VENTILATION FFI-3   | ATTEMPT 1 |   | ATTEMPT 2 |   |
|   | S         | U | S         | U |
| The firefighter trainee shall inspect, clean and check ventilation equipment so that equipment is cleaned and maintained according to manufacturer's or departmental guidelines, maintenance is recorded, and equipment is placed in a ready state or reported otherwise. |           |   |           |   |
| a. Cleans and dries tool  |           |   |           |   |
| b. Inspects tool for any damage   |           |   |           |   |
| c. Inspects any safety guards present on the tool   |           |   |           |   |
| d. Checks fuel level (if applicable)  |           |   |           |   |
| e. Checks tool for proper operation   |           |   |           |   |
| f. Returns tool to a ready state or reports otherwise   |           |   |           |   |
| g. Records maintenance performed  |           |   |           |   |
| h. Performs Skill in a safe and proficient manner   |           |   |           |   |

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

Comments:

---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**WATER SOURCE FFI-1**

Supply Hose to Hydrant

**Subject: Fireground Operations**

**NFPA 1001 4.3.15**

**REFERENCE**

Connect a fire department pumper to a water supply as a member of a team, given supply or intake hose, hose tools, and a fire hydrant or static water source, so that connections are tight and water flow is unobstructed. (4.3.15)

**OBJECTIVE**

The firefighter trainee, operating as a team member, shall connect a pumper apparatus to a fire hydrant using a forward lay and a reverse lay.

**INSTRUCTIONS - procedures for achieving the objective**

You shall demonstrate the proper technique for connecting a 2½ inch or larger soft supply hose to a hydrant. Once the hose has been connected to the hydrant and the intake of the apparatus, you will then fully open and close the hydrant. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Pumper apparatus  
2½" or larger soft supply hose  
Hydrant  
Hydrant wrench  
PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**WATER SOURCE FFI-1**

Supply Hose to Hydrant

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>  |                  |          |                  |          |
|--|------------------|----------|------------------|----------|
|  | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
| <b>WATER SOURCE FFI-1</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee, operating as a team member, shall connect a pumper apparatus to a fire hydrant using a forward lay and a reverse lay. |                  |          |                  |          |
| <b>FORWARD LAY</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Obtains a hydrant wrench from apparatus   |                  |          |                  |          |
| b. Removes sufficient hose to reach the hydrant  |                  |          |                  |          |
| c. Secures the hose per AHJ  |                  |          |                  |          |
| d. Signals driver to proceed to the fire   |                  |          |                  |          |
| e. Flushes hydrant   |                  |          |                  |          |
| f. Connects hose to the hydrant  |                  |          |                  |          |
| g. Connects other hose coupling to pump intake   |                  |          |                  |          |
| h. Fully opens hydrant   |                  |          |                  |          |
| i. Removes all kinks from the hose   |                  |          |                  |          |
| j. Fully closes hydrant when water source is no longer needed  |                  |          |                  |          |
| k. Performs skill in a safe and proficient manner, per AHJ   |                  |          |                  |          |
| <b>REVERSE LAY</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Removes sufficient hose and tools at the fire scene   |                  |          |                  |          |
| b. Secures the hose per AHJ  |                  |          |                  |          |
| c. Signals driver to proceed to the hydrant  |                  |          |                  |          |
| d. Flushes hydrant   |                  |          |                  |          |
| e. Makes appropriate hydrant connection  |                  |          |                  |          |
| f. Connects other hose coupling to pump intake or appliance at fire scene  |                  |          |                  |          |
| g. Fully opens hydrant   |                  |          |                  |          |
| h. Removes all kinks from the hose   |                  |          |                  |          |
| i. Fully closes hydrant when water source is no longer needed  |                  |          |                  |          |
| j. Performs skill in a safe and proficient manner, per AHJ   |                  |          |                  |          |

**S = Satisfactorily completed/performed**

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**WATER SOURCE FFI-2**

**Hand Laying Supply Line**

**Subject: Fireground Operations**

**NFPA 1001 4.3.15**

**REFERENCE**

Connect a fire department pumper to a water supply as a member of a team, given supply or intake hose, hose tools, and a fire hydrant or static water source, so that connections are tight and water flow is unobstructed. (4.3.15)

**OBJECTIVE**

The firefighter trainee, operating as a team member, shall hand lay hose to connect a pumper apparatus to a water source.

**INSTRUCTIONS - procedures for achieving the objective**

Given the proper equipment as a member of a team, you shall demonstrate the shoulder carry method of hand laying a given size and length of supply line from a pumper to a water source. You will be evaluated on your individual performance. You will begin on my instruction to start. The skill will end when the final performing team member states to me that all the identified steps have been completed. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Pumper

Sufficient amount of supply hose

Water source

Necessary adapters and tools

PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**WATER SOURCE FFI-2**

Hand Laying Supply Line

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| <b>INSTRUCTIONAL SKILLS</b>   |                  |          |                  |          |
|---|------------------|----------|------------------|----------|
|   | <b>ATTEMPT 1</b> |          | <b>ATTEMPT 2</b> |          |
| <b>WATER SOURCE FFI-2</b>   | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| The firefighter trainee, operating as a team member, shall hand lay hose to connect a pumper apparatus to a water source.         |                  |          |                  |          |
| <b>Firefighter #1 – Deploys Hose</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Positions on the rear step of the apparatus  |                  |          |                  |          |
| b. Deploys supply hose on to firefighters   |                  |          |                  |          |
| c. Uncouples the hose from hose bed   |                  |          |                  |          |
| d. Makes hose connection to pumper  |                  |          |                  |          |
| e. Performs skill in a safe and proficient manner, per AHJ  |                  |          |                  |          |
| <b>Firefighter #2 – Shoulder Carry</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Positions at the tailboard facing the direction of travel  |                  |          |                  |          |
| b. Brings the hose from behind back onto shoulder so the hose folds at knee level   |                  |          |                  |          |
| c. Continues to make knee-high folds until the appropriate amount of hose is loaded   |                  |          |                  |          |
| d. Holds the hose to prevent it from slipping off the shoulder  |                  |          |                  |          |
| e. Moves forward approximately 15 feet (5 meters)   |                  |          |                  |          |
| f. Advances the hose with firefighter #3 toward the water source while flaking hose off the shoulder                              |                  |          |                  |          |
| g. Uses adapters and tools to connect hose to the water supply  |                  |          |                  |          |
| h. Performs skill in a safe and proficient manner, per AHJ  |                  |          |                  |          |
| <b>Firefighter #3 – Shoulder Carry</b>  | <b>S</b>         | <b>U</b> | <b>S</b>         | <b>U</b> |
| a. Positions at the tailboard facing the direction of travel  |                  |          |                  |          |
| b. Loads hose onto the shoulder in the same manner as FF#2, making knee-high folds until the appropriate amount of hose is loaded |                  |          |                  |          |
| c. Advances the hose with firefighter #2 toward the water source while flaking hose off the shoulder                              |                  |          |                  |          |
| d. Performs skill in a safe and proficient manner, per AHJ  |                  |          |                  |          |

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**S = Satisfactorily completed/performed**

**U = Unsatisfactorily performed/failed to meet objective or grading step**

**Comments:**

---

---

---

---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

**TEXAS COMMISSION ON FIRE PROTECTION**

**INSTRUCTIONAL SKILLS**

**Basic Structural Fire Suppression**

**WATER SOURCE FFI-3**

Establishing a Portable Water Source Connection

**Subject: Fireground Operations**

**NFPA 1001 4.3.15**

**REFERENCE**

Connect a fire department pumper to a water supply as a member of a team, given supply or intake hose, hose tools, and a fire hydrant or static water source, so that connections are tight and water flow is unobstructed. (4.3.15)

**OBJECTIVE**

The firefighter trainee, operating as a team member, shall establish a portable water source connection.

**INSTRUCTIONS - procedures for achieving the objective**

Given all the necessary equipment, you shall demonstrate the proper technique for connecting a pumper to a portable water supply source. It will not be necessary for you to actually draft water as a part of this skill. The skill will end when you state to me that you have completed all the identified steps. Do you understand these instructions?

**PREPARATION & EQUIPMENT**

Pumper apparatus  
2 - 2½" or larger hard supply hoses with strainers  
Rubber mallet  
Portable water tank  
PPE appropriate for the skill

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

TEXAS COMMISSION ON FIRE PROTECTION

INSTRUCTIONAL SKILLS

Basic Structural Fire Suppression

WATER SOURCE FFI-3

Establishing a Portable Water Source Connection

Candidate: \_\_\_\_\_

School: \_\_\_\_\_

| INSTRUCTIONAL SKILLS  |           |   |           |   |
|---|-----------|---|-----------|---|
|   | ATTEMPT 1 |   | ATTEMPT 2 |   |
| WATER SOURCE FFI-3  | S         | U | S         | U |
| The firefighter trainee, operating as a team member, shall establish a portable water source connection.  |           |   |           |   |
| a. Properly deploys portable water tank on a safe surface   |           |   |           |   |
| b. Checks gaskets on hard suction hose for dirt or gravel   |           |   |           |   |
| c. Uses a floating strainer or ensures a rope is fastened to the barrel-type strainer to aid in handling the hard suction hose or uses a low water strainer |           |   |           |   |
| d. Makes hard suction hose connection to pumper and strainer  |           |   |           |   |
| e. Uses a rubber mallet to ensure an air-tight connection   |           |   |           |   |
| f. Places strainer into portable water tank   |           |   |           |   |
| g. Performs skill in a safe and proficient manner, per AHJ  |           |   |           |   |

S = Satisfactorily completed/performed

U = Unsatisfactorily performed/failed to meet objective or grading step

Comments:

---



---



---



---

\_\_\_\_\_  
Instructor's Signature

\_\_\_\_\_  
Date

Reprinted with permission from NFPA 1001-2019, *Standard for Fire Fighter Professional Qualifications* Copyright © 2018, National Fire Protection Association, Quincy, MA 02169. This reprinted material is not the complete and official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.